

REFERENCES

Alderweireldt, F., and Anteunis, M. N.M.R. experiments on ketals. V.The conformation of 2-substituted 1,3-dioxolanes. Bull. Soc. Chim. Belges. 74(1965): 488-506.

Appel, R., and Berger, G.Hydrazinsulfonsaure-amide, I. Über das Hydrazodisulfamid. Chem. Ber. 91(1958): 1339-1341.

Baggett, N., Bukhari, M.A., Foster, A.B., Lehmann, J., and Webber, J.M. Aspects of stereochemistry. Part XII. Synthesis and some properties of *trans*-2-alkyl derivatives of 5-hydroxy-1,3-dioxan. J. Chem. Soc. (1963):4157-4160.

Bakker, S.A., Bourne, E.J. Pinkard, R.M, and Whiffen, D.H. Spectra of acetals. Part I. The infrared and raman spectra of 1:3-dioxolan. J. Chem. Soc. (1959):802-813.

Bedenbaugh, A.O., Bedenbaugh, J.H., Bergin, W.A., and Adkins, J.D. Synthesis of aldehydes and secondary amines from carboxylic acid via imines. J. Am Chem. Soc. 92 (September 1970):5774-5775.

Behal, MM.A., and Sommelet, M. Methode de synthese des aldehydes, Bull.Soc.Chim. 31(1904):300-308.

Berger, F.M., Boekelheide, V., and Tarbell, D.S. The pharmacological properties of some 2-substituted-4-hydroxymethyl-1,3-dioxolanes. Science 108

(November 1984):561-562.

Boekelheide, V., et al. Drugs effecting muscular paralysis.

Some substituted dioxolanes and related compounds.

J. Am. Chem. Soc. 71(October 1949):3303-3307.

Brimacombe, J.S., Foster, A.B., and Haines, A.H. Aspects of Stereochemistry. Part V. Some properties of 1,2-O-methylene glycerol and related compounds. J. Chem. Soc. (1960):2582-2586.

, J.S., Foster, A.B., and Stacy, M. Structure of the 1,3-O-benzylidene glycerols. Chemistry and Industry 20(September 1958):1228-1229.

Brown, H.C., and McFarlin, R.F. The reaction of lithium aluminium hydride with alcohols. Lithium tri-t-butoxyaluminohydride as a new selective reducing agents. J. Am. Chem. Soc. 80(1958):5372-5376.

Burton, B.S. On the propyl derivatives and decomposition products of ethylacetoacetate. Am. Chem. J. 3(1882):385-395.

Chan, A.W.K. 1993. Drugs used in the treatment of epilepsy, In C.M. Smith, and A.M. Reynard (eds.), Textbook of Pharmacology, pp. 320-324. USA: W.B. Saunders Company.

Chapman, A., Keane, P.E., Meldrum, B.S., Simiand, J., and Vernieres, J.C. Mechanism of anticonvulsant action of valproate. Progress in Neurobiology 19(1982):315-359.

Carey, F.A., and Sundberg, R.J. 1977. Advanced Organic chemistry Part A. Structure and mechanisms. New York:Plenum.

Corey, E.J., and Schmidt, G. Useful procedures for the oxidation of alcohols involving pyridium dichromate in aprotic media. Tetrahedron Letters 5(1979):399-402.

Dobinson, B., and Foster, A.B. Aspects of stereochemistry. Part VI. Configuration of the 5-hydroxy-2-p-nitrophenol-1,3-dioxans and further observation on trans-5-hydroxy-2-phenyl-1,3-dioxan. J. Chem. Soc. (1961):2338-2342.

Donahoe, H.B., and Kimura, K.K. 1968. Synthetic skeletal muscle relaxants. In A.Burger(ed.), Drugs affecting the central nervous system, USA:Marcel Dekker.

Eliel, E.L. 1962. Stereochemistry of carbon compounds. Japan: MrGraw-Hill Kogakusha.

_____, and Banks, H.D. Conformational analysis. XXIV. Effects of dipolar and eclipsing forces on intramolecular hydrogen bonding in 3-hydroxy methyltetrahydropyran and 5-hydroxymethyl-1,3-dioxane. J. Am. Chem. Soc. 94(1972):171-176.

_____, and Willey, W.E. Configurational equilibria in 2,4,5-trisubstituted 1,3-dioxolanes. Tetrahedron Letters (1969):1775-1778.

Fairbourne, A., and Toms, H. α -Monosodium glyceroxide. Its structure and application. J. Chem. Soc. 119(1921): 1035-1040.

Fieser, L.F., and Fieser, M. 1967. Reagents for organic synthesis. Vol.1. New York: John Wiley and Sons.

Fresenius, W., Huber, J.F.K., Punger, E., Rechnitz, G.A., Simon, W., and West, Th.S. 1989. Tables of spectral data for structure determination of organic compounds: ^{13}C -NMR, ^1H -NMR, IR, MS, UV/VIS.
Chemical Laboratory Practice. 2nd ed. New York: Springer-Verlag.

Furniss, B.S., Hannaford, A.J., Smith, P.W.G., and Tatchell , A.R. 1991. Vogel's Textbook of practical organic chemistry. 5th ed. Great Britain: The Bath Press.

Graf, R. Umsetzungen mit N-Carbonyl-sulfamidsaure chlorid, II Alkohole and Phenole. Chem. Ber. 96 (1963):56-57.

, Reactions with N-carbonylsulfamoyl chloride. Angew. Chem. Internat. Edit. 7(1968):172-182.

Gugler, R., and Von Unruk, G.E. Clinical Pharmacokinetics of valproic acid. Clin. Pharmac. 5(1980):67-83.

Hedayatullah, M., and Guy, A. Synthese et reduction d'azidosulfates d'aryle. Tetrahedron Letters 29 (1975):2455-2458.

, and Guy, A.A convenient synthesis of aryl sulfamates. Synthesis(1978):375.

Hibbert, H., and Carter, N.M. Studies on the reaction relating to carbohydrates and polysaccharides XVII. Structure of the isomeric methyldene glycerols.

J. Am. Chem. Soc. 50(1928):3120-3127.

Hill, H.S., Hill, A.C., and Hibbert, H. Studies on the reactions relating to carbohydrates and polysaccharides. XVI Separation and identification of the isomeric ethyldene glycols. J. Am. Chem. Soc. 50(1928):2242-2249.

Kirk, R.E., and Othmer, D.F. 1951. Encyclopedia of chemical technology. Vol.7. New York: The Interscience Encyclopedia.

Levy, G.C. 1979. Topics in Carbon-13 NMR spectroscopy. Vol.3. New York:Wiley-Interscience.

Lo, Y.S., et al. Synthesis and physicochemical properties of sulfamate derivatives as topical antiglaucoma agents. J. Med. Chem. 35(1992):4790-4794.

Lohaus, G. Darstellung and Umsetzungen von Aryloxysulfonylisocyanaten. Chem. Ber. 105(1972): 2791-2799.

Loscher, W. Anticonvulsant activity of metabolites of valproic acid. Archs. int. Pharmacodyn. 249(1981): 158-163.

Lott, R.S. 1992. Seizure Disorders. In M.A. Koda-Kimble, and L.Y. Young (eds.), Applied therapeutics, the clinical use of drugs, pp. (63-9), and (69-27)-(69-28). Vancouver: Applied therapeutics Inc..

March, J. 1968. Advanced organic chemistry: Reactions, mechanisms and structure. Tokyo:McGraw-Hill Kogakusha.

Maryanoff, B.E., Nortey, S.O., Gardocki, J.F., Shank, R.P., and Dodgson, S.P. Anticonvulsant O-alkyl sulfamates. 2,3:4,5-Bis-O-(1-methylethylidene)- β -D-fructopyranose sulfamate and related compounds. J. Med. Chem. 30(1987):880-887.

Matier, W.L., and Comer, W.T. Sulfamoyl azides. Hydrolysis rates and hypotensive activity. J. Med. Chem. 15 (1972):538-541.

Mercier, J. 1973. Chemical compounds possessing anticonvulsant activity. Structure-activity relationships of the antiepileptics. In C.Radouco-Thomas (ed.), International Encyclopedia of Pharmacology and Therapeutics, section 19 Anticonvulsant drugs, pp.203-237.

Micovic, V.M., and Mihailovic, M.LJ. The reduction of acid amides with lithium aluminium hydride. J. Org. Chem. 18(1953):1190-1200.

Nanavati, S.M., and Silverman, R.B. Design of potential anticonvulsant agents: Mechanistic classification of GABA aminotransferase inactivators. J. Med. Chem. 32 (November 1989):2413-2421.

Palmer, K.J. and McTavish, D. Felbamate. A review of its pharmacodynamic and pharmacokinetic properties, and therapeutic efficacy in epilepsy. Drugs 45(June

1993):1004-1005.

Pearson, D.E., Cowan, D. and Beckler, J.D. A study of the entrainment method for making Grignard reagents.

J. Org. Chem. 24(1959):504-509.

Piantadosi, C., Anderson, C.E., Brecht, E.A., and Yarbro, C.L. The preparation of cyclic glycerol acetals by transacetalation. J. Am. Chem. Soc. 80(1958):6613.

Prager, B., and Jacobson, P. 1921. Beilsteins Handbuch der organischen chemie, Band III acyclische oxy-carbonsauren und oxo- carbonsauren. Vol.3. Berlin: Verlag von Julius Springer.

Rall, T.W., and Schleifer, L.S. 1990. Drugs effective in the therapy of the epilepsies. In A.G. Gilman, T.W. Rall, A.S. Niels, and P. Tayler (eds.), Goodman and Gilman's the pharmacological basis of therapeutics, pp. 436-439. USA:Pergamon Press.

Riddell, F.G. Heterocyclic conformational analysis. Q. Rev. Chem. Soc. 21(1967):364-378.

_____, The ¹³C-Nuclear Magnetic Resonance spectra of some 1,3-dioxans. J. Chem. Soc. (B)(1970):331-333.

Rogawski, M.A., and Porter, R.J. Antiepileptic drugs: pharmacological mechanisms and clinical efficacy with consideration of promising developmental stage compounds. The pharmacological reviews 42 (1990):223-286.

Rommelaere, Y., and Anteunis, M. NMR Experiments on acetals. XVIII[1]. *Cis-trans* equilibria in some 2,4-disubstituted 1,3-dioxolanes. Bull. Soc. Chim. Belges. 79(1970):11-14.

Schmidt, D. 1982. Sodium Valproate. In D. Schmidt(ed.), Adverse effects of antiepileptic drugs, pp.145-148. New York:Raven Press.

Scudder, P.H. 1992. Electron flow in organic chemistry. New York:John Wiley & Sons.

Showler, A.J., and Darley, P.A. Condensation products of glycerol with aldehydes and ketones. 2-Substituted 1-m-dioxan-5-ols and 1,3-dioxolane-4-methanols. Chem. Rev. 67(1967):427-440.

Silverman, R.B. 1992. Prodrugs and drug delivery systems. In R.B. Silverman(ed.), The organic chemistry of drug design and drug action, pp. 352-401. New York:Academic Press.

Silverstein, R.M, Bassler, G.C., and Morrill, T.C. 1991. Spectrometric identification of organic compounds. 5th ed. New York:John Wiley & Sons.

Smith,L.I., and Bayliss, M. The Bodroux-Tschitschibabin, and the Bouveault aldehyde syntheses. J. Org. Chem. 6(1941):437-442.
_____, and Nichols, J. The synthesis of aldehydes from Grignard reagents. II Polymethylbenzaldehydes. J. Org. Chem. 6(1941):489-506.

Solomons, T.W.G. 1992. Organic Chemistry. New York : John Wiley & Sons.

Stephen, H., A new synthesis of aldehydes, J. Chem. Soc. 127(1925):1874-1877.

Vicchio, D., and Callery, P.S. Metabolic conversion of 2-propylpentanal acetals to valproic acid in vitro. Model prodrugs of carboxylic acid agents.

Drugs Metabolism and disposition 17(1989): 513-517.

Weast, R.C. 1986. Handbook of chemistry and physics. 67th ed. Florida:CRC.

Willy, W.E., Binsch, G., and Eliel, E.L. Conformational analysis. XXIII 1,3-dioxolanes. J. Am. Chem. Soc. 92(1970):5394-5402.

Woodbury, D.M. 1980. Antiepileptic drugs, carbonic anhydrase inhibitors. In G.H. Glaser, J.K. Penry, D.M. Woodbury(eds.), Antiepileptic drugs mechanism of action. Advances in neurology, pp.617-633. New York:Raven Press.

VITA

Mr. , Bhutorn Canyuk was born in the southern province of Trang, Thailand, on August 1966. He graduated from the Faculty of Pharmacy, Prince of Songkhla University, Had-Yai Campus, in 1991 and received the Bachelor of Science in Pharmacy with first class honors. He began his graduate study at Chulalongkorn University in the Department of Pharmaceutical Chemistry in the same year. After graduation from Chulalongkorn University, he worked in the Department of Pharmaceutical Chemistry, Faculty of Pharmacy, Prince of Songkhla University, Had-Yai Campus, Thailand.



ศูนย์วิทยบรพยากร
จุฬาลงกรณ์มหาวิทยาลัย