

รายการอ้างอิง

ภาษาไทย

- สมศักดิ์ ปัญหา. 2534. หอยมุกน้ำจืดและไข่มุกน้ำจืด. เอกสารเผยแพร่งานวิจัยทั่วไปของงานวิจัยหอยมุกน้ำจืด ภาควิชาชีววิทยา คณะวิทยาศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย. 16 หน้า.
- สมศักดิ์ ปัญหา และคณะ. 2536. การสร้างไข่มุกในหอยมุกน้ำจืด Chamberlainia hainesiana. การประชุมวิชาการวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย ครั้งที่ 19 ณ โรงแรมดุสิต เจ.บี. หาดใหญ่ สงขลา. : 476-477.
- อัมพร อึ้งปกรณแก้ว. 2535. อัลตราสตรัคเจอร์ของเปลือกโกลคิเดียมหอยกาน้ำจืดบางชนิด. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต ภาควิชาชีววิทยานัณฑิตวิทยาลัยจุฬาลงกรณ์มหาวิทยาลัย.

ภาษาอังกฤษ

- Aoki, S. 1956. Formation of the pearl-sac in the pearl oyster (Pinctada martensii), with reference to the autumn and early winter pearl-culture. Bull. Natl. Pearl Res. Lab. 1: 41-46.
- _____. 1957 a. Some experiments on the nuclear insertion in the pearl-culture of the pearl-oyster (Pinctada martensii), I. Formation of the pearl-sac and pearl when the inserted nucleus was placed in contact with the retractor muscle of the gonad. Bull. Natl. Pearl Res. Lab. 2: 113-118.

- Aoki, S. 1957 b. Some experiments on the nuclear insertion in the pearl-culture of the pearl oyster (Pinctada martensii), II. Formation of the pearl-sac and pearl in the case when the outer epithelium of the mantle is not in contact with the nucleus. Bull. Natl. Pearl Res. Lab. 3: 217-227.
- _____. 1959. Some experiments on the nuclear insertion in the pearl-culture of the pearl oyster Pinctada martensii (Dunker), III. Formation of the pearl-sac and the pearl when the pieces from three different parts of the mantle were inserted. Bull. Natl. Pearl Res. Lab. 5: 503-515.
- _____. 1961. Some experiments on the nuclear insertion in the pearl-culture of the pearl oyster (Pinctada martensii), V. Pearl-sac formation in the material with a space between the inserted nucleus and adjacent tissue. Bull. Natl. Pearl Res. Lab. 6: 647-656.
- Bevelander, G. 1952. Calcification in molluscs, III intake and deposition of Ca^{45} and P^{32} in relation to shell formation. Biological Bulletin. 102: 9-15.
- Bevelander, G., and Nakahara, H. 1966. Correlation of lysosomal activity and ingestion by mantle epithelium. Biological Bulletin. 131: 1561-1596.
- Coimbra, A.M., Ferreira, K.G., Fernander, P., and Ferreira, H.G. 1993. Calcium exchanges in Anodonta cygnea : Barriers and driving gradients. J. Comp. physiol. B. Biochem. Syst. Environ. Physiol. 163(3): 196-202.
- Du, X., He, H., and Wu, X. 1991. Studies on the development of the pearl oyster Cristaria plicata Lech (Lamellibranchia). ACTA Hydrobiol. Sin. Shuisheng Shengwu Xuebao. 15(3): 227-233.

- Gervis, M.H., and Sims, N.A. 1992. The biology and culture of pearl oysters (Bivalvia:Pteriidae). ICLARM Stud. Rev. 48 pp.
- Goetting, K.J. 1979. Parasites inducing pearl formation in Mytilus edulis L.(Bivalvia). Inst. fur Allg. und Spez. Zool. 18(1): 563-567.
- Hatano, H., Matsui, Y., Swada, Y., Tanaka, S., and Uchida, Y. 1955. Report of the Nippon Institute Scientific Research on Pearl. Kyoto: Science Faculty, Kyoto University
- Hirata, A.A. 1953. Studies on shell formation. II. A mantle-shell preparation for in vitro studies. Biological Bulletin. 104: 394-369.
- Kawakami, I.K. 1952. Studies on pearl sac formation-I. on the regeneration and transplantation of the mantle piece in the pearl oyster. (Ser. E.) Mem. Fac. Sci. Kyusku Univ. 1(2): 83-90.
- _____. 1953. Studies on pearl sac formation, II. The effect of water temperature and freshness of transplant on pearl sac formation. Annotationes. Zoological. Japabebsus. Tokyo. 26(4): 217-223.
- _____. 1954. Studies on pearl sac formation, III. Pearl Sac formation in fresh water mussels. Annotationes. Zoological. Japabebsus. Tokyo. 27(4): 215-219.
- _____. 1957. Studies on pearl-sac formation-IV. pearl and pearl-sac formation with cold-shocked mantle tissue in Pinctadda martensii. Bull Natl. Pearl Res. Lab. 3: 228-234.
- Li, Z., Liao, B., and Xu, X. 1988. Symp. on marine biology of the south china sea. Hong Kong: Marine Biology of the South China Sea.

- Machii, A. 1958. Studies on the histology of the pearl-sac. VI. The effect of the size of the mantle piece and the nuclear size on the rate of pearl-sac formation. Bull. Natl. Pearl Res. Lab. 4: 284-287.
- _____. 1959 a. Studies on the histology of the pearl-sac, IV. on the pearl-sac tissue of so called "kokuhan" pearls (black spotted pearls). Bull. Natl. Pearl Res. Lab. 5: 407-410.
- _____. 1959 b. Studies on the histology of the pearl-sac, V. Results of transplantation of the pearl-sac. Bull. Natl. Pearl Res. Lab. 5: 411-417.
- _____. 1962. Studies on the histology of pearl-sac. VIII. on the formation of epithelium derived form the inner epithelium of the mantle piece. Bull. Natl. Pearl Res. Lab. 8: 884-890.
- _____. 1968. Histological studies on the pearl sac formation. Bull. Natl. Pearl Res. Lab. 13: 1489-1539.
- Machii, A. and Nakahara, H. 1957. Studies on the histology of the pearl-sac. II. On the speed of the pearl-sac formation different by season. Bull. Natl. Pearl Res. Lab. 2 (16): 107-112.
- McLean, N. 1980. Phagocytosis by epidermal cells of the mantle in Mytilus edulis L. (Mollusca : Bivalvia). Comp. Biochem. physiol.(A). 66: 367-369.
- Meglitsch, P.A. and Schram, F.R. 1991. Invertebrate zoology. Third edition. New York : Oxford University Press, Inc.
- Nakahara, H., and Machii, A. 1956. Studies on the histology of the pearl-sac. I. Histological observation of pearl sac tissue which produce normal and abnormal pearls. Bull. Natl. Pearl Res. Lab. 1: 10-13.

- Nakahara, H., and Machii, A. 1957. Studies on the histology of the pearl-sac. III. Transformation of the mantle piece and its adjacent tissue during the early period of the pearl-sac formation. Bull. Natl. Pearl Res. Lab. 3: 212-217.
- Neff, J.M. 1972. Untrastructure of the outer epithelium of the mantle in relation to clam Mercenaria mercenaria in relation to calcification of the shell. Tissue and cell. 4: 519-600.
- Ojima, Y., and Watanabe, T. 1953. Studies on the pearl-sac in the molluscs. Nat. Sci. Ser. 1: 57-63.
- Petit, H., Davis, W.L., and Jones, R.G. 1978. Morphological studies on the mantle of the fresh water mussel Amblema(Unionidae) : Scanning electron microscopy. Tissue and cell. 10(4): 619-627.
- _____. 1979. Morphological studies on the periostracum of the fresh water mussel Amblema(Unionidae):Light microscopy, Transmission electron microscopy, and Scanning electron microscopy. Tissue and cell. 11(4): 633-642.
- _____. 1980 a. Morphological studies on the calcification process in the fresh water mussel Amblema. Tissue and cell. 12(1):13-28.
- _____. 1980 b. A scanning electron microscopic study of the inorganic and organic materices comprising the msture shell of Amblema, A fresh water mollus. Tissue and cell. 12(1): 581-601.
- Shi, A.T., Zhang, M. Wu, Z.W., and Peng, X.F. 1985. On the formation of pearl sac in freshwater mussel. J. Fish. China Shuichan Xuebao. 9(3): 247-253.

- Si, A., Fong, J., and Zeng, J. 1990. Scanning electron microscopic observation of exocuticle cells of mantle of shell for cultivating pearl. Sichuan Daxue Xuebao (Ziran Kexueban). 27(3): 348-353.
- Sin, C. 1993. China's pearl industry : Progress and problems. Jewelsiam. 4(2): 72-76.
- Tsujii, T. 1968. Studies on the mechanism of shell and pearl-formation-X. The submicroscopic structure of the epithelial cells on the mantle of pearl oyster, Pteria (Pinctada) martensii. Rep. Fac. Fish. Pre. Univ. Mie. 6(2): 41-66.
- Wada, K. 1957. Microscopic observations of cultured pearls at their early formation. Bull Natl. Pearl Res. Lab. 3: 167-174.
- _____. 1958 a. Microscopic observations of cultured pearls at their early formation II. Bull Natl. Pearl Res. Lab. 4: 251-260.
- _____. 1958 b. Studies on the component of various cultured pearls by means of x-ray diffraction and differential analysis. Bull Natl. Pearl Res. Lab. 4: 275-282.
- _____. 1959 a. Microscopic observation of cultured pearls at their early formation III. Bull Natl. Pearl Res. Lab. 5: 357-372.
- _____. 1959 b. Microscopic observation of cultured pearls at their early formation IV. Bull Natl. Pearl Res. Lab. 5: 373-380.
- _____. 1959 c. The influence of the life-activity upon pearl formation in the pearl culture of Pinctada martensii (Dunker) I. on the pearls produced under abnormal condition of their health. Bull. Natl. Pearl Res. Lab. 5: 381-394.

- Wada, K. 1968 a. Electron microscopic observations of the formation of the periostracum of Pinctada fucata. Bull Natl. Pearl Res. Lab. 13: 1540-1560.
- _____. 1968 b. Mechanism of growth of nacre in bivalvia. Bull Natl. Pearl Res. Lab. 13: 1561-1596.
- _____. 1972. Relations between calcium metabolism of pearl sac and pearl quality. Bull. Natl. Pearl Res. Lab. 16: 1949-2027.
- Wilbur, K.M., and Saleuddin, A.S.M. 1983. Shell formation. The mollusca, vol.4 physiology part 1. Academic press, Inc. 225-287.
- Yano, I., and Machii, A. 1975. Amino acid composition of dark brown secretion formed in organ culture of mantle tissue of the pearl oyster. Bull, Jap. Soc. Sei. Fish. 41(10):1083.
- Zahab, R.J., et al. 1992. Mantle histology, histochemistry and ultrastructure of the pearl oyster, Pinctada margaritifera (L.). Aquat. Liv. Resour. 5(4): 287-298.

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย



ประวัติผู้เขียน

นายประสพ โขษวิฑิตกุล เกิดเมื่อวันที่ 25 ตุลาคม 2510 ที่จังหวัดกรุงเทพฯ สำเร็จการศึกษาระดับมัธยมศึกษาปีที่ 6 จากโรงเรียนราชสีมาวิทยาลัยและสำเร็จการศึกษาระดับปริญญาตรี วิทยาศาสตร์บัณฑิต สาขาชีววิทยา จากมหาวิทยาลัยศรีนครินทรวิโรฒ วิทยาเขตบางแสน ในปีการศึกษา 2532 เข้าศึกษาต่อระดับปริญญาวิทยาศาสตรมหาบัณฑิต สาขาลัทธิวิทยา จุฬาลงกรณ์มหาวิทยาลัย เมื่อปีการศึกษา 2535



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย