

References

- Anlezark, G., Horton, R.W., Meldrum, B.S., and Sawaya, M.C.B. Anticonvulsant action of ethanolamine-o-sulfate and di-n-propylacetate and the metabolism of GABA in mice with audiogenic seizures. Biochem. Pharmacol. 25 (1976) : 413-417.
- Ayala, G.F., Dichter, M., Gumnit, R.J., Matsumoto, H., and Spencer, W.A. Genesis of epileptic interictal spikes. New knowledge of cortical feedback systems suggests a neurophysiological explanation of brief paroxysms. Brain Res. 52 (1973) : 1-17.
- Babb, T.L., Pretorius, J.K., Kupfer, W.R., and Crandall, P.H. Glutamate decarboxylase-immunoreactive neurons are preserved in human epileptic hippocampus. J. Neurosci. 9 (1989) : 2562-2574.
- Benveniste, H., and Huttemeier, P.C. Microdialysis-theory and application. Prog. Neurobiol. 35 (1990): 195-219.
- Bialer, M., Haj-Yehia, A, Badir, K., and Hadad, S. Can we develop improved derivatives of valproic acid?. Pharmacy World & Science 16 (1994) : 2-6.
- Browning, R.A. Overview of neurotransmission : relationship to the action of antiepileptic drugs. In Faingold, C.L., and Fromm, G.H. (eds.), Drugs for control of epilepsy, pp. 23-56. Florida : CRC Press, 1992.
- Boonardt Saisorn, Chamnan Patarapanich, and Wicharn Janwitayanuchit. Synthesis of monoureide analogues of valproic acid. Thai J. Pharm. Sci. 16 (1992) : 145-150.
- Burn, J.H., Finney, D.J., and Goodwin, L.G. Biological standardization, 2nd ed., pp. 114-132. London : Oxford University Press, 1952.

- Chapman, A.G., Croucher, M.J., and Meldrum, B.S. Anticonvulsant activity of intracerebroventricularly administered valproate and valproate analogues. A dose dependent correlation with changes in brain aspartate and GABA levels in DBA/2 mice. *Biochem. Pharmacol.* 33 (1984) : 1459-1463.
- _____, Meldrum, B.S., and Mendes, E. Acute anticonvulsant activity of structural analogues of valproic acid and changes in brain GABA and aspartate content. *Life Sci.* 32 (1983) : 2023-2031.
- Chatchai Powthongchin. Anticonvulsant activity of n(2'-propylpentanoyl)-2-pyrrolidinone and its effects on γ -aminobutylic acid (GABA) levels in rat cerebral cortex. Master's Thesis, Chulalongkorn University, 1994.
- Clark, C.R. Comparative anticonvulsant activity and neurotoxicity of 4-amino-n-(2,6-dimethylphenyl) benzamide and prototype antiepileptic drugs in mice and rats. *Epilepsia* 29 (1988) : 198-203.
- Collingridge, G.L. and Lester, R.A.J. Excitatory amino acid receptors in the vertebrate central nervous system. *Pharmacol. Rev.* 40 (1989) : 143-210.
- Collins, R.C. Use of cortical circuits during focal penicillin seizures : An autoradiographic study with [14 C] deoxyglucose. *Brain Res.* 150 (1978) : 487-501.
- Cooper, J.R., Bloom, F.E., and Roth, R.H. The biochemical basis of neuropharmacology, pp. 133-189. New York : Oxford University Press, 1991.
- Crill, W.E. Neurophysiologic basis of convulsive disorders. In Tunnicliff, G., and Raess, B.U. (eds.), GABA mechanisms in epilepsy, pp. 31-46. New York : Wiley-Liss, 1991.

- Davidoff, R.A. Studies of neurotransmitter actions (GABA, glycine, and convulsants). In Ward, A.A., Penry, J.K., and Purpura, D.P. (eds.), Epilepsy, Research publications : Association for Research in Nervous and Mental Disease, Volume 61, pp. 53-85. New York : Raven Press, 1983.
- Davis, R., Peters, D.H., and McTavish, D. Valproic acid : A reappraisal of its pharmacological properties and clinical efficacy in epilepsy. Drugs 47 (1994) : 332-372.
- Dreifuss, F. and Langer, D.H. Side effects of valproate. Am. J. Med. 84 (suppl 1A) (1988) : 34-40.
- Elmazar, M.M.A., Hauck, R.S., and Nau, H. Anticonvulsant and neurotoxic activities of twelve analogues of valproic acid. J. Pharm. Sc. 82 (1993) : 1255-1258.
- Ferrendelli, J.A., Hooland, K.D., McKeon, A.C., and Covey, D.F. Comparison of the anticonvulsant activities of ethsuximide, valproate, and a new anticonvulsant, thiobutyrolactone. Epilepsia 30 (1989) : 617-622.
- Fromm, G.H. Antiepileptic action of valproate. In Faingold, C.L., and Fromm, G.H. (eds.), Drugs for control of epilepsy, pp. 453-461. Florida : CRC Press, 1992.
- Fukuzako, H., and Izumi, K. Clinical aspects of the epilepsies. In Tunnicliff, G., and Raess, B.U.(eds.), GABA mechanisms in epilepsy, pp. 1-30. New York : Wiley-Liss, 1991.
- Gage, P.W., McKinnon, D., and Robertson, B. The influence of anesthetics on postsynaptic ion channels. In Roth, S.H., and Miller, K.W. (eds.), Molecular and cellular mechanisms of anesthetics, pp. 139-153. New York : Plenum Press, 1986.
- Gastaut, H., and Zifkin, B.G. Classification of epilepsies. In Faingold, C.L., and Fromm, G.H. (eds.). Drugs for control of epilepsy, pp. 349-359. Florida : CRC Press, 1992.



- Hauser, W.A., Annegers, J.F., and Anderson, V.E. Epidemiology and the genetic epilepsy. In Ward, A.A., Penry, J.K., and Purpura, D.P. (eds.), Epilepsy, Research publications : Association for Research in Nervous and Mental Disease, Volume 61, pp. 225-237. New York : Raven Press, 1983.
- Hopkins, A. Clinical neurology, pp.186-207. New York : Oxford University Press, 1993.
- Horton, R.W. GABA dysfunction in animal models of epilepsy. In Tunnicliff, G., and Raess, B.U. (eds.), GABA mechanisms in epilepsy, pp. 121-147. New York : Wiley-Liss, 1991.
- Iversen, L.L., and Kelly, J.S. Uptake and metabolism of γ -aminobutylic acid by neurones and glial cells. Biochem. Pharmacol. 24 (1975) : 933-938.
- Jeavons, P.M. Valproate : Toxicity, In Woodbury, D.M., Penry, J.K., and Pippenger, C.E. (eds.) Antiepileptic drugs, 2nd ed., pp. 601-610. New York : Raven Press, 1982.
- Johnston, D. and Slater, G.E. Valproate : Mechanism of action. In Woodbury, D.M., Penry, J.K., and Pippenger, C.E. (eds.), Antiepileptic drugs, 2nd ed., pp. 611-616. New York : Raven Press, 1982.
- Krnjevic, K. Significance of GABA in brain function. In Tunnicliff, G., and Raess, B.U. (eds.), GABA mechanisms in epilepsy, pp. 47-87. New York : Wiley-Liss, 1991.
- Kupferberg, H.J. Valproate : Chemistry and methods of determination. In Woodbury, D.M., Penry, J.K., and Pippenger, C.E. (eds.), Antiepileptic drugs, 2nd ed., pp. 549-554. New York : Raven Press, 1982.

- Langer, S.Z., Arbilla, S., Scatton, B., Zivkovic, B., Galzin, A.M., Lloyd, K.G., and Bartholoni, G. Progabide and SL 75102 : Interaction with GABA receptors and effects on neurotransmitter and receptor systems. In Bartholini, G., Bossi, L., Lloyd, K.G., and Morselli, P.L.(eds.), *Epilepsy and GABA receptor agonists*, pp. 81-90. New York : Raven Press, 1985.
- Leppik, I.E. Antiepileptic drug toxicity. In Faingold, C.L., and Fromm, G.H. (eds.), *Drugs for control of epilepsy*, pp. 401-412. Florida : CRC Press, 1992.
- Lindroth, P. and Mopper, K. High performance liquid chromatographic determination of subpicomole amounts of amino acids by precolumn fluorescence derivatization with o-phthalaldehyde. *Anal. Chem.* 51 (1979) : 1667-1674.
- Liu, M., and Pollack, G.M. Pharmacokinetics and pharmacodynamics of valproate analogues in rat. IV. Anticonvulsant action and neurotoxicity of octanoic acid, cyclohexanecarboxylic acid, and 1-methyl-1-cyclohexane carboxylic acid. *Epilepsia* 35 (1994) : 234-243.
- Lloyd, K.G., Bossi, L., Morselli, P.L., Rougier, M., Loiseau, P., and Munari, C. Biochemical evidence for dysfunction of GABA neurons in human epilepsy. In Bartholini, G., Bossi, L., Lloyd, K.G., and Morselli, P.L. (eds.), *Epilepsy and GABA receptor agonists*, pp. 43-51. New York : Raven Press, 1985.
- _____, Munari, C., Bossi, L., Stoeffels, C., Talairach, J., and Morselli, P.L. Biochemical evidence for the alterations of GABA-mediated synaptic transmission in pathological brain tissue (stereo EEG or morphological definition) from epileptic patients. In Morselli, P.L., Lloyd, K.G., Loscher, W., Meldrum, B., and Reynolds, E. H. (eds.), *Neurotransmitters, seizures, and epilepsy*, pp. 325-334. New York : Raven Press, 1981.

- _____, Scatton, B., Voltz, C., Briere, P., Valin, A., and Naquet, R. Amino acid and monoamine metabolite levels in the CNS of *Papio papio* : correlation with photosensitive response. In Nistico, G., Morselli, P.L., Lloyd, K.G., Fariello, R.G., and Engel, J. (eds.), Neurotransmitters, seizures, and epilepsy III, pp. 151-162. New York : Raven Press, 1986.
- Loscher, W. GABAmimetics in animal models of seizure states. In Bartholini, G., Bossi, L., Lloyd, K.G., and Morselli, P.L. (eds.), Epilepsy and GABA receptor agonists, pp. 109-119. New York : Raven Press, 1985.
- _____, Honack, D., Fassbender, C.P., and Nolting, B. The role of technical, biological, pharmacological factors in the laboratory evaluation of anticonvulsant drugs. III. Pentylentetrazole seizure models. Epilepsy Res. 8 (1991) : 171-189.
- _____, and Nolting, B. The role of technical, biological, pharmacological factors in the laboratory evaluation of anticonvulsant drugs. IV. Protective indices. Epilepsy Res. 9 (1991) : 1-10.
- _____. and Vetter, M. *In vivo* effects of aminooxyacetic acid and valproic acid on nerve terminal (synaptosomal) GABA levels in discrete brain areas of the rat. Biochem. Pharmacol. 34 (1985) : 1747-1756.
- Macdonald, R.L. and Barker, J.L. Pentylentetrazol and penicillin are selective antagonists of GABA-mediated post-synaptic inhibition in cultured mammalian neurones. Nature 267 (1977) : 720-721.
- McGeer, P.L., Eccle, J.C., and McGeer, E.G. Molecular neurobiology of the mammalian brain, 2nd ed., pp. 175-234. New York : Plenum Press, 1988.

- McLean, M.J. and Macdonald, R.L. Limitation of sustained high frequency repetitive firing : A common anticonvulsant drug mechanism of action?. In Nistico, G., Morselli, P.L., Lloyd, K.G., Fariello, R.G., and Engel, J. (eds.), Neurotransmitters, seizures, and epilepsy III, pp. 23-38. New York : Raven Press, 1986.
- McLeod, L.J., and The Staff of the Department of Pharmacology, University of Edinburgh. Pharmacological experiments on intact preparations, pp. 86-87. Churchill Livingstone : Edinburgh, 1970.
- Menkes, J.H. Textbook of child neurology, 4th ed., pp.602-674. Philadelphia : Lea & Febiger, 1990.
- Mergen, F., Lambert, D.M, Goncalvessaraiva, J.C., Poupaert, J.H., and Dumont, P. Antiepileptic activity of 1,3-dihexadecanoylamino-2-valproyl-propan-2-ol, a prodrug of valproic acid endowed with a tropism for the central nervous system. J. Pharm. Pharmacol. 43 (1991) : 815-816.
- Pelligrino, L.J., Pelligrino, A.S., and Cushman, A.J. A stereotaxic atlas of the rat brain. New York : Plenum Press, 1979.
- Penry, J.K. Introduction : Valproate monotherapy in the treatment of epilepsy. Am. J. Med. 84 (suppl 1A) (1988) : 1-2.
- _____. and Dean, J.C. The sope and use of valproate in epilepsy. J. Clin. Psychiatry 50 : 3 (suppl) (1989) : 17-22.
- Pitkanen, A., Saano, V., Hyvonen, K., Airaksinen, M.M., and Riekkinen, P.J. Decreased GABA, benzodiazepine, and picrotoxinin receptor binding in brains of rats after cobalt-induced epilepsy. Epilepsia 28 (1987) : 11-16.
- Prince, D.A. Mechanisms of epileptogenesis in brain-slice model systems. In Ward, A.A., Penry, J.K., and Purpura, D.P. (eds.), Epilepsy, Research publications : Association for Research in Nervous and Mental Disease, Volume 61, pp. 29-52. New York : Raven Press, 1983.

- Rall, T.W. Hypnotics and sedatives; ethanol. In Gilman, A.G., Rall, T.W., Nies, A.S., and Taylor, P. (eds.), Goodman and Gilman's the pharmacological basis of therapeutics, 8th ed., pp. 345-382. New York : Pergamon Press, 1990.
- _____, and Schleifer, L.S. Drugs effective in the therapy of the epilepsy. In Gilman, A.G., Rall, T.W., Nies, A.S., and Taylor, P. (eds.), Goodman and Gilman's the pharmacological basis of therapeutics, 8th ed., pp. 436-462. New York : Pergamon Press, 1990.
- Ribak, C.E. Morphological, biochemical, and immunocytochemical changes of cortical, GABAergic system in epileptic foci. In Ward, A.A., Penry, J.K., and Purpura, D.P. (eds.), Epilepsy, Research publications : Association for Research in Nervous and Mental Disease, Volume 61, pp. 109-130. New York : Raven Press, 1983.
- _____, Harris, A.B., Vaughn, J.E., and Roberts, E. Inhibitory, GABAergic nerve terminals decrease at sites of focal epilepsy. Science 205 (1979) : 211-214.
- Rogawski, M.A., and Porter, R.J. Antiepileptic drugs : Pharmacological mechanisms and clinical efficacy with consideration of promising developmental stage compounds. Pharmacol. Rev. 42 (1990) : 223-286.
- Schmidt, D., and Loscher, W. GABA concentrations in cerebrospinal fluid and plasma of patients with epileptic seizures. In Moselli, P.L., Lloyd, K.G., Loscher, W., Meldrum, B., and Reynolds, E. H. (eds.), Neurotransmitters, seizures, and epilepsy, pp. 315-324. New York : Raven Press, 1981.
- Simler, S., Ciesielski, L., Maitre, M., Randrianarisoa, H., and Mandel, P. Effect of sodium n-dipropylacetate on audiogenic seizures and brain GABA level. Biochem. Pharmacol. 22 (1973) : 1701-1708.

- Sugimoto, T., Woo, M., Nishida, N., Takeuchi, T., Sakane, Y., and Kobayashi, Y. Hepatotoxicity in rat following administration of valproic acid. Epilepsia 28 (1987) : 142-146.
- Swinyard, E.A. and Woodhead, J.H. General principles : Experimental detection, quantification, and evaluation of anticonvulsants. In Woodbury, D.M., Penry, J.K., and Pippenger, C.E. (eds.), Antiepileptic drugs, 2nd ed., pp. 111-140. New York : Raven Press, 1982.
- Thompson, E.B. Drug bioscreening : Drug evaluation techniques in pharmacology, pp. 3-32. New York : VCH Publishers, 1990.
- Thurston, J.H. and Hauhart, R.E. Valproate doubles the anoxic survival time of normal develop mice : Possible relevance to valproate-induced decreases in cerebral levels of glutamate and aspartate, and increases in taurine. Life Sci. 45 (1989) : 59-62.
- Ticku, M.K. and Kulkarni, S.K. Antiepileptic actions of barbiturates. In Faingold, C.L., and Fromm, G.H. (eds.), Drugs for control of epilepsy, pp. 437-451. Florida : CRC Press, 1992.
- _____, and Rastogi, R.K. Convulsant/anticonvulsant drugs and GABAergic transmission. In Nistico, G., Morselli, P.L., Lloyd, K.G., Fariello, R.G., and Engel, J. (eds), Neurotransmitters, seizures, and epilepsy III, pp 163-176. New York : Raven Press, 1986.
- Tunncliff, G. GABA amino transferase inhibitors as potential antiepileptic agents. In Tunncliff, G., and Raess, B.U. (eds.), GABA mechanisms in epilepsy, pp. 189-204. New York : Wiley-Liss, 1991.
- _____. and Raess, B.U. GABA neurotransmitter activity in human epileptogenic brain. In Tunncliff, G., and Raess, B.U. (eds.), GABA mechanisms in epilepsy, pp. 105-119. New York : Wiley-Liss, 1991.
- Ungerstedt, U. Measurement of neurotransmitter release by intracranial dialysis. In Marsden, C.A. (ed.), Measurement of neurotransmitter release in vivo, pp. 81-105. New York : John Wiley & Sons, 1984.

Walker, R.M., Smith, G.S., Basoum, N.J., and Macallum, G.E. Preclinical toxicity of the anticonvulsant calcium valproate. Toxicology 63 (1990) : 137-155.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

Curriculum Vitae

Mr. Thongchai Sooksawate was born on June 25th, 1964 in Bangkok, Thailand. He was graduated in Bachelor of Science in Pharmacy in 1987 from the Faculty of Pharmaceutical Sciences, Chulalongkorn University, Thailand. Since graduation, he has been appointed as an instructor in the Department of Physiology, Faculty of Pharmaceutical Sciences, Chulalongkorn University, Thailand.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย