

## รายการอ้างอิง

### ภาษาไทย

วิทยาศาสตร์การแพทย์, กรม. คุณภาพมาตรฐานยา. กรุงเทพมหานคร: เอียร์บุ๊คพับลิชเชอร์,  
2537. (อัดสำเนา).

### ภาษาอังกฤษ

Araujo, J., Boyer, J., and Probecker, M.L. Determination of a Mixture of Phenylpropanolamine Hydrochloride and Carboxamine Maleate by High-Performance Liquid Chromatography. S.T.P. Pharma 4 (1988): 598-602.

Beckett, A.H., and Stenlake, J.B. Practical Pharmaceutical Chemistry. 4th ed. part2. London: The Athlone Press, 1988.

Bhatkar, H., and Madkaiker, R. Calorimetric Determination of Triprolidine Hydrochloride. Indian. J. Pharm. Sci 1-2 (1980): 19-21

Bonfiglioli, G., and Brovotto, P. UV-visible Spectrophotometers Based on the Wavelength Modulation Principle. Appl. Opt 3 (1964): 1417-1424.

Braun, R.D. Introduction to Instrumental Analysis. Singapore: McGraw-Hill Book co., 1987.

Brown, M.H.H., and Portman G.A. Analysis of Phenylephrine and Phenylpropanolamine Hydrochlorides in Combination. J. Pharm. Sci 60 (1971): 1229-1231.

Butler, W.L., and Hopkins, D.W. Higher Derivative Analysis of Complex Absorption Spectra. Photochem. Photobiol. 12 (1970): 439-450.

Cameron, D.G., and Moffatt, D.J. A Generalized Approach to Derivative Spectroscopy. Appl. Spectrosc. 41 (1987): 539-544.

Celeste, A.C., and Polito, M.V. A Rapid Method for the Determination of Antihistamines and Some Related Compounds by Gas Chromatography. Journal of the A.O.A.C. 49 (1966): 541-545.

Davidson, A.G., and Elsheikh, H. Assay of Ephedrine or Pseudoephedrine in Pharmaceutical Preparations by Second and Fourth Derivative Ultraviolet Spectrophotometry. Analyst 107 (1982): 879-884.

Davidson, A.G., and Mkoji, L.M.M. Simultaneous Assay of Triprolidine, Pseudoephedrine and Dextromethorphan in Combined Preparations by Derivative-Difference Spectrophotometry. J. Pharm. Biomed. Anal. 6 (1988): 449-460.

El.Bolkiny, M.N., Hana, S., El.Henawee, M.N. and Ayad, M.N. Derivative Spectrophotometric Determination of Chlorpheniramine Maleate in Combination with Etilefrine Resinate or Dextromethorphan Hydrobromide. Egypt. J. Pharm. Sci. 1-2 (1992): 31-42.

Fabrizio, F.D. Simultaneous GLC Analysis of Salicylamide, Phenylpropanolamine Hydrochloride, Caffeine, Chlorpheniramine Maleate, Phenylephrine Hydrochloride, and Pyrilamine Maleate in Capsule Preparations. J. Pharm. Sci. 69 (1980): 854-855.

Fell, A.F. Present and Future Perspectives in Derivative Spectroscopy. UV Spectrom. Grp. Bull. 8 (1980): 5-31.

Ghanekar, A.G., and Gupta V.D. Quantitative Determinations of Two Decongestants and an Antihistamine in Combination Using Paired Ion High-Pressure Liquid Chromatography. J. Pharm. Sci. 67 (1978): 873-874.

Guerra, J. Validation of Analytical Methods by FDA Laboratories I. Pharm. Tech. 10 (1986): 74-84.

Halstead, G.W. Determination of Amine Ingredients in Cough-Cold Liquids by Reversed-Phase Ion-Pair High-Performance Liquid Chromatography. J. Pharm. Sci. 71 (1982): 1108-1112.

Heidemann, D.R., Groon, K.S., and Smith, J.M. HPLC Determination of Cough-Cold Products. LC. GC 5 (1987): 422-426.

Henderson, R. Note on Graduation by Adjusted Average. Trans. Amer. Soc. Actuaries 17 (1916): 43-48

Honigberg, I.L., Stewart, J.T., and Smith, A.P. Liquid Chromatography in Pharmaceutical Analysis: Determination of Cough-Cold Mixtures. J. Pharm. Sci. 63 (1974): 766-769.

Hoover, J.M., Soltero, R.A., and Bansal, P.C. Analysis of Multicomponent Formulations Containing Pseudoephedrine HCl and Chlorpheniramine Maleate Using First-Derivative Spectroscopy on a Diode-Array Spectrophotometer. J. Pharm. Sci. 76 (1987): 242-244.

Hudanick, J. Calorimetric Determination of Chlorpheniramine Maleate. J. Pharm. Sci. 53 (1964): 332-333.

Jones, R., Orchard M.J., and Hall, K. Use of Derivative and Least-Squares Method to Analyze a Polypharmaceutical Product by UV Spectrophotometry. J. Pharm. Biol. Med. Anal. 3 (1985): 335-342.

Kauppinen, J.K., Moffatt, D.J., Mansch, H.H., and Camaron, D.G. Fourier Transforms in the Computation of Self-Deconvoluted and First-Order Derivative Spectra of Overlapped Band Contours. Anal. Chem. 53 (1981): 1454-1457.

Kaziol, T.R., Jacob, J.T., and Achari, R.J. Ion-Paired Liquid Chromatographic Assay of Decongestants and Antihistamines. J. Pharm. Sci. 68 (1979): 1135-1138.

Kenny, P.B., and Durbin, J. Local Trend Estimation and Seasonal Adjustment of Economic and Social Time Series. J. R. Statist. Soc. 145, part 1. (1982): 1-41.

Lau, O.W., Chan, K., Lau, Y.K., and Wong, W.C. Simultaneous Determination of Active Ingredients in Cough-Cold Mixtures by Isocratic Reversed-Phase Ion-Pair High-Performance Liquid Chromatography. J. Pharm. Biomed. Anal. 7 (1989): 725-736.

Maddams, W.F. and Mead W.L. Spectrim. Acta 38A (1982): 437, quoting Cameron, D.G., and Moffatt, D.J. A Generalized Approach to Derivative Spectroscopy. Appl. Spectrosc. 41 (1987): 539-544.

Mahgoub, H. Computerized Derivative Spectrophotometric Assay of Two Component Mixture Using Least Squares Method. Drug. Dev. Ind. Pharm. 14 (1990): 2135-2144.

Mario, E., and Meehan, L.G. Simultaneous Determination of Nondervatized Phenylpropanplamine, Glyceryl Guaiacolate, Chlorpheniramine, and Dextromethorphan by Gas Chromatography. J. Pharm. Sci. 59 (1970): 538-540.

Matsui, F., Watson, J.R., and French, W.H. Use of the Acid Dye Technique for Quantitation of Pharmaceutical Amines Eluted from Thin Layer Chromatograms. J. Chromatog. 44 (1969): 109-115.

Murtha, J.L., Julian, T.N., and Radebaugh, G.L. Simultaneous Determination of Pseudoephedrine Hydrochloride, Chlorpheniramine Maleate, and Dextromethorphan Hydrobromide by Second-Derivative Photodiode Array Spectroscopy. J. Pharm. Sci. 77 (1988): 715-718.

O'Haver, T.C. Potential Clinical Applications of Derivatives and Wavelength-Modulation Spectrometry. Clin. Chem. 25 (1979): 1548-1553.

O'Haver, T.C. and Begley, T. Signal-to-Noise Ratio in Higher Order Derivative Spectrometry. Anal. Chem. 53 (1981): 1876-1878.

O'Haver, T.C. and Green, G.L. Numeric Error Analysis of Derivative Spectrometry for the Quantitative Analysis of Mixtures. Anal. Chem. 48 (1976): 312-318.

Richardson, H. and Bidlingmeyer, B.A. Bare Silica as a Reverse Phase Stationary Phase: Liquid-Chromatographic Separation of Antihistamines with Buffered Aqueous Organic Mobile Phases. J. Pharm. Sci. 73 (1984): 1480-1482.

Salem, H., Abdel-Latef, H.E., Elsadek, M.A., and Aboul-Kheir, A. UV-Derivative Spectrophotometric Determination of Phenylephrine Hydrochloride in Presence of Chlorpheniramine Maleate, Sulphacetamide or Prednisolone Acetate. Spectrosc. Lett. 23 (1990): 1065-1080.

Savitzky, A., and Golay, M.J.E. Smoothing and Differentiation of Data by Simplified Least Squares Procedures. Anal. Chem. 36 (1964): 1627-1639.

Shiskin, J., Young, A.H., and Musgrave, J.C. The X-11 Variant of the Census Method II Seasonal Adjustment Program. Technical Paper No.15. Washington, D.C. : U.S Bureau of the Census, 1967.

Shoukrallah, I. Determination of Phenylephrine Hydrochloride and Carbinoxamine Maleate in Capsules and Diphenhydramine Hydrochloride and Naphazoline Hydrochloride in Nasal Jelly by First-Order Derivative UV Spectroscopy. Acta Pharm. 41 (1991): 107-115.

Smith, D.J. Chromatographic Separation and Spectrophotometric Determination of Phenylephrine Hydrochloride, Codeine Phosphate and Some Other Pharmaceuticals in a Mixture. Journal of the A.O.A.C 49 (1966): 536-540.

\_\_\_\_\_. Ion Exchange Method for The Separation and Spectrophotometric Determination of Some Sympathomimetic Amines, Antihistamines, and Phenothiazines in Pharmaceuticals. Journal of the A.O.A.C 55 (1972): 596-609.

Spieck, T.L. High-Pressure Liquid Chromatographic Determination of Adrenergic and Antihistaminic Compounds in Pharmaceutical Preparations. *J. Pharm. Sci.* 63 (1974): 591-593.

Steiner, J., Termonia, Y., and Deltour, J. Comments on Smoothing and Differentiation of Data by Simplified Least Squares Procedures. *Anal. Chem.* 44 (1972): 1906-1909.

Tan, H.S.I., and Kolmonpunporn, M. Second-Derivative Spectrophotometric Determination of Mixtures of Phenylpropanolamine Hydrochloride and Dextromethorphan Hydrobromide in Some Pharmaceutical Preparations. *Anal. Chim. Acta* 226 (1989): 159-164.

Tan, H.S.I., and Salvador, G.C. Difference Spectrophotometric Assay of Mixtures of Phenylpropanolamine Hydrochloride with Guaifenesin or Dextromethorphan Hydrobromide in Solid Cough Formulations. *Anal. Chim. Acta* 176 (1985): 71-76.

The United State Pharmacopeia XXIII. Rockville MD. : United States Pharmacopeia Convention, Inc. USA., 1995.

Traveset, J., Such, V., Gonzalo, R., and Gelpi, E. Derivative and Graphical Procedures for Correction of Irrelevant UV Spectrophotometric Absorption in Changeable Matrixes. *J. Pharm. Sci.* 69 (1980): 629-633.

Vanderwielen, A.J., and Hardwidge, E.A. Guidelines for Assay Validation. *Pharm. Tech.* 6 (1982): 66-78.

Yacobi, A., Look, Z.M., and Lai, C-M. Simultaneous Determination of Pseudoephedrine and Chlorpheniramine in Pharmaceutical Dosage Forms. *J. Pharm. Sci.* 67 (1978): 1668-1670.

Yang, S.S., and Gilpin, R.K., Analysis of Cough/Cold Products Using an Adamantyl Column. *J. Chromatogr. Sci.* 2 (1988): 416-420.

Zhang, J., Deng, Z., and Zeng, H. Determination of Phenylpropanolamine Hydrochloride in Bimin Tablets by (Second) Derivative Spectrometry. *Yaowu, Fenxi, Zashi* 4 (1984): 157-159.

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย

### ประวัติผู้เขียน

นาย อันนัต ชัยกิจวัฒน์ เกิดเมื่อวันที่ 1 กันยายน พ.ศ. 2511  
 ที่จังหวัดราชบุรี ได้รับการศึกษาระดับมัธยมศึกษาตอนปลายจากโรงเรียนแสงทองวิทยา  
 ปั่น เกือบทั้งหมดในญี่ปุ่น จังหวัดสงขลา และสำเร็จการศึกษาขั้นบัณฑิตวิชาภาษาไทย  
 จากคณะเภสัชศาสตร์ มหาวิทยาลัยสงขลานครินทร์ จังหวัดสงขลา เมื่อปีการศึกษา 2535

