

REFERENCES

- Ali, F.E., and others. Orally active and potent inhibitors of γ -amino butyric acid uptake. *J. Med. Chem.* 28(1985): 653-660.
- Andersen, K.E., and others. The synthesis of novel GABA uptake inhibitors. 1. elucidation of the structure-activity studies leading to the choice of (R)-1-[4,4-bis(3-methyl-2-thienyl)-3-butenyl]-3-piperidinecarboxylic acid (tiagabine) as an anticonvulsant drug candidate. *J. Med. Chem.* 36(1993): 1716-1725.
- Andersen, N.H., and Uh, H. Methods for interconverting aldehydes and acetals. *Synthesis communications* 3(1973): 125-128.
- Baddiley, J., and Mathias, A.P. An unambiguous synthesis of codecarboxylase. *J. Chem. Soc.* (1952): 2583-2591.
- Badir, K., Haj-Yehia, A., Vree, T.B., Van der Kleijn, E., and Bialer, M. Pharmacokinetics and anticonvulsant activity of three monoesteric prodrugs of valproic acid. *Pharmaceutical Research* 8 No.6(1991): 750-753.
- Balant, L.P., and Doelker, E. Metabolic considerations in prodrug design. In M.E. Wolf (ed.), *Burger's medicinal chemistry and drug discovery*, pp. 950-982. New York: John Wiley & Sons, 1995.
- Balyakina, M.V., Zhukova, Z.N., Zhdanovich, Z.N. B₆ vitamins. VIII. Synthesis of pyridoxine hydrochloride. *Zh. Prikl. Khim. (Leningrad)* 41(1968): 2324-2326. *Chemical Abstracts* 70 (1969): 68074 c.
- Bedenbaugh, A.O., Bedenbaugh, J. H., Bergin, W.A., and Adkins, J.D. Synthesis of aldehydes and secondary amine from carboxylic acid via imines. *J. Am. Chem. Soc.* 92(1970): 5774-5775.
- Behal, M.A., and Sommelet, M. Methode de synthese des aldehydes. *Bull. Soc. Chim.* 31(1904): 300-308.
- Bialer, M., Haj-Yehia, A., Badir, K., and Hadad, S. Can we develop improved derivatives of valproic acid?. *Pharmacy World & Science* 16 No.1(1994): 2-6.
- Brannock, K.C., and Lappin, G.R. Preparation and properties of 1,3-dioxep-5-enes. *J. Org. Chem.* 21(1958): 1366-1368.
- Brody, T. *Nutritional biochemistry*. San Diego: Academic Press, 1994.

- Brown, H.C., and McFarlin, R.F. The reaction of lithium aluminium hydride with alcohols. Lithium tri-*t*-butoxyaluminumhydride as a new selective reducing agents. *J. Am. Chem. Soc.* 80(1958): 5372-5376.
- Brown, J.J., Lenhard, R.H., and Bernstein, S. Steroidal cyclic ketals. XXV. The preparation of steroidal Δ^4 -3-ethyleneketals. *J. Am. Chem. Soc.* 86(1964): 2183-2187.
- Bundgaard, H. Novel approaches in prodrug design. *Drug of the future* 16 No.5(1991): 443-458.
- Caputo, R., Ferreri, C., and Palumbo, G. A new ready, high-yielding, general procedure for acetalization of carbonyl compounds. *Synthesis* (April 1987): 386-389.
- Carey, F.A., and Sundberg, R.J. *Advanced Organic Chemistry, Part A: Structure and Mechanisms*. 3rd ed. New York: Plenum Press, 1993.
- Carling, R.W., and others. 3-Nitro-3,4-dihydro-2-(1*H*)-quinolones. Excitatory amino acid antagonists acting at glycine-site NMDA and (*RS*)- α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptors. *J. Med. Chem.* 36(1993): 3397-3408.
- Chapman, A., Keane, P.E., Meldrum, B.S., Simiand, J., and Vernieres, J.C. Mechanism of anticonvulsant action of valproate. *Process in Neurobiology* 19(1982): 315-359.
- Coffen, D.L. Vitamin B₆. In H.F. Mark, D.F. Othmer, C.G. Overberger, G.T. Seaborg, M. Grayson, and D. Eckroth (eds.), *Kirk-Othmer encyclopedia of chemical technology*, 3rd ed, vol 24, pp. 94-107. New York: A Wiley-Interscience, 1984.
- Cohen, A., and Hughes, E.G. Synthetical experiments in the B group of vitamins. Part V. Novel derivatives of pyridoxine. *J. Chem. Soc.* (1952):4384-4386.
- Corey, E.J., and Schmidt, G. Useful procedures for the oxidation of alcohols involving pyridinium dichromate in aprotic media. *Tetrahedron Letters* 5(1979): 399-402.
- Dann, A.E., Davis, J.B., and Nagler, M.J. A rapid and convenient technique for converting ketones into their ethylenedioxy- or trimethylenedioxy-derivatives, and for making acetonides. *J. Chem. Soc., Perkin Trans. I* (1979): 158-160.
- Davis, R., Peters, D.H., and McTavish, D. Valproic acid: A reappraisal of its pharmacological properties and clinical efficacy in epilepsy. *Drug* 47(1994): 332-372.

- DeJongh, D.C., Perricone, S.C., and Korytnyx, W. A mass spectrometric investigation of pyridoxol, its C-5 analogues, and O-isopropylidene derivatives. *J. Am. Chem. Soc.* 88(1966): 1233-1237.
- Dhar, T.G.M., and others. Design, synthesis and evaluation of substituted triarylnipectic acid derivatives as GABA uptake inhibitors: identification of a ligand with moderate affinity and selectivity for the cloned human GABA transporter GAT-3. *J. Med. Chem.* 37(1994): 2334-2342.
- Doktorova, N.D., and others. Condensation of oxazoles with dienophiles. Synthesis of vitamin B₆ analogues. *Tetrahedron* 25(1969): 3527-3553.
- Dulac, O., and Arthuis, M. Open trials with valproate in epilepsy. *Epilepsia* 25 suppl.1(1984): S23-S31.
- Dyhe, S.F. *The chemistry of vitamin*. London: John Wiley & Son, 1965.
- F. Hoffmann-La Roche & Co. A. Pyridine derivative. *Neth. Appl.* 6,404,750. (November 22, 1964): 6 pp. *Chemical Abstracts* 62(1965): 11818 h.
- _____. Pyridine derivative. *Fr. Pat.* 1,384,099. (January 4, 1965): 7 pp. *Chemical Abstracts* 63(1965): 4263 b.
- Firestone, R.A., Harris, E.E., and Reuter, W. Synthesis of pyridoxine by Diels-Alder reactions with 4-methyl-5-alkoxy oxazoles. *Tetrahedron* 23(1967): 943-955.
- Furniss, B.S., Hannaford, A.J., Smith, P.W.G., and Tatchell, A.R. *Vogel's textbook of practical organic chemistry*. 5th ed. Great Britain: The Bath Press, 1991.
- Garnett, W.R. Epilepsy. In J.T. DiPiro, R.L. Talbert, P.E. Hayes, G.C. Yee, and G.R. Matzke (eds.), *Pharmacotherapy: A pathophysiologic Approach*. 2nd ed, pp. 879-903. Connecticut: Appleton&Lange, 1993.
- Glaser, G.H. Mechanisms of antiepileptic drug action: Clinical indications. In G.H. Glaser, J.K. Penry, and D.M. Woodbury (eds.), *Antiepileptic drugs: Mechanism of action*, pp. 1-9. New York: Raven Press, 1980.
- Gram, L., and Bentsen, K.D. Controlled and comparative trials of valproate performed in Europe and Asia. *Epilepsia* 25 suppl.1 (1984): S32-S39.

- Granneman, G.R., Wang, S.I., Machinist, J.M., and Kesterson, J.W. Aspects of the metabolism of valproic acid. *Xenobiotica* 14 No.5(1984): 375-387.
- Gyorgy, P. The history of vitamin B6. Introductory, Remarks. In R.S. Harris, I.G. Wool, and J.A. Loraine (eds.), *Vitamins and hormones: Advances in research and applications*, vol 22, pp. 361-365. New York: Academic Press, 1964.
- Hadad, S., and Bialer, M. Pharmacokinetic analysis and antiepileptic activity of N-valproyl derivatives of GABA and glycine. *Pharmaceutical Research* 12 No.6(1995): 905-910.
- _____. and Vree, T.B., van der Kleijn, E., and Bialer, M. Pharmacokinetic analysis of ester prodrugs of valproic acid. *J. Pharm. Science.* 81 No.10(1992): 1047-1050.
- Haj-Yehia, A., and Bialer, M. Structure-pharmacokinetic relationships in a series of short fatty acid amides that possess anticonvulsant activity. *J. Pharm. Science.* 79 No.8(1990): 719-724.
- Harris, E.E., and others. A New Synthesis of pyridoxine (vitamin B₆). *J. Org. Chem.* 27(1962):2705-2706.
- _____. Rosenberg, D.W., and Chamberlin, E.M. Pyridoxine. *U.S. Pat. 3,381,014.* (April 30, 1968): 3 pp. *Chemical Abstracts* 69(1968): 32023 d.
- Harris, S.A., and Folkers, K. Synthesis of vitamin B₆. *J. Am. Chem. Soc.* 61(1939): 1244-1247.
- _____. Stiller, E.T., and Folkers, K. The structure of vitamin B₆. II. *J. Am. Chem. Soc.* 61(1939): 1242-1244.
- Heinert, D., and Martell, A.E. Pyridoxine and pyridoxal analogs. Infrared spectra and hydrogen bonding. *J. Am. Chem. Soc.* 81 (1959): 3933-3943.
- Hutchison, A.J., and others 4-(Phosphonoalkyl)- and 4-(phosphonoalkenyl)-2-piperidinecarboxylic acid: Synthesis, activity at N-methyl-D-aspartic acid receptors, and anticonvulsant activity. *J. Med. Chem.* 32(1989): 2171-2178.
- Jacob, J. N., Shashoua, V. E., Campbell, A., and Baldessarini, R. J. γ -Aminobutyric acid esters. 2. Synthesis, Brain uptake, and pharmacological properties of lipid esters of γ -aminobutyric acid. *J. Med. Chem.* 28(1985): 106-110.
- _____. Hesse, G. W., and Shashous, V. E. γ -Aminobutyric acid ester. 3. Synthesis, brain uptake, and pharmacological properties of C-18 glyceryl lipid ester of GABA with varying degree of unsaturation. *J. Med. Chem.* 30(1987): 1573-1576.

- _____. Synthesis, brain uptake, and pharmacological properties of a glyceryl lipid containing GABA and the GABA-T inhibitor γ -vinyl-GABA. *J. Med. Chem.* 33(1990): 733-736.
- Jeavons, P.M. Non-dose-related side effects of valproate. *Epilepsia* 25 suppl.1(1984): S50-S55.
- Johnston, D. Valproic acid: Update on its mechanisms of action. *Epilepsia* 25 suppl.1 (1984): S1-S4.
- Kantlehner, W., and Gutbrod, H. Acetalisierungen unter verwendung von dimethyl-formamid-dimethylsulfat-addukt. Herstellung von 1,3-dioxepanen und 4,7-dihydro-1,3-dioxepinen. *Synthesis* (December 1979): 975-976.
- Kondrat'eva, G.Y. Pyridoxine hydrochloride. *U.S.S.R. Pat. 196,854*. (March 20, 1968): 4 pp. *Chemical Abstracts* 68(1969): 67240 w.
- _____. and Huang, C. Reaction of 5-alkoxyoxazoles with maleic anhydride. *Dokl. Akad. Nauk. SSSR* 141(1961): 861-864. *Chemical Abstracts* 60(1962): 14229 e.
- Korytnyx, W., and Wiedeman, W. A convenient method for the preparation of isopropylidnepyridoxine and some esters of pyridoxine. *J. Chem. Soc.* (1952): 2531-2532.
- _____. and Singh, R.P. Proton magnetic resonance spectra of compounds in the vitamin B₆ group. *J. Am. Chem. Soc.* 85 (1963): 2813-2817.
- Krogsgaard-Larsen, P. γ -Aminobutyric acid agonists, antagonists, and uptake inhibitors. Design and therapeutic aspects. *J. Med. Chem.* 24(1981): 1377-1383.
- _____. Nielsen, L., Falch, E., and Curtis, D.R. GABA agonists. Resolution, absolute stereochemistry, and enantioselectivity of (S)-(+)- and (R)-(-)-dihydromuscicol. *J. Med. Chem.* 28(1986): 1612-1617.
- _____. Frolund, B., Jorgensen, F.S., and Schousboe, A. GABA_A receptor agonists, partial agonists, and antagonists. Design and therapeutic prospects. *J. Med. Chem.* 37(1994): 2489-2503.
- Kupferberg, H.J. Antiepileptic drugs: Sodium valproate. In G.H. Glaser, J.K. Penry, and D.M. Woodbury (eds.), *Antiepileptic drugs: Mechanism of action*, pp.1-9. New York: Raven Press, 1980.
- Leklem, J.E. Vitamin B₆. In M.E. Shils, J.A. Olson, and M. Shike (eds.), *Modern nutrition in health and disease*, 8 th ed, pp. 383-394. Philadelphia: Lea & Febiger, 1994.

- Lu, T., Yang, J., and Sheu, L. An efficient method for the acetalization of α,β -unsaturated aldehydes. *J. Org. Chem.* 60(1995): 2931-2934.
- Marcus, R., and Coulston, A.M. Water-soluble vitamins: The vitamin B complex and ascorbic acid. In A.G. Gilman, T.W. Rall, A.S. Nies, and P. Taylor (eds.), *Goodman and Gilman's the pharmacological basis of therapeutics*, pp. 1538-1540. New York: Pergamon Press, 1990.
- Mercier, J. Chemical compounds possessing anticonvulsant activity. Structure-activity relationships of the antiepileptics. In C. Radouco-Thomas (ed.), *International encyclopedia of pharmacology and therapeutics, section 19 anticonvulsant drugs*, pp. 203-273, 1973.
- Meldrum, B.S. Anticonvulsant drugs with new mechanism of action. In C.F. Faingold, and G.H. Formm. (eds.), *Drugs for control of epilepsy*, pp. 485-95. London: CRC Press, 1992.
- Mergen, F., Lambert, D.M., Goncalvessaraiva, J.C., Poupaert, J.H., and Dumont, P. Antiepileptic activity of 1,3-dihexadecanoylamino-2-valproyl-propan-2-ol, a prodrug of valproic acid endowed with a tropism for the central nervous system. *J. Pharm. Pharmacol.* 43(1991): 815-816.
- Micovic, V.M., and Mihailovic, M.L.J. The reductuin of acid amides with lithium aluminium hydride. *J. Org. Chem.* 18(1953): 1190-1200.
- Morita, Y., Onishi, S., and Yamagami, T. Pyridoxine hydrochloride. *Jap. Pat. 73 15,949*. (May 18, 1973): 3 pp. *Chemical Abstracts* 79(1973): 53287 m.
- Morre, M., Keane, P.E., Vernieres, J.C., Simiand, J., and Roncucci. Valproate: Recent findings and perspectives. *Epilepsia* 25 suppl.1(1984): S5-S9.
- Nanavati, S.M., and Silverman, R.B. Design of potential anticonvulsant agents: mechanistic classification of GABA aminotransferase inhibitors. *J. Med. Chem.* 32(1989): 2413-2421.
- Naito, T., and others. A new synthesis of 2-methyi-3-hydroxypyridine-4,5-dicarboxaldehyde. *Tetrahedron Letters* 55(1968): 5767-5770.
- Nau, H., and Loscher, W. Valproic acid and metabolites: Pharmacological and toxicological studies. *Epilepsia* 25 suppl.1(1984): S14-S22.

- Ott, J., and others. A versatile rhodium catalyst for acetalization reactions under mild conditions. *Tetrahedron Letters* 30(1989): 6151-6154.
- Parker, S.P., ed. Aldehyde. *McGraw-Hill Encyclopedia of Chemistry*. 2nd ed.(1993): 27-30.
- Patney, H.K. Sulfonated charcoal, a mild and efficient reagent for the preparation of cyclic acetals, dithioacetals and benzodioxepines. *Tetrahedron Letters* 32 No.3(1991): 413-416.
- Pattison, D.B. Seven-membered cyclic acetals. *J. Org. Chem.* 21 (1956): 662-664.
- Pavia, M.R., and others. Structure-activity studies on benzhydrol-containing nipecotic acid and guvacine derivatives as potent, orally-active inhibitors of GABA uptake. *J. Med. Chem.* 35 (1992): 4238-4248.
- Pfister, K., Harris, E., and Firestone, R.A. Preparation of 2-methyl-3-hydroxypyridines. *U.S. Pat. 3,227,724*. (January 4, 1966): 4 pp. *Chemical Abstracts* 64(1966): 8150 a.
- Pop, E., Brewster, M.E., and Boder, N. Improved central nervous system delivery and activity of antiepileptic drugs. *Drug of the future* 16(1991): 221-248.
- Prager, B., and Jacobson, P. *Beilsteins handbuch der organischen chemie, band III acyclische oxy-carbonsauren und oxo-carbonsauren*. Vol. 3. Berlin: Verlag von Julius Springer, 1921.
- Pretsch, E., Clerc, T., Seibl, J., and Simon, W. *Table of spectral data for structure determination of organic compounds*. 2nd ed. Translated by K. Biemann. Berlin Heidelberg; Springer-Verlag, 1989.
- Rall, T.W., and Schleifer, L.S. Drugs effective in the therapy of the epilepsies. In A.G. Gilman, T.W. Rall, A.S. Nies, and P. Taylor (eds.), *Goodman and Gilman's the pharmacological basis of therapeutics*, pp. 436-462. New York:Pergamon Press, 1990.
- Ramsay, R.E. Controlled and comparative trials with valproate: United States. *Epilepsia* 25 suppl.1(1984): S40-S43.
- Ritter, J.M., Lewis, L.D., and Mant, T.G.K. *A textbook of clinical pharmacology*, 3rd ed. London: The Bath Press, 1995.
- Rogawski, M.A., and Porter, R.J. Antiepileptic drugs:pharmacological mechanisms and clinical efficacy with consideration of promising developmentall stage compounds. *The Pharmacological Review* 42(1990): 223-286.

- Rowley, M., and others. 3-Acyl-4-hydroxyquinolin-2-(1H)-ones. Systemically active anticonvulsants acting by antagonism at the glycine site of the N-methyl-D-aspartate receptor complex. *J. Med. Chem.* 3(1993): 3386-396.
- Schmidt, D. Adverse effects of valproate. *Epilepsia* 25 suppl.1(1984): S44-S49.
- Sherman, P.D. Aldehydes. In H.F. Mark, D.F. Othmer, C.G. Overberger, G.T. Seaborg, M. Grayson, and D. Eckroth (eds.), *Kirk-Othmer encyclopedia of chemical technology*, 3rd ed, vol 1, pp. 790-798. New York: A Wiley-Interscience, 1978.
- Silverstein, R.M., Bassler, G.C., and Morrill, T.C. *Spectrometric identification of organic compounds*. 5th ed. New York: John Wiley & Sons, 1991.
- Smith, L.I., and Bayliss, M. The Bodroux-Tschitschibabin, and the Bouveault aldehyde syntheses. *J. Org. Chem.* 6(1941): 437-442.
- _____ and Nichols, J. The synthesis of aldehydes from Grignard reagents. II. Polymethylbenzaldehydes. *J. Org. Chem.* 6(1941): 489-506.
- Smolin, L.A., and Grosvenor, M.B. *Nutrition science and application*. Fort Worth:Saunders College, 1994.
- Sneider, W. *Drug Discovery: The evolution of modern medicines*. New York: A Wiley Medical Publication, 1985.
- Stephen, H. A new synthesis of aldehydes. *J. Chem. Soc.* 127(1925): 1874-1877.
- Sterzycki, R. Pyridinium tosylate, a mild catalyst for formation and cleavage of dioxolane-type acetals. *Synthesis* (September 1979): 724-725.
- Stiller, E.T., Keresztesy, J., and Stevens, J.R. The structure of vitamin B₆. I. *J. Am. Chem. Soc.* 61(1939): 1237-1242.
- Swenton, J.S., Blankenship, R.M., and Sanitra, R. Rotational deactivation, energy localization, and reactivity in the photochemistry of 1-methylene-4-phenyl-4-vinylcyclohex-2-ene. *J. Am. Chem. Soc.* 97(1975): 4941-4947.
- Swinyard, E.A. History of the antiepileptic drugs. In G.H. Glaser, J.K. Penry, and D.M. Woodbury (eds.), *Antiepileptic drugs: Mechanism of action*, pp. 1-9. New York: Raven Press, 1980.
- Turchi, I.J., and Dewar, M.J.S. The chemistry of oxazoles. *Chemical Reviews* 75(1975): 389-437.

- Uchibayashi, M. New fat-soluble derivatives of pyridoxine prepared by selective acylation. *Chem. Pharm. Bull.* 9(1961): 182-186.
- Vicchio, D., and Callery, P.S. Metabolic conversion of 2-propylpentanal acetals to valproic acid in vitro: Model prodrugs of carboxylic acid agents. *Drug Metabolism and Disposition* 17 No.5(1989): 513-517.
- Vida, J.A. Anticonvulsants. In W.O. Foye (ed.), *Principles of medicinal chemistry*. 3rd ed, pp.173-188. Philadelphia: Lea&Febiger, 1989.
- Weast, R.C. *Handbook of chemistry and physic*. 67th ed. Florida: CRC Press, 1986.
- Wilder, B.J., Bruni, J., and Perchalski, R.J. *Seizure disorders: A pharmacological approach to treatment*. New York: Raven Press, 1981.
- Witherup, T.H., and Abbott, E.A. Carbon-13 nuclear magnetic resonance spectra of the vitamin B-6 group. *J. Org. Chem.* 40(1975): 2229-2234.
- Zaccara, G., Messori, A., and Moroni, F. Clinical pharmacokinetics of valproic acid-1988. *Clinical pharmacokinetics* 15(1988): 367-389.
- Zey, E.G. Esterification. In H.F. Mark, D.F. Othmer, C.G Overberger, G.T. Seaborg, M. Grayson, and D. Eckroth (eds.), *Kirk-Othmer encyclopedia of chemical technology*, 3 rd ed, vol 9, pp. 291-310. New York: A Wiley-Interscience, 1980.

VITA

Mr.Chalermkiat Songkram was born on March 15, 1970 in Songkhla, Thailand. He has received his Bachelor of Science in Pharmacy with first class honors in 1992 from the Faculty of Pharmaceutical Sciences, Prince of Songkla University, Thailand. Since his graduation, he has become a faculty member of the Department of Pharmaceutical Chemistry, Faculty of Pharmaceutical Sciences, Prince of Songkla University, Songkhla, Thailand.

