



REFERENCES

1. Bacon, A.P.C., Froome, K., Gent, A.E., Cooke, T.K. and Sowerby, P. 1967. Lead poisoning from drinking soft water. Lancet, 1: 264-266.
2. Baernstein, H.D. and Grand, J.A. 1942. The relation of protein intake to lead poisoning in rats. J. Pharmacol. Exp. Ther., 174: 18.
3. Barltrop, D. and Khoo, H.E. 1975. The influence of nutritional factors on lead absorption. Post. Med. J., 51: 795-800.
4. Barltrop, D. and Meek, F. 1975. Absorption of different lead compounds. Post. Med. J., 51: 805-809.
5. Barry, P.S.I. 1975. A comparison of concentrations of lead in human tissues. Brit. J. industr. Med., 32: 119-139.
6. Bashour, F.A. 1954. Urinary uroporphyrin, porphobilinogen and coproporphyrin excretion in lead-exposed workers. J. Lab. Clin. Med., 44: 764.
7. Beattie, A.D., Moore, M.R., Devenay, W.T., Miller, A.R. and Goldberg, A. 1972. Tetraethyl lead poisoning. Lancet, 2: 12.
8. Beeson, P.B. and McDermott, W. 1967. Textbook of Medicine. W.B. Saunders Company, Philadelphia.
9. Benson, G.I., George, W.H.S., Lipchfield, M.H. and Seaborn, D.J. 1976. Biochemical changes during the initial stages of industrial lead exposure. Brit. J. industr. Med., 33: 29-35.

10. Benson, P.F. and Chisolm, J.J. Jr. 1960. A reliable qualitative urine coproporphyrin test for lead intoxication in young children. J. Pediatr., 56: 759-767.
11. Berman, E. 1966. The biochemistry of lead. Clin. Pediatr., 5: 287-291.
12. Browder, A.A. 1972. Lead poisoning from glazes. Ann. Intern. Med., 76: 665.
13. Byers, R.K. 1959. Lead poisoning, review article. Pediatr., 23: 585-603.
14. Cantarow, A and Trumper, M. 1944. Lead Poisoning. The Williams and Wilkins Co., Baltimore.
15. Casarette, L.J. and Doull, J. 1975. Toxicology, the basic science of poisons, P. 477-481. Macmillan Publishing Co., New York.
16. Caprio, R.J., Margulis, H.L., Joselow, M.M. and Nework, N.J. 1974. Lead absorption in children and its relationship to urban traffic densities. Arch. Environ. Health, 28: 195-197.
17. Chia, B.L., Kitleng, C., Paohsii, F., Yap, M.H.L. and Lee, Y.K. 1973. Lead poisoning from contaminated opium. Brit. Med. J., 1: 354.
18. Clarke, K.G.A. 1972. Lead-glazed earthenware. Lancet, 2: 662-663.
19. Cramér, K. and Selander, S. 1965. Studied in lead poisoning, comparison between different laboratory tests. Brit. J. industr. Med., 22: 311-314.

20. Cramér, K. and Selander, S. 1966. Studied in lead poisoning, oral therapy with penicillamine. Brit. J. industr. Med., 23: 282.
21. Cramér, K. and Selander, S. 1967. Control of lead workers by determination of urinary delta-aminolevulinic acid. Brit. J. industr. Med., 24: 283-288.
22. Cramér, K. and Selander, S. 1970. Interrelationships between lead in blood, lead in urine and delta-aminolevulinic acid in urine during lead work. Brit. J. industr. Med., 27: 28-39.
23. Cramér, K., Goyer, R., Jagenburg, R. and Wilson, M.H. 1974. Renal ultrastructure, renal function and parameters of lead toxicity in workers with different period of lead exposure. Brit. J. industr. Med., 31: 113-127.
24. Davis, J.R. and Andelman, S.L. 1967. Urinary delta-aminolevulinic acid levels in lead poisoning I. Arch. Environ. Health, 15: 53-59.
25. Davis, J.R., Abrahams, R.H., Fishbein, W.I. and Fabrega, E. 1968. Urinary delta-aminolevulinic acid levels in lead poisoning. Arch. Environ. Health, 17: 164-171.
26. de Bruin, A. and Hoolboom, H. 1967. Early signs of lead exposure, a comparative study of laboratory tests. Brit. J. industr. Med., 24: 203-212.
27. Djuric, D., Kerin, Z., Graovac-Leposavic, L., Novak, L. and Kop, M. 1971. Environmental contamination by lead from a mine and smelter. Arch. Environ. Health, 23: 275-279.

28. Dresel, E.I.B. and Faulk, J.F. 1956. Studies on the biosynthesis of blood pigments II. Biochem. J., 63: 72.
29. Ellis, R.W. 1966. Urinary screening tests to detect excessive lead absorption. Brit. J. industr. Med., 23: 263-281.
30. Farrelly, R.O. and Pybus, J. 1969. Measurement of lead in blood and urine by atomic absorption spectrophotometer. Clin. Chem., 15: 566-574.
31. Fernandez, A.A., Henry, R.J. and Goldenberg, H. 1966. Assay of urinary porphyrins. Clin. Chem., 12: 463-474.
32. Gething, J. 1975. Tetramethyl lead absorption. Brit. J. industr. Med., 32: 329-333.
33. Gibson, S.L.M., Mackenzie, J.C. and Goldberg, A. 1968. The diagnosis of industrial lead poisoning. Brit. J. industr. Med., 25: 40-51.
34. Gilfillan, S.C. 1965. Lead poisoning and the fall of Rome, JQM, 7: 53-60.
35. Gleason, M.N., Gosselin, R.E., Hodge, H.C. and Smith, R.P. 1969. Clinical Toxicology of Commercial Products, P. 137-143. The Williams and Wilkins Co., Baltimore.
36. Goldberg, A., Ashenbrucker, H., Cartwright, G.E. and Wintrobe, M.M. 1956. Studies on the biosynthesis of heme in vitro by avian erythrocytes. Blood, 11: 821.

37. Goldwater, L.J. and Hoover, A.W. 1967. An international study of "Normal" levels of lead in blood and urine. Arch. Environ. Health, 15: 60-63.
38. Goodman, L.S. and Gilman, A. 1965. The Pharmacological Basis of Therapeutics, 3rd ed., P. 966. The Macmillan Co., New York.
39. Goyer, R.A., Leonard, D.L., Moore, J.F., Rhyne, B. and Krigman, M.R. 1970. Lead dosage and the role of the intranuclear inclusion body. Arch. Environ. Health, 20: 705-711
40. Haeger, B. 1957. Increased content of a delta-aminolevulinic acid like substance in urine from workers in lead industry. Scan. J. Clin. Lab. Med., 9: 211.
41. Haeger, B. 1971. An assessment of the laboratory tests used to monitor the exposure of lead workers. Brit. J. industr. Med., 28: 52-58.
42. Henry, R.J. 1964. Clinical Chemistry, Principles and Techniques. Harper and Row Publishers, New York.
43. Hine, C.H., Cavalli, R.D. and Beltran, S.M. 1969. Percutaneous absorption of lead from industrial lubricants. JOM, 11: 568-575.
44. Kehoe, R.A. 1961. The metabolism of lead in man in health and disease. Arch. Environ. Health, 2: 418-422.
45. Kello, S. and Kostial, K. 1973. The effect of milk diet on lead metabolism in rats.. Environ. Research, 6: 355.

46. Klein, M., Namer, K., Harpur, E. and Corbin, R. 1970. Earthenware container as a source of fatal lead poisoning. New Engl. J. Med., 283: 669-672.
47. Kostial, K., Simonovic, I. and Pisonic, M. 1971. Lead absorption from the intestine in newborn rats. Nature, 233: 564.
48. Kritalugsana, S. 1971. Lead poisoning in Bang Kru Nai district. Siriraj Hosp. Gaz., 23: 724-740.
49. Kubasik, N.P. and Volosin, M.T. 1973. A simplified determination of urinary cadmium, lead and thallium with use of carbon rod atomization and atomic absorption spectrophotometry. Clin. Chem., 19: 934-958.
50. Lane R.E. 1968. Diagnosis of inorganic lead poisoning, a statement. Brit. Med. J., 4: 501.
51. Lauhachinda, B. 1976. Study of lead absorption in Thai urban and rural population, A Thesis for Master's Degree.
52. Lin-Fu, J.S. 1973. Vulnerability of children to lead exposure and toxicity, New Engl. J. Med., 289: 1289-1293.
53. Lynam, D.R. 1975. Lead industries association position. JOM, 17: 84-90.
54. Maddock, R., Sharp, S., Gibbons, H., Peterson, D., Ranck, R., Dalley, D., Fukushima, T., Gortatowishi, M., Isaacs, R., Oman, J., Thatcher, L. and Throckmorton, J. 1976. Occupationally lead poisoning, MMWR, 25: 181-182.

55. Martinez, C.A. and Mills, G.C. 1971. Spectrophotofluorometric determination of porphyrin in urine. Clin. Chem., 17: 199-205.
56. Matousek, J.P. and Stevens, B.J. 1971. Biological applications of the carbon rod atomizer in atomic absorption spectroscopy. Clin. Chem., 17: 363-368.
57. Mauzerall, D. and Granick, S. 1956. The occurrence and determination of delta-aminolevulinic acid and porphobilinogen in urine. J. Biol. Chem., 219: 435-440.
58. Mellins, R.B. and Jenkins, C.D. 1955. Epidemiological and psychological study of lead poisoning in children. JAMA, 158: 15-20.
59. Moeshlin, S. 1965. Poisoning Diagnosis and Treatment, P. 52. Grune and Stratton, New York.
60. Molyneux, M.K.B. 1964. Use of single urine samples for the assessment of lead absorption. Brit. J. industr. Med., 21: 203-209.
61. Nozaki, K. 1966. Method for studies on inhaled particles in human respiratory system and retention of lead fume. Industrial Health, 4: 118-128.
62. Rabinowitz, M.B. and Wetherill, G.W. 1973. Lead metabolism in normal human. Science, 182: 725-727.
63. Rimington, C. 1960. Spectral absorption coefficients of some porphyrins in the Soret-band region. Biochem. J., 75: 620-623.

64. Rimington, C. 1971. Quantitative determination of porphobilinogen and porphyrin in urine and faeces and erythrocytes. Association of Clinical Pathologists Broadsheet No. 70.
65. Robert, W.B. 1974. Laboratory diagnosis of increased lead absorption. Arch. Environ. Health, 28: 198-208.
66. Roesel, D. and Vanderkeel, J.V. 1968. An atomic absorption determination of lead in urine after extraction with dithizone. Atomic Absorption Newsletter, 7: 9.
67. Samuel, S. and Fisher, C. 1969. Evaluation of urinary delta-amino-levulinic acid by Thin-layer electrophoresis and selective reagents. Arch. Environ. Health, 21: 728-733.
68. Schwartz, S., Zieve, L. and Watson, C.J. 1951. An improved method for the determination of urinary coproporphyrin and an evaluation of factors influencing the analysis. J. Lab. Clin. Med., 37: 843-859.
69. Selander, S. and Cramer, K. 1968. Determination of lead in urine by atomic absorption spectrophotometer. Brit. J. Industr. Med., 25: 139.
70. Singerman, A. 1964. Studies on lead poisoning in Argentina. Arch. Environ. Health, 9: 464-472.
71. Sitarz, A.L. 1975. Severe lead poisoning in a six month old. J. Pediatr., 86: 810-811.
72. Six, K.M. and Koyer, R.A. 1970. Experimental enhancement of lead toxicity by low dietary calcium. J. Lab. Clin. Med., 76: 933.

73. Six, K.M. and Koyer, R.A. 1972. The influence of iron deficiency on tissue content and toxicity of ingested lead in the rat. J. Lab. Clin. Med., 79: 128.
74. Sobel, A.E., Yuska, H., Peters, D.D. and Kramer, B. 1940. The biochemical behavior of lead I. J. Biol. Chem., 132: 239.
75. Sobel, C., Cano, C. and Thiers, R.E. 1974. Separation and quantitative determination of coproporphyrin and uroporphyrin in urine. Clin. Chem., 20: 1379-1402.
76. Soulsby, J. and Smith, R.L. 1974. A simplified method for the quantitative determination of urinary coproporphyrin in lead workers. Brit. J. industr. Med., 31: 72-74.
77. Stringer, C.A., Zingaro, R.A., Creech, B. and Kolar, F.L. 1974. Lead concentration in human lung samples. Arch. Environ. Health, 29: 268-270.
78. Sun, M.W., Stein, E. and Gruen, F.W. 1969. A single column method for the determination of urinary delta-aminolevulinic acid. Clin. Chem., 15: 183-189.
79. Sunderman, F.W. and Sunderman, F.W. Jr. 1970. Lead Poisoning in Laboratory Diagnosis of Diseases Caused by Toxic Agents, P. 348-396. Warren H. Green Inc., Missouri.
80. Taussky, H.H. 1961. Creatinine and creatine in urine and serum in Seligson, D. Standard Method of Clinical Chemistry, Vol. 3. Academic Press Inc., New York.

81. Thompson, J.A. 1971. Balance between intake and output of lead in normal individuals. Brit. J. industr. Med., 28: 189-194.
82. Tomokumi, K. and Ogata, M. 1972. Simple method for determination of urinary ALA as an index of lead exposure. Clin. Chem., 18: 1534-1536.
83. Tola, S., Hernberg, S., Asp, S. and Nikkanen, J. 1973. Parameters indicative of absorption and biological effect in new lead exposure. Brit. J. industr. Med., 30: 134-141.
84. Trishnananda, M., Oonsombat, P. and Attanatho, V. 1964. Chronic lead poisoning. J. Med. Ass. Thailand, 47: 711-719.
85. Trishnananda, M., Oonsombat, P. and Attanatho, V. 1965. Lead poisoning. Siriraj Hosp. Gaz., 17: 529-537.
86. Vostal, J. and Heller, J. 1968. Renal excretory mechanisms of heavy metals. Environ. Research, 2: 1-10.
87. Wada, O., Toyokawa, K., Urata, G., Yano, Y. and Nakao, K. 1969. A simple method for the quantitative analysis of urinary ALA to evaluate lead absorption. Brit. J. industr. Med., 26: 240-243.
88. Waldron, H.A. 1971. Correlation between some parameters of lead absorption and lead intoxication. Brit. J. industr. Med., 28: 195-199.
89. White, J.M. 1975. Lead and haemoglobin synthesis, a review. Post. Med. J., 51: 755-756.

90. William, K.E. and Walford, J. 1968. Method for estimating objectively the comparative merits of biological tests of lead exposure. Brit. Med. J., 1: 618-621.
91. William, K.E. and Walford, J. 1969. An investigation of lead absorption in an electric accumulator factory with the use of personal samplers. Brit. J. industr. Med., 26: 202-216.
92. Williams, M.K. and Few, J.D. 1967. A simplified procedure for the determination of urinary ALA. Brit. J. industr. Med., 24: 294-296.
93. Willis, J.B. 1961. Determination of lead in urine by atomic absorption spectroscopy, Nature, 191: 381-382.
94. Willis, J.B. 1962. Determination of lead and other heavy metals in urine by atomic absorption spectroscopy. Anal. Chem., 34: 614-617.
95. Zinterhofer, L.J.M., Jatlow, P.I. and Fappiano, .A. 1975. Atomic absorption determination of lead in blood and urine in the presence of EDTA. J. Lab Clin. Med., 78: 664-673.
96. Zondag, H.A. and Van kamper, E.J. 1956. Spectral absorption of coproporphyrin in relation to the estimation in urine. Clin. Chem. Acta, 1: 127-135.

VITA

Name: Miss Arunee Changchit

Education: Bachelor of Pharmacy in 1974, Chiangmai
University, Chiangmai, Thailand.

Position and Site of the Employer's Office:

Instructor on Toxicology, Department of
Forensic Medicine, Faculty of Medicine,
Chulalongkorn University, Bangkok,
Thailand.

