

REFERENCES

1. Eggins, B. R., Chemical Sensors and Biosensors, John Wiley & Sons, New York, 2002.
2. Wangfuengkanagul, N. and Chailapakul, O. "Electrochemical analysis of acetaminophen using a boron-doped diamond thin film electrode applied to flow injection system." J. Pharm. Biomed. Anal. 28 (2002): 841-847.
3. Santagati, N.A.; Bousquet, E.; Spadaro, A.; Ronsisvalle G. "Analysis of aliphatic amines in air samples by HPLC with electrochemical detection" J. Pharm. Biomed. Anal. 29 (2002): 1105-1111.
4. Yik, Y. F. and Li, S. F. Y. "Capillary electrophoresis with electrochemical detection" Trends. Anal. Chem. 11 (1992): 325-332.
5. Hanekamp, H. B.; Bos, P. and Frei, R. W. "Electrochemical detectors in flowing liquid system : an assessment of their use" Trends. Anal. Chem. 6 (1982): 135-140.
6. Wang, J., Analytical Electrochemistry Wiley-VCH, New York, 2000.
7. Crow, D. R., Principles and applications of electrochemistry Blackie Academic & Professional, London, 1994.
8. Skoog, D. A.; Holler, F. J. and Nieman, T. A. Principles of Instrumental Analysis. New York: Harcourt Brace College Publishers, 1998.
9. Skoog, D. A.; West, D. M. and Holler, F. Fundamentals of Analytical Chemistry. New York, USA.: Saunders College Publishers, 1996.
10. Lacourse, W. R. Pulsed Electrochemical detection in High-performance Liquid Chromatography. New York: John Wiley & Sons, 1997.
11. Eggins, B. Biosensors: An Introduction. New York: John Wiley & Sons, 1996.
12. Monk, S. Fundamentals of Electroanalytical Chemistry. New York: John Wiley & Sons, 2001.
13. Brett, C. M. A. and Brett, A. M. O. Electrochemistry: principles, methods, and applications. Oxford: Oxford University Press, 1993.
14. Fujishima, A.; Einaga, Y.; Rao, T. N.; Tryk, D. A. Diamond electrochemistry. Tokyo: Elsevier, 2005.
15. Michaud, P. A.; Mache, E.; Haenni, W.; Perret, A. and Comninellis, Ch.

- “Preparation of peroxodisulfuric acid using boron-doped diamond thin film electrode” Electrochem. Solid State Lett. 3 (2000): 77
16. Xu, J. and Swain, G. M. "Oxidation of azide anion at boron-doped diamond thin-film electrodes." Anal. Chem. 70 (1998): 1502-1510.
 17. Rao, T. N. and Fujishima, A. "Recent advances in electrochemistry of diamond" Dia. Rel. Mater. 9 (2000):384-389.
 18. Spataru, N., Rao, T. N., Tryk, D. A., and Fujishima, A. "Determination of nitrite and nitrogen oxides by anodic voltammetry at conductive diamond electrodes" J. Electrochem. Soc. 148 (2001): E112-E117.
 19. Moustakas, T. D.; Spear, K. E.; Dismukes, J. P. Synthetic Diamond: Emerging Science and Technology. Eds.; John Wiley and Sons: New York, 1994, pp. 145-92.
 20. Angus, J. C.; Pleskov, Y. V.; Eaton, S. C. "Electrochemistry of diamond" Semimetals 77 (2004): 97-119.
 21. Xu, J.; Granger, M. C.; Chen, Q.; Strojek, J. W.; Lister, T. E.; Swain, G. M. "Boron-doped diamond thin film electrode". Anal. Chem. 69 (1997): 591A-597A.
 22. Swain, G. M. and Ramesham, R. "The electrochemical activity of boron-doped polycrystalline diamond thin-film electrodes." Anal. Chem. 65 (1993): 345-351.
 23. Ivandini, T. A., Einaga, Y., Honda, K., and Fujishima, A., "Preparation and characterization of polycrystalline chemical vapor-deposited boron-doped diamond thin films, in *Diamond Electrochemistry*"
 24. Argoita, A., Kovach, C. S., and Angus, J. C., Hot-filament CVD methods, in *Handbook of Industrial Diamond and Diamond Films*, Prelas, M. A., Popovici, G., and Bigelow, L. K. Marcel Dekker, Inc., New York, 1998, pp 797-819
 25. Bachmann, P. K. Microwave Plasma Chemical Vapor Deposition of Diamond, in *Handbook of Industrial Diamond and Diamond Films*, Prelas, M. A., Popovici, G., and Bigelow, L. K. Marcel Dekker, Inc., New York, 1998, pp 821-850.
 26. Girshick, S. L. Diamond CVD using radio-frequency plasmas, in *Handbook of Industrial Diamond and Diamond Films*, Prelas, M. A., Popovici, G., and Bigelow, L. K. Marcel Dekker, Inc., New York, 1998, pp. 851-864.

27. Cappelli, M. A. Arc-jet synthesis of diamond, in *Handbook of Industrial Diamond and Diamond Films*, Prelas, M. A., Popovici, G., and Bigelow, L. K. Marcel Dekker, New York, 1998, pp. 865-886.
28. Goeting, C. H., Jones, F., Foord, J. S., Eklund, J. C., Marken, F., Compton, R. G., Chalker, P. R., and Johnston, C. "Electrochemistry at boron-doped diamond films grown on graphite substrates: redox-, adsorption and deposition processes". J. Electroanal. Chem. 442 (1998): 207-216.
29. Koppang, M. D., Witek, M., Blau, J., and Swain, G. M., "Electrochemical oxidation of polyamines at diamond thin-film electrodes". Anal. Chem. 71 (1999): 1188-1195.
30. Show, Y., Witek, M. A., Sonthalia, P., and Swain, G. M. "Characterization and electrochemical responsiveness of boron-doped nanocrystalline diamond thin-film electrodes". Chem. Mater. 15 (2003): 879 -888.
31. Mizuochi, N., Watanabe, H., Isoya, J., Okushi, H., and Yamasaki, S. "Hydrogen-related defects in single crystalline CVD homoepitaxial diamond film studied by EPR" Diamond Rel. Mater. 13 (2004): 765-768.
32. Okano, K., Naruki, H., Akiba, Y., Kurosu, T., Iida, M., Hirose, Y., and Nakamura, T. "Characterization of boron-doped diamond film" J. Appl. Phys. 6 (1989): 1066-1071,
33. Clausing, R. S., Diamond morphology, in *Handbook of Industrial Diamond and Diamond Films*, Prelas, M. A., Popovici, G., and Bigelow, L. K. Marcel Dekker, New York, 1998, pp. 19-47.
34. Philip, J., Hess, P., Feygelson, T., Butler, J. E., Chattopadhyay, S., Chen, K. H., and Chen, L. C. "Elastic, mechanical, and thermal properties of nanocrystalline diamond films" J. Appl. Phys. 93 (2003): 2164-2171.
35. Birrell, J., Gerbi, J. E., Auciello, O., Gibson, J. M., Gruen, D. M., and Carlisle, J. A. "Bonding structure in nitrogen doped ultrananocrystalline diamond". J. Appl. Phys. 93 (2003): 5606-5612.
36. Raty, J.-Y. and Galli, G., Ultradispersity of diamond at the nanoscale, Nature Mater. 2 (2003): 792-.
37. Gao, J.-S., Arunagiri, T., Chen, J.-J., Goodwill, P., Chyan, O., Perez, J., and Golden, D., "Preparation and Characterization of Metal Nanoparticles on a Diamond Surface." Chem. Mater. 12 (2000): 3495 -3500.

38. Roy, D., Barber, Z. H., and Clyne, T. W., "Ag nanoparticle induced surface enhanced Raman spectroscopy of chemical vapor deposition diamond thin films prepared by hot filament chemical vapor deposition." *J. Appl. Phys.* 91 (2002): 6085-6088.
39. Wang, J. and Swain, G. M., "Dimensionally stable Pt/Diamond composite electrodes in concentrated H₃PO₄ at high temperature." *Electrochem. Solid-State Lett.* 5 (2002): E4-E7.
40. González-González, I., Tryk, D. A., and Cabrera, C. R., "Polycrystalline boron-doped diamond films as supports for methanol oxidation electrocatalysts." *Diamond Rel. Mater.* in press, 2005.
41. Zaitsev, A. M., Optical properties, in *Handbook of Industrial Diamond and Diamond Films*, Prelas, M. A., Popovici, G., and Bigelow, L. K. Marcel Dekker, New York, 1998, pp. 227-376.
42. Rutledge, K. M. and Gleason, K. K., Characterization methods, in *Handbook of Industrial Diamond and Diamond Films*, Prelas, M. A., Popovici, G., and Bigelow, L. K. Marcel Dekker, New York, 1998, pp. 413-480.
43. Knight, D. S. and White, W. B., "Characterization of diamond films by Raman spectroscopy." *J. Mater. Res.* 4 (1989): 385-393.
44. Notsu, H., Fukazawa, T., Tatsuma, T., Tryk, D. A., and Fujishima, A., "Hydroxyl groups on boron-doped diamond electrodes and their modification with a silane coupling agent." *Electrochem. Solid State Lett.* 4 (2001): H1-H3.
45. Notsu, H., Yagi, I., Tatsuma, T., Tryk, D. A., and Fujishima, A., "Surface carbonyl groups on oxidized diamond electrodes." *J. Electroanal. Chem.* 492 (2000): 31-37.
46. Notsu, H., Yagi, I., Tatsuma, T., Tryk, D. A., and Fujishima, A., "Introduction of oxygen-containing functional groups onto diamond electrode surfaces by oxygen plasma and anodic polarization." *Electrochem. Solid-State Lett.* 2 (1999): 522-524.
47. Kondo, T., Tryk, D. A., and Fujishima, A., "AC impedance studies of anodically treated polycrystalline and homoepitaxial boron-doped diamond electrodes." *Electrochim. Acta.* 48 (2003): 2739-2748.
48. Popa, E., Kubota, Y., Tryk, D. A., and Fujishima, A., "Selective voltammetric and

- amperometric detection of uric acid with oxidized diamond film electrodes.” Anal. Chem. 72 (2000): 1724-1727.
49. Popa, E., Notsu, H., Miwa, T., Tryk, D. A., and Fujishima, A., “Selective electrochemical detection of dopamine in the presence of ascorbic acid at anodized diamond thin film electrodes.” Electrochem. Solid State Lett. 2 (1999): 49-51.
50. Yagi, I., Tsunozaki, K., Tryk, D. A., and Fujishima, A., “Control of the dynamics of photogenerated carriers at the boron-doped diamond/electrolyte interface by variation of the surface termination” Electrochem. Solid-State Lett. 9 (1999): 457-460.
51. Kondo, T., Honda, K., Tryk, D. A., and Fujishima, A., “Covalent modification of single-crystal diamond electrode surfaces.” J. Electrochem. Soc. 152 (2005): E18-E23,
52. Niwase, K., Kakimoto, Y., Tanaka, I., and Tanabe, T., “A laser Raman study of D⁺ and He⁺ ion irradiated diamond and graphite.” Nucl. Instrum. Meth. Phys. Res. B 91 (1994): 78.
53. Hamers, R. J., Butler, J. E., Lasseter, T., Nichols, B. M., Jr., J. N. R., Tse, K.-Y., and Yang, W., “Molecular and biomolecular monolayers on diamond as an interface to biology.” Diamond Rel. Mater. 14 (2005): 661-668.
54. Ruzicka, J. Flow Injection Analysis. 2 ed.; New York, John Wiley & Sons: 1988.
55. Weston, A. HPLC and CE Principles and Practice. London, UK.: Academic Press Limited., 1997.
56. Braun, R. D. Introduction to Instrumental Analysis. Singapore: McGraw-Hill Book, 1987.
57. Meyer, V. R. Practical High-Performance Liquid Chromatography. 3 ed.; New York, John Wiley & Sons: 1998.
58. Foret, F., Krivankova, L. and Boček, P., Capillary Zone Electrophoresis, Weinheim, Wiley-VCH, 1993.
59. Grossman, P.D. and Colburn, J.C., Capillary Electrophoresis, Theory and Practice, San Diego, Academic Press, Inc., 1992.
60. Kuhn, R., Hoffstetter-Kuhn, S., Capillary Electrophoresis: Principle & practice. Berlin, Springer-Verlag, 1993.
- 61 Baker, D. R.; Capillary Electrophoresis, Wiley: New York, 1995.

62. Qin, D.; Xia, Y.; Rogers, J.A.; Jackman, R.J.; Zha, X.M.; Whitesides, G.M. in Manz, A. Ed; Becker, H. Ed, Topics in Current Chemistry, Vol. 194, Springer, Berlin, 1997.
63. Kutter, J. P. "Current developments in electrophoretic and chromatographic separation methods on microfabricated devices" Trends Anal. Chem. 19 (2000): 352-363.
64. Auroux, P-A.; Iossifidis, D.; Reyes, D. R.; Manz, A. "Micro total analysis systems. 2 Analytical standard operations and applications." Anal. Chem. 74 (2002): 2637-2652.
65. Kopp, M. U.; Crabtree, H. J.; Manz, A. "Developments in technology and of Microsystems." <http://biomednet.com/eleceref/1367593100100410>
66. O'Shea, T. J.; Lunte, S. M. "Capillary electrophoresis/Electrochemistry." Current Separation. 14 (1995): 18-23.
67. Pico, Y.; Rodriguez, R.; Manes, J. "Capillary electrophoresis for the determination of pesticide residues." Trend. Anal. Chem. 22 (2003): 133-151.
68. Jorgenson, J. W.; Lukacs, K. D. "Zone electrophoresis in open-tubular glass capillaries." Anal. Chem., 53 (1981); 1298-1302.
69. Li, J.; Zhao, S.; Ju. H. "Simultaneous determination of psychotropic drugs in human urine by capillary electrophoresis with electrochemiluminescence detection." Anal. Chim. Acta. 575 (2006): 57-61.
70. Shabangi, M.; Sutton, J. A. "Separation of thiamin and its phosphate esters by capillary zone electrophoresis and its application to the analysis of water-soluble vitamins." J. Pharm. Biomed. Anal. 38 (2005): 66-71.
- 71 Li, S. F. Y. Capillary Electrophoresis, Elsevier: Amsterdam, 1992.
- 72 Guzman, N. A. Capillary Electrophoresis Technology, Marcel Dekker: New York, 1993.
- 73 Weinberger, R. Practical Capillary Electrophoresis, Academic Press: San Diego, 2000.
- 74 Terry, S. C.; Terman, J. H.; Angell, J. B. IEEE Transaction on Electronic Devices 26 (1979): 1880.
75. Willauer, H. D., Collins, G. E. "Analysis of inorganic and small organic ions with the capillary electrophoresis microchips." Electrophoresis 24 (2003): 2193-2207.

76. Bruin, G. J. M. "Recent developments in electrokinetically driven analysis on microfabricated devices." Electrophoresis 21 (2000): 3931-3951
77. Reyes, D. R.; Iossifidis, D.; Auroux, P.-A.; Manz, A. . "Micro Total Analysis Systems. 1. Introduction, Theory, and Technology." Anal. Chem., 74 (2002) : 2623-2636.
78. Dolnik, V.; Liu, S.; Jovanovich, S. "Capillary electrophoresis on microchip" Electrophoresis. 21 (2000): 41-54.
79. Lee, C. S.; Lee, S. H.; Kim, Y. G.; Choi, C. H.; Kim, Y. K.; Kim, B. G. "Biochemical reactions on microfluidic chip based on a precise fluidic handling method at the nanoliter scale." Biotech. Biopro. Eng. 11 (2006): 146-153.
80. Jacobson, S.; Hergenroder, R.; Koutny, L. B.; Ramsey, J. M. "High-Speed Separations on a Microchip." Anal. Chem. 66 (1994): 1114-1118.
81. Fan, Z. H.; Harrison, D. J. "Micromachining of capillary electrophoresis injectors and separators on glass chips and evaluation of flow at capillary intersections." Anal. Chem. 66 (1994): 177-184.
82. Seiler, K.; Harrison, D. J.; Manz, A. "Planar glass chips for capillary electrophoresis: repetitive sample injection, quantitation, and separation efficiency." Anal. Chem. 65 (1993): 1481-1488.
83. Jacobson, S. C.; Hergenroder, R.; Koutny, L. B.; Warmack, R. J.; Ramsey, J. M. "Effects of Injection Schemes and Column Geometry on the Performance of Microchip Electrophoresis Devices." Anal. Chem., 66 (1994): 1107-1113.
84. Seiler, K.; Fan, Z. H.; Fluri, K.; Harrison, D. J. "Electroosmotic Pumping and Valveless Control of Fluid Flow within a Manifold of Capillaries on a Glass Chip." Anal. Chem., 66 (1994): 3485-3491.
85. Northrup, M. A.; Benett, B.; Hadley, D.; Landre, P.; Lehew, S.; Richards, J.; Stratton, P. " A Miniature Analytical Instrument for Nucleic Acids Based on Micromachined Silicon Reaction Chambers." Anal. Chem. 70 (1998): 918-922
86. Woolley, A. T.; Mathies, R. A. "Ultra-High-Speed DNA Sequencing Using Capillary Electrophoresis Chips." Anal. Chem., 67 (1995): 3676-3680.
87. Scherer, J. R.; Kheterpal, I.; Radhakrishnan, A.; Ja, W. W.; Mathies, R. A. "Ultra-high throughput rotary capillary array electrophoresis scanner for fluorescent DNA sequencing and analysis." Electrophoresis. 20 (1999): 1508-1517.

88. Zhang, C. S.; Xu, J. L.; Ma, W. L.; Zheng, W. L. "PCR microfluidic devices for DNA amplification." Biotech. Advan. 24 (2006): 243-284.
89. Kutter, J. P.; Jacobson, S. C.; Matsubara, N.; Ramsey, J. M. "Solvent-programmed microchip open-channel electrochromatography." Anal. Chem. 70 (1998): 3291-3297.
90. Koutny, L. B.; Schmalzing, D.; Taylor, T. A.; Fuchs, M. "Microchip electrophoretic immunoassay for serum cortisol ." Anal. Chem. 68 (1996):18-22.
91. Chiem, N. H.; Harrison, D. J. "Microchip systems for immunoassay: an integrated immunoreactor with electrophoretic separation for serum theophylline determination." Clin. Chem. 44 (1998): 591-598.
92. Li, P. C. H.; Harrison, D. J. "Transport, Manipulation, and Reaction of Biological Cells On-Chip Using Electrokinetic Effects." Anal. Chem. 69 (1997): 1564-1568.
93. Hadd, A. G.; Raymond, D. E.; Halliwell, J. W.; Jacobson, S. C.; Ramsey, J. M. "Microchip Device for Performing Enzyme Assays." Anal. Chem., 69 (1997): 3407-3412.
94. Xue, Q.; Foret, F.; Dunayevskiy, Y. M.; Zavracky, P. M.; McGruer, N. E.; Karger, B. L. "Multichannel Microchip Electrospray Mass Spectrometry" Anal. Chem. 69 (1997): 426-430.
95. Ramsey, R. S.; Ramsey, J. M. "Generating Electrospray from Microchip Devices Using Electroosmotic Pumping." Anal. Chem. 69 (1997): 1174-1178.
96. Li, J.; Thibault, P.; Bings, N. H.; Skinner, C. D.; Wang, C.; Colyer, C.; Harrison, J. "Integration of Microfabricated Devices to Capillary Electrophoresis-Electrospray Mass Spectrometry Using a Low Dead Volume Connection: Application to Rapid Analyses of Proteolytic Digests." Anal. Chem. 71 (1999): 3036-3045.
97. Xu, N. X.; Lin, Y. H.; Hofstadler, S. A.; Matson, D.; Call, C. J.; Smith, R. D. "Microfabricated Dialysis Device for Sample Cleanup in Electrospray Ionization Mass Spectrometry." Anal. Chem., 70 (1998): 3553-3556.
98. Burggraf, N.; Manz, A.; Effenhauser, C. S.; Verpoorte, E.; de Rooij, N. F.; Widmer, H. M. "Synchronized cyclic capillary electrophoresis - a novel approach to ion separations in solution." J. High Resolut. Chromatogr., 16 (1993): 594-596.

99. Raymond, D. E.; Manz, A.; Widmer, H. M. "Continuous Sample Pretreatment Using a Free-Flow Electrophoresis Device Integrated onto a Silicon Chip." Anal. Chem., 66 (1994): 2858-2865.
100. Jacobson, S. C.; Hergenroder, R.; Koutny, L. B.; Ramsey, J. M. "Open Channel Electrochromatography on a Microchip." Anal. Chem. 66 (1994): 2369-2373
101. Moore, A. W.; Jacobson, S. C.; Ramsey, J. M. "Microchip Separations of Neutral Species via Micellar Electrokinetic Capillary Chromatography." Anal. Chem., 67 (1995): 4184-4189.
102. Murakami, Y.; Takeuchi, T.; Yokoyama, K.; Tamiya, E.; Karube, I.; Suda, M. "Integration of enzyme-immobilized column with electrochemical flow cell using micromachining techniques for a glucose detection system." Anal. Chem., 65 (1993): 2731-2735.
103. Fettinger, J. C.; Manz, A.; Ludi, H.; Widmer, H. M. "Stacked modules for micro flow systems in chemical analysis: concept and studies using an enlarged model ." Sens. Actuators, B 17(1993): 19-25.
104. Jacobson, S. C.; Koutny, L. B.; Hergenroder, R.; Koutny, L. B.; Ramsey, J. M. "Microchip Capillary Electrophoresis with an Integrated Postcolumn Reactor" Anal. Chem. 66 (1994): 3472-3476.
105. Jacobson, S. C.; Hergenroder, R.; Moore, A. W.; Ramsey, J. M. "Precolumn Reactions with Electrophoretic Analysis Integrated on a Microchip." Anal. Chem. 66 (1994): 4127-4132.
106. Jacobson, S. C.; Ramsey, J. M. "Integrated Microdevice for DNA Restriction Fragment Analysis." Anal. Chem. 68 (1996): 720-723.
107. Woolley, A. T.; Hadley, D.; Landre, P.; deMello, A. J.; Mathies, R. A.; Northrup, M. A. "Functional Integration of PCR Amplification and Capillary Electrophoresis in a Microfabricated DNA Analysis Device" Anal. Chem., 68 (1996): 4081-4086.
108. Zhang, C.-X.; Manz, A. "High-Speed Free-Flow Electrophoresis on Chip." Anal. Chem. 75 (2003): 5759-5766.
109. Wang, A.; Zhang, L.; Zhang, S.; Fang, Y. "Determination of thiols following their separation by CZE with amperometric detection at a carbon electrode." J. Pharm. Biomed. Anal. 23 (2000): 429-436.
110. White, P. C., Lawrence, N. S., Davis, J. and Compton, R. G. "Electrochemically

- initiated 1,4 additions: a versatile route to the determination of thiols." Anal. Chim. Acta. 447 (2001): 1-10.
111. Wang H, Wang WS, Zhang HS. "A spectrofluorimetric method for cysteine and glutathione using the fluorescence system of Zn (II)-8-hydroxyquinolin-5-sulphonic acid complex." Spectrochimica Acta:A. 57 (2001): 2403-2407.
112. Cohn, H. and Lyle, J. "A fluorometric assay for glutathione." Anal. Biochem. 14 (1966): 434-440.
113. Lee, J.; Harnly, J. M. "Free amino acid and cysteine sulfoxide composition of 11 garlic (*Allium sativum* L) cultivar by gas chromatography with flame ionization and mass selective selection." J. Agric. Food. Chem. 53 (2005): 9100-9104.
114. Shimada, K.; and Mitamura, K. "Derivatization of thiol-containing compounds" J. Chromatogr. B. 659 (1994): 227-241.
115. Bolzoni, L.; Sannino, A.; Bandini, M. "Determination of ethylenethiourea and propyleanthiourea in tomato product and fruit purees." Food. Chem. 47 (1993): 299-302.
116. Banica, F. G.; Fogg, A.G.; Moreira, J. C. "Catalytic cathodic stripping voltammetry at a hanging mercury drop electrode of glutathione in the presence of nickel ion." Analyst. 119 (2004): 2343.
117. Krien, P. M.; Mergou, V.; Kermici, M. J. Chromatogr. 576 (1992): 255.
118. Zhang, S.; Sun, W.-l.; Xian, Y.-z.; Zhang, W.; Jin, L.-t.; Yamamoto, K.; Tao, S. and Jin, J. "Multichannel amperometric detection system for liquid chromatography to assay the thiols in human whole blood using the platinum microelectrodes chemically modified by copper tetraaminophthalocyanine." Anal. Chim. Acta. 399 (1999): 213-221.
119. Vandenberg, P. J. and Johnson, D. C., "Comparison of pulsed amperometric detection and integrated voltammetric detection for inorganic sulfur compounds in liquid chromatography." Anal. Chim. Acta. 290 (1994): 317-327.
120. Tudos, A. J.; Vandenberg, P. J.; Johnson, D. C. "Pulsed electrochemical detection of cysteine, cystine, methionine, and glutathione at gold electrodes following their separation by liquid chromatography ." Anal. Chem. 65 (1993): 2713-2718.
121. Ruiz, T. P.; Lozano, C. M.; Tomas, V.; Cardona, C. S. "Flow-injection

- fluorimetric determination of penicillamine and tiopronin in pharmaceutical preparations." J. Pharm. Biomed. Anal. 15 (1996): 33-38.
122. Ruiz, T. P.; Lozano, C. M.; Baeyens, W. R. G.; Sanz, A.; San-Miguel, M. T. "Determination of tiopronin in pharmaceuticals using a chemiluminescent flow-injection method." J. Pharm. Biomed. Anal. 17 (1998): 823-828.
123. Delgado, N.; Remers, W.A. Textbook of Organic Medicinal and Pharmaceutical Chemistry, 10 th ed., Lippincott-Raven Press, New York, 1998.
124. Haddad, L. M.; Winchester, J. F. Clinical Management of Poisoning and Drug Overdose, 2 nd ed., W.B. Saunders, New York, 1983.
125. Formigli, L. M.; Ferrari, I.; Grisolia, C. K. "Evaluation of genotoxic and cytotoxic of thiola (N-2-mercaptopropionylglycine), a medicine used in the treatment of humans contaminated with mercury." Environ. Molec. Mutage. 39 (2002) 18-21.
126. Matsuura, K.; and Takashina, H. "Gas chromatographic-mass spectrometric determination of tiopronin in human blood using acrylic acid esters as a derivatization reagent for the thiol group." J. Chromatogr B. 616 (1993): 229-234.
127. Favaro, G. and Fiorani, M.; "Determination of pharmaceutical thiols by liquid chromatography with electrochemical detection: Use of an electrode with conductive carbon cement matrix, chemically modified with cobalt phthalocyanine" Anal. Chim. Acta. 332 (1996): 249-255.
128. Zhao, Y.; Baeyens, W. R. G.; Zhang, X.; Nakashima, K.; Calokerinos, A. C.; Van der Weaken, G. "Chemiluminescent determination of tiopronin and its metabolite, 2-mercaptopropionic acid, in urine by HPLC coupled with flow injection set-up." Biomed. Chromatogr. 11 (1997): 115-116.
129. Matsuura, K.; Murai, K.; Fukano, Y.; Takashina, H.; "Simultaneous determination of tiopronin and its metabolites in rat blood by LC-ESI-MS-MS using methyl acrylate for stabilization of thiol group." J. Pharm. Biomed. Anal. 22 (2000): 101-109.
130. Aykin, N.; Neal, R.; Yusof, M.; Ercal, N. "Determination of captopril in biological samples by high-performance liquid chromatography with ThioGlo 3 derivatization." Biomed. Chromatogr. 15 (2001): 427-432.
131. Pimenta, A. M.; Araujo, A. N.; Montenegro, M. C. B. S. M. "Sequential

- injection analysis of captopril based on colorimetric and potentiometric detection" Anal. Chim. Acta 438 (2001): 31–38.
132. Mirza, T.; Tan, H. S.I. "Determination of captopril in pharmaceutical tablets by anion-exchange HPLC using indirect photometric detection: a study in systematic method development." J. Pharm. Biomed. Anal. 25 (2001): 39–52.
133. Ouyang, J.; Baeyens, W. R.G.; Delanghe, J.; Van Der Weken, G.; Van Daele, W.; De Keukeleire, D.; Garcia Campana, A. M. "Chemiluminescence-based liquid chromatographic determination of hydrochlorothiazide and captopril." Anal. Chim. Acta. 386 (1999): 257–264.
134. Hillaert, S.; Van den Bossche, W. "Determination of captopril and its degradation products by capillary electrophoresis." J. Pharm. Biomed. Anal. 21 (1999): 65–73.
135. El Reis, M. A.; Abou Attia, F. M.; Kenawy, I.M.M. "Indirect determination of captopril by AAS." J. Pharm. Biomed. Anal. 23 (2000): 249–254.
136. Stefan, R. I.; van Staden, J. F.; Aboul-Enein, H. Y. "Simultaneous detection of S- and R-captopril using sequential injection analysis." Talanta 51 (2000): 969–975.
137. Pimenta, A. M.; Araujo, A. N.; Montenegro, M. C. B.S. K. "Sequential injection analysis of captopril based on colorimetric and potentiometric detection." Anal. Chim. Acta. 438 (2001): 31–38.
138. Chailapakul, O.; Aksharanandana, P.; Frelink, T.; Einaga, Y. and Fujishima, A. "The electrooxidation of sulfur-containing compounds at boron-doped diamond electrode." Sensor. Actuat. B-Chem. 80 (2001): 193–201.
139. Ralph, T. R.; Hitchman, M. L.; Millington, J. P. and Walsh, F. C. "Evaluation of a reactor model and cathode materials for batch electrolysis of L-cystine hydrochloride." J. Electroanal. Chem. 462 (1999): 97–110.
140. Popovic, N. D.; Cox, J. A. and Johnson, D. C. "Electrocatalytic function of Bi(V) sites in heavily-doped PbO₂-film electrodes applied for anodic detection of selected sulfur compounds." J. Electroanal. Chem. 455 (1998): 153–160.
141. Cataldi, T. R. I.; De Benedetto, G. E.; Bianchini, A. "Electrocatalysis and amperometric detection at a ruthenium-modified indium-hexacyanoferrate film electrode." Electroanalysis. 10 (1998): 1163–1167.
142. Heyrovský, M. and Vavříčka, S. "Adsorption effects of electroactive

- species in d.c. polarography demonstrated in the case of the anodic waves of cysteine." J. Electroanal. Chem. 423 (1997): 125-130.
143. Banica, F. G.; Fogg, A. G. and Moreira, J. C. "Catalytic cathodic stripping voltammetry of oxidized glutathione at a hanging mercury drop electrode in the presence of nickel ion." Talanta. 42 (1995): 227-234.
144. Su, L.; Qiu, X. P.; Guo, L. H.; Zhang, F. H.; Tung, C. H. "Amperometric glucose sensor based on enzyme-modified boron-doped diamond electrode by cross-linking method." Sens. Actuator B-Chem. 99 (2004): 499-504.
145. Knickerbocker, T., Strother, T., Schwartz, M. P., Russell Jr., J. N., Butler, J., Smith, L. M., and Hamers, R. J., "DNA-modified diamond surfaces" Langmuir 19 (2003):1938-1942.
146. Saterlay, A. J., Agra-Gutierrez, C., Taylor, M. P., Marken, F., and Compton, R. G. "Sono-cathodic stripping voltammetry of lead at a polished boron-doped diamond electrode: Application to the determination of lead in river sediment" Electroanalysis 11 (1999):1083-1088.
147. Chailapakul, O.; Popa, E.; Tai, H.; Sarada, B. V.; Tryk, D. A. and Fujishima, A. "The electrooxidation of organic acids at boron-doped diamond electrodes." Electrochem. Commun. 2 (2000): 422-426.
148. Rao, T. N.; Yagi, I.; Miwa, T.; Tryk, D. A. and Fujishima, A. "Electrochemical oxidation of NADH at highly boron-doped diamond electrodes." Anal. Chem. 71 (1999): 2506-2511.
149. Koppang, M. D.; Witek, M.; Blau, J.; Swain, G. M. "Electrochemical oxidation of polyamines at diamond thin film electrode." Anal. Chem. 71(1999): 1188-1195.
150. Cvacka, J., Swain, G. M., Barek, J., and Zima, J., "Determination of aminonaphthalenes and aminobiphenyls by liquid chromatography with amperometric detection on diamond-film electrode." Chemicke Listy 96 (2002): 33-38.
151. Terashima, C., Rao, T. N., Sarada, B. V., Tryk, D. A., and Fujishima, A., "Electrochemical oxidation of chlorophenols at a boron-doped diamond electrode and their determination by high-performance liquid chromatography with amperometric detection." Anal. Chem. 74 (2002): 895-902,
152. Solomon, B. P.; Duta, C. T. "Homocysteine determination in plasma" Current

- Separation. 17 (1998): 3-7.
153. Zhang, M.; Pfeiffer, C. M. "Comparing the ESA HPLC total homocysteine assay with electrochemical detection to the CDC in-house HPLC assay with fluorescence detection" Clin. Chim. Acta. 340 (2004): 195-200.
154. Gong, K.; Dong, Y.; Xiong, S.; Chen, Y.; Mao, L. "Novel electrochemical method for sensitive determination of homocysteine with carbon-nanotube based electrodes." Biosens. Bioelectr. 20 (2004): 253-259.
155. Owens, G. S. and LaCourse, W. R. "Pulsed electrochemical detection of sulfur-containing compounds following microbore liquid chromatography." Current Sep. 14 (1996): 82-88.
156. Chawatko, G. and Bald, E. "Determination of cysteine in human plasma by high-performance liquid chromatography and ultraviolet detection after pre-column derivatization with 2-chloro-1-methylpyridinium iodide." Talanta. 52 (2000): 505-515.
157. White, P. C.; Lawrence, N. S.; Davis, J.; Compton, R. G. "Electrochemical detection of thiols: A perspective." Electrophoresis 14 (2002): 89-98.
158. O Shea, T. J.; Lunte, S. M. "Selective detection of free thiols by capillary electrophoresis electrochemistry using a gold mercury amalgam microelectrode." Anal. Chem 65 (1993): 247.
159. Heyrovsky, M.; Vavricka, S. "Electrochemical reactivity of homocysteine at mercury electrode as compared with cysteine." Bioelectrochem. & Bioenerg. 48 (1999): 43-51.
160. Swain, G. M. and Ramesham, R. "The Susceptibility to Surface Corrosion in Acidic Fluoride Media: A Comparison of Diamond, HOPG, and Glassy Carbon Electrodes." J. Electrochem. Soc. 141 (1994): 3382-3393.
161. Spataru, N.; Sarada, B.V.; Popa, E.; Tryk, D. A.; Fujishima, A. "Voltammetric Determination of L-Cysteine at Conductive Diamond Electrode." Anal. Chem. 73 (2001): 514-519.
162. Melnyk, S.; Pogribna, M.; Pogribny, I.; Hine, R.J.; James, S.J. "A new HPLC method for the simultaneous determination of oxidized and reduced plasma aminothiols using coulometric electrochemical detection." J. Nutri. Biochem. 10 (1999): 490-497.
163. Terashima, C., Rao, T. N., Sarada, B. V., and Fujishima, A., "Amperometric

- detection of oxidized and reduced glutathione at anodically pretreated diamond electrodes." Chem. Lett. 32 (2003): 136-137.
164. Popavic, N.D., Johnson, D.C. "Amperometric detection of biologically significant sulfur-containing compounds at Bi(V)-doped PbO₂ Film electrodes." Electroanalysis 11(1999): 934-949.
165. He, L., Anderson, J. R., Franzen, H. F., Johnson, D.C. "Electrocatalysis of anodic oxygen-transfer reactions: Bi₃Ru₃O₁₁ electrodes in acidic media." Chem. Mater. 9 (1997): 715-722.
166. Melnyk, S., Pogribna, M., Pogribny, I., Hine, R. J., James, S. J. "A new HPLC method for the simultaneous determination of oxidized and reduced plasma aminothiols using coulometric electrochemical detection." J. Nutr. Biochem. 10 (1999): 490-497.
167. Dolnik, V., Liu, S., Jovanovich, S. "Capillary electrophoresis on microchip." Electrophoresis. 21 (2000): 41-54.
168. Duffy, C. F., MacCraith, B., Diamond, D., O'Kennedy, R., Arriaga, E. A. "Fast electrophoretic analysis of individual mitochondria using microchip capillary electrophoresis with laser induced fluorescence detection." Lab on a chip. 6 (2006): 1007-1011.
169. Vandaveer IV, W. R., Pasas-Farmer, S. A., Fischer, D. J., Frankenfeld, C. N. Lunte, S. M. "Recent developments in electrochemical detection for microchip capillary electrophoresis" Electrophoresis. 25 (2004): 3528-3549.
170. Vandaveer, W. R.; Pasas, S. A.; Martin, R. S.; Lunte, S. M. "Recent developments in amperometric detection for microchip capillary electrophoresis." Electrophoresis. 23 (2002): 3667-3677.
171. Chen, G., Lin, Y. H., Wang, J. "Microchip capillary electrophoresis with electrochemical detection for monitoring environmental pollutants." Talanta 2 (2006): 43-50.
172. Fischer J, Barek J, Wang J. Separation and detection of nitrophenols at capillary electrophoresis microchips with amperometric detection." Electroanalysis 18 (2006): 195-199.
173. Wang J, Mannino S, Camera C, Chatrathi MP, Scampicchio M, Zima J.

- Microchip capillary electrophoresis with amperometric detection for rapid separation and detection of seleno amino acids." J. Chromatogr. A 1091 (2005): 177-182.
174. Wang, J. "Electrochemical detection for capillary electrophoresis microchips: A review" Electroanalysis 13 (2005): 1133-1140.
175. Woolley, A. T.; Lao, K. Q.; Glazer, A. N.; Mathies, R. A. "Capillary Electrophoresis Chips with Integrated Electrochemical Detection." Anal. Chem., 70 (1998): 684-688.
176. Wang, J.; Tian, B.; Sahlin, E. "Micromachined Electrophoresis Chips with Thick-Film Electrochemical Detectors." Anal. Chem. 71 (1999): 5436-5440.
177. Safavi, A., Baezzat, M. R. "Flow injection chemiluminescence determination of hydrazine." Anal. Chim. Acta. 358 (1998): 121-125.
178. Ensafi, A. A., Rezaei, B. "Flow injection determination of hydrazine with fluorimetric detection." Talanta 47 (1998): 645-649.
179. Safavi, A., Karimi, M. A. "Flow injection chemiluminescence determination of hydrazine by oxidation with chlorinated isocyanurates." Talanta 58 (2002): 785-792.
180. Siontorou, C. G., Nikolelis, D. P., Krull, U. J. "Flow injection monitoring and analysis of mixtures of hydrazine compounds using filter-supported bilayer lipid membranes with incorporated DNA." Anal. Chem. 72 (2000): 180-186.
181. You, T., Niu, L., Gui, J. Y., Dong, S., Wang, E. "Detection of hydrazine, methylhydrazine and isoniazid by capillary electrophoresis with a 4-pyridyl hydroquinone self-assembled microdisk platinum electrode." J. Pharm. Biomed. Anal. 19 (1999): 231-237.
182. Korfhage, K. M., Ravichandran, K., Baldwin, R. P. "Phthalocyanine-containing chemically modified electrodes for electrochemical detection in liquid chromatography/flow injection system." Anal. Chem. 56 (1984): 1514-1517.
183. Pingarron, J. M., Hernandez, I. O., Gonzalez-Cortes, A., Yanez-Sedeno, P. "Carbon fibre microelectrodes modified with rhodium for the electrocatalytic determination of hydrazine." Anal. Chim. Acta. 439 (2001): 281-290.
184. O'Shea, T. J., Lunte, S. M. "Chemically modified microelectrodes for capillary electrophoresis/electrochemistry." Anal. Chem. 66 (1994): 307-311.
185. Liu, J., Zhou, W., You, T., Li, F., Wang, E., Dong, S. "Detection of hydrazine,

- methylhydrazine and isoniazid by capillary electrophoresis with a palladium-modified microdisk array electrode." Anal. Chem. 68 (1996): 3350-3353.
186. Niu, L., You, T., Gui, J. Y., Wang, E., Dong, S. "Electrocatalytic oxidation of hydrazine at a 4-pyridyl hydroquinone self-assembled platinum electrode and its application to amperometric detection in capillary electrophoresis." J. Electroanal. Chem. 448 (1998): 79-86.
187. Wang, J., Chatrathi, M. P., Tian, B., Polsky, R. "Capillary electrophoresis chips with thick-film amperometric detection: separation and detection of hydrazine compounds." Electroanalysis. 12 (2000): 691-694.
188. Geraldo, D., Linares, C., Chen, Yo-Y., Soledad Ureta-Z., Zagal, J. H. "Volcano correlations between formal potential and Hammett parameters of substituted cobalt phthalocyanines and their activity for hydrazine electro-oxidation." Electrochem. Commu. 4 (2000): 182-187.
189. Wakida, S.-I., Chiba, A., Matsuda, T., Fukushi, K., Nakamshi, H., Wu, X., Nagai, H., Kurosawa, S., Takeda, S. "High-throughput characterization for organic pollutants in environmental water using a capillary electrophoresis chips." Electrophoresis 22 (2001): 3505-3508.
190. Wang, J. "Real-Time Electrochemical Monitoring: Toward Green Analytical Chemistry." Acc. Chem. Res. 35 (2002): 811-816.
191. Wang, J., Chatrathi, M. P., Tian, B. "Capillary electrophoresis microchips with thick-film amperometric detectors: separation and detection of phenolic compounds." Anal. Chim. Acta 416 (2000): 9-14.
192. Wang, J., Pumera, M., Chatrathi, M. P., Escarpa, A., Musameh, M. "Single-Channel Microchip for Fast Screening and Detailed Identification of Nitroaromatic Explosives or Organophosphate Nerve Agents ." Anal. Chem. 74 (2002): 1187-1191.
193. Hodyss, R., Beauchamp, J. L. "Multidimensional Detection of Nitroorganic Explosives by Gas Chromatography-Pyrolysis-Ultraviolet Detection." Anal. Chem. 77 (2005): 3607-3610.
194. Sohn, H., Sailor, M. J., Magde, D., Trogler, W. C. "Detection of Nitroaromatic Explosives Based on Photoluminescent Polymers Containing Metalloles." J. Am. Chem. Soc. 125 (2003): 3821-3830.
195. Yinon, J. "Detection of explosives by electronic noses." Anal. Chem. 75 (2003):

99A-105A.

196. <http://www.answer.com/topic/plastic-explosive>
197. Groom, C. A., Halasz, A., Paquet, L., D'Cruz, P., Hawari, J. "Cyclodextrin-assisted capillary electrophoresis for determination of the cyclic nitramine explosives RDX, HMX and CL-20: Comparison with high-performance liquid chromatography." *J. Chromatogr. A.* 999 (2003): 17-22.
198. Northrop, D. M., Mactire, D. E., MacCrehan, W. A. "Separation and identification of organic gunshot and explosive constituents by micellar electrokinetic capillary electrophoresis." *Anal. Chem.*, 63 (1991):1038-1042.
199. Oehrle, S. A. "Analysis nitramine and nitroaromatic explosives in pink water by capillary electrophoresis." *Electrophoresis* 18 (1997): 300-302.
200. Bratin, P. K., Kissinger, T. *Anal. Chim. Acta.*, 130 (1981) 295-311
201. Hilmi, A., Luong, J. H. T., Nguyen, An-L. "Determination of explosives in soil and ground water by liquid chromatography–amperometric detection." *J. Chromatogr. A.* 844 (1999): 97-110.
202. Walsh, M. E. "Determination of nitroaromatic, nitramine, and nitrate ester explosives in soil by gas chromatography and an electron capture detector." *Talanta*, 54 (2001): 427-438.
203. Jiménez, A. M. and Navas, M. J. "Chemiluminescence detection systems for the analysis of explosives." *J. Haz. Mat.*, 106 (2004): 1-8.
204. Yinon, J. "Trace analysis of explosives in water by gas chromatography—mass spectrometry with a temperature-programmed injector." *J. Chromatogr. A.*, 742 (1996): 205-209.
205. Wang, J. "Microchip devices for detecting terrorist weapons." *Anal. Chim. Acta* 507 (2004): 3-10.
206. Wang, J., Chatrathi, M. P., Mulchandani, A., Chen, W. "Capillary Electrophoresis Microchips for Separation and Detection of Organophosphate Nerve Agents" *Anal. Chem.* 73 (2001): 1804-1808
207. Hilmi, A., Luong, J. H. T., Nguyen, A-L. "Development of Electrokinetic Capillary Electrophoresis Equipped with Amperometric Detection for Analysis of Explosive Compounds ." *Anal. Chem.* 71 (1999): 873-878.
208. Hilmi, A., Luong, J. H. T. "Electrochemical Detectors Prepared by Electroless

- Deposition for Microfabricated Electrophoresis Chips." Anal. Chem. 72 (2000): 4677-4682.
209. Hilmi, A., Luong, J. H. T. "Micromachined Electrophoresis Chips with Electrochemical Detectors for Analysis of Explosive Compounds in Soil and Groundwater." Environ. Sci. Technol. 34 (2000): 3046-3050.
210. Wallenborg, S. R., Bailey, C. G. "Separation and Detection of Explosives on a Microchip Using Micellar Electrokinetic Chromatography and Indirect Laser-Induced Fluorescence." Anal. Chem. 72 (2000): 1872-1878.
211. Figeys, D., Pinto, D. "Lab on a chip: A revolution in biological and medical science." Anal. Chem. 72 (2000): 330A-335A.
212. Kutter, J. P. "Current developments in electrophoretic and chromatographic separation methods on microfabricated devices." Trends Anal. Chem. 19 (2000): 352-362.
213. Attiya, S., Jemere, A. B., Tang, T., Fitzpatrick, G., Seiler, K., Chiem, N., Harrison, D. J. "Design of an interface to allow microfluidic electrophoresis chips to drink from the fire hose of the external environment." Electrophoresis 22 (2001): 318.
214. Chen, S. H., Lin, Y. H., Wang, L. Y., Lin, C. C., Lee, G. B. "Flow-through sampling forelectrophoresis-based microchips andtheir applications for protein analysis. " Anal. Chem. 74 (2002): 5146-5153.
215. Lin, Y. H., Lee, G. B., Li, C. W., Hung, G. R., Chen, S. H. J. Chromatogr. A. "Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping." 937 (2001): 115-125.
216. Fang, Q., Xu, G. M., Fang, Z. L. "A High-Throughput Continuous Sample Introduction Interface for Microfluidic Chip-based Capillary Electrophoresis Systems." Anal. Chem. 74 (2002): 1223-1231.
217. Liu, J., Hansen, C. S., Quake, S. R. "Solving the "World-to-Chip" Interface Problem with a Microfluidic Matrix." Anal. Chem., 75 (2003): 4718-4723.
218. Lin, C. C., Lee, G. B., Chen, S. H. "Automation for continuous analysis on microchip capillary electrophoresis using flow-through sampling." Electrophoresis, 23 (2002): 3550-5557.
219. Chen, G., Wang, J. "Fast and simple sample introduction for capillary electrophoresis microsystem." Analyst 129 (2004): 507-511.

VITAE

Miss Weena Siangproh was born on February, 1 1977 in Phetchaburi, Thailand. She graduated with high school degree from Benchama Thep- uthit School, Phetchaburi in 1992. She received her Bachelor's degree of Science (Chemistry) with the second honor in 1998. Since then, she has been appointed as an instructor at Srinakharinwirot University. In 2000, she has become a graduate student in the analytical field and a member of Electrochemical Research Group under the direction of Associate Professor Dr. Orawon Chailapakul. She had an opportunity to do the research in Professor Fujishima's Laboratory at the University of Tokyo, Japan in 2002. Then in 2004, she received the scholarship from the Thailand Research Fund and Fulbright Foundation to do the research in Professor Joseph Wang's group at Arizona State University, USA for 14 months. And in 2006, she had a chance to do some part of research in Prof. Jin-Ming Lin's group, Tsinghua University, PR China for 2 month. She graduated with a Ph.D degree in Chemistry of academic year 2006 from Chulalongkorn University.

Award:

- | | |
|------|--|
| 2005 | Best Student Oral Presentation Award, Las Vegas, USA. |
| 2003 | Excellence Student Presentation Award, Geelong, Australia. |

LIST OF PUBLICATIONS

1. Chailapakul, O.; **Siangproh, W.**; Sarada, B. V.; Terashima, C.; Rao, T.N.; Tryk, D.A.; Fujishima, A. Analyst, **2002**, 127, 1164.
2. **Siangproh, W.**; Ngamukot, P. and Chailapakul, O. Sens. Actuator.B-Chem, **2003**, 91, 60.
3. **Siangproh, W.**; Wangfuengkanagul, N. and Chailapakul, O. Anal. Chim. Acta, **2003**, 499, 183.
4. **Siangproh, W.**; Chailapakul, O.; Laocharoensuk, R.; Wang, J. Talanta, **2005**, 67, 903.
5. Wang, J.; **Siangproh, W.**; Thongngamdee, S.; Chailapakul, O. Analyst, **2005**, 130, 1390.
6. Wang, J.; **Siangproh, W.**; Blasco, A. J.; Chailapakul, O.; Escarpa, A. Anal. Chim. Acta, **2006**, 556, 301.