

REFERENCES

- Aleman, L.J., Bañares, M. A., Pardo, E., Martín, F., Galán-Fereres, M., and Blasco, J. M. (1997) Photodegradation of phenol in water using silica-supported titania catalysts. Apply Catalysis B; Environment, 13, 289-297.
- Barsan, N. and Weimar, U. (2001) Conduction model of metal oxide gas sensors. Journal of Electroceramics, 7, 143-167.
- Bonini, N., Carotta, M. C., Chiorino, A., Guidi, V., Malagù, C., Martinelli, G., Paglialonga, L., and Sacerdoti, M. (2000) Doping of a nanostructured titania thick film: structural and electrical investigation. Sensors and Actuators B, 68, 274-280.
- Capek, I. (2004) Preparation of metal nanoparticles in water-in-oil (W/O) microemulsions. Advanced Colloid and Interfacial Science, 110, 49-74.
- Carotta, M. C., Ferroni, M., Guidi, V., and Martinelli, G. (1999) Preparation and characterization of nanostructured titania thick films. Journal of Advanced Materials, 11, 943-946.
- Carotta, M. C., Ferroni, M., Gnani, D., Guidi, V., Merli, M., Martinelli, G., Casale, M.C., and Nataro, M. (1999) Nanostructured pure and Nb-doped TiO₂ as thick film gas sensors for environmental monitoring. Sensors and Actuators B, 58, 310-317.
- Chabra, V., Pillai, V., Mishra, K., Morrone, A., and Shah, D.O. (1995) Synthesis, characterization, and properties of microemulsion-mediated nanophase TiO₂ particles. Langmuir, 11, 3307-3311.
- Cirera, A. (2000) New technologies and their characterization for nanostructured SnO₂ gas sensor device, PhD. Thesis, Universitat de Barcelona, Barcelona, Brazil.
- Debuige, F., Jeunieu, L., Wiame, M., and Nagy, J.B. (2000) Synthesis of organic nanoparticles in different w/o microemulsions. Langmuir, 16, 7605-7611.
- Eastoe, J. and Warne, B. (1996) Nanoparticles and polymer synthesis in microemulsion. Colloid and Interfacial Science, 1, 800-805.
- Edelstein, A.S. and Cammarata, R.C. (1998) Nanomaterials: Synthesis, Properties and Applications. Philadelphia: Institute of Physics Publishing.

- Escudero, M.J., Hontañón, E., Schwartz, S., Boutonnet, M., and Daza, L. (2002) Development and performance characterisation of new electrocatalysts for PEMFC. Journal of Power Sources, 106, 206-214.
- Ferroni, M., Carotta, M. C., Guidi, V., Martinelli, G., Ronconi, F., Richard, O., Van Dyck, D., and Van Landuyt, J. (2000) Structural characterization of Nb-TiO₂ nanosized thick films for gas sensing application. Sensors and Actuators B, 68, 140-145.
- Giordano, R., Migliardo, P., Wanderlingh, U., and Bardez, E. (1995) Growth-processes in ionic microemulsions by SANs. Physica B, 213, 585-587.
- Guo, R., Qi, H., Guo, D., Chen, X., Yang, Z., and Chen, Y. (2003) Preparation of high concentration ceramic inks for forming by jet-printing. Journal of Europe Ceramic Society, 23, 115-122.
- Herrig, H. and Hempelmann. (1996) A colloidal approach to nanometer-sized mixed oxide ceramic powders. Material Letters, 27, 287-292.
- Huang, Y., Ma, T., Yang, J., Zhang, L., He, J., and Li, H. (2004) Preparation of spherical ultrafine zirconia powder in microemulsion system and its dispersibility. Ceramic International, 11, 273-276.
- Ilisz, I. and Dombi, A. (1999) Investigation of the photodecomposition of phenol in near-uv-irradiated aqueous TiO₂ suspensions: II. effect of charge-trapping species on product distribution. Apply Catalysis A, 180, 35-45.
- Jadhav, A. V. (2003) Synthesis of TiO₂ Nanoparticle mesoporous film from reverse micelles and application of TiO₂ nanoparticles as photocatalysts, Thesis, Department of Materials Science and Engineering, University of Cincinnati.
- Kaneko, D., Shouji, H., Ohotomo, T., Kawai, T., and Kon-No, K. (2000) Synthesis of monodispersed GeO₂ particles in nonionic reverse micelles systems-control of particle size and crystal structure. Nippon Kagaku Kaishi, 7, 457-465.
- Kim, D.W., Oh, S.G., and Lee, J.D. (1999) Preparation of ultrafine monodispersed indium-tin oxides in AOT-based reverse microemulsions as nanoreactors. Langmuir, 15, 1599-1603.

- Kim, E. J. and Hahn, S. (2001) Microstructure and photoactivity of titania nanoparticles prepared in nonionic w/o microemulsions. Material Science and Engineering A, 303, 24-29.
- Koch, C.C. (2002) Nanostructured Materials: Processing, Properties and Potential Applications. New York: William Andrew.
- Kuang, D., Xu, A., Fang, Y., Ou, H., and Liu, H. (2002) Preparation of inorganic salts (CaCO_3 , BaCO_3 , CaSO_4) nanowires in the triton X-100/cyclohexane/water reverse micelles. Journal of Crystal Growth, 244, 379-383.
- Li, G. L. and Wang, G. H. (1999) Synthesis of nanometer-sized TiO_2 particles by a microemulsion method. Nanostructured Materials, 11, 663-668.
- Lim, C. and Oh, S. (1996) Microstructure evolution and gas sensitivities of Pd-doped SnO_2 -based sensor prepared by three different catalyst-addition processes. Sensors and Actuators B, 30, 223-231.
- López-Quintela, M.A., Quibén-Solla J., and Rivas, J. (1997) Industrial Applications of Microemulsions. USA: Surfactant Series.
- López-Quintela, M.A. (2003) Synthesis of nanomaterials in microemulsion; formation mechanisms and growth control. Colloid and Interfacial Science, 8, 137-144.
- Martinelli, G, Ghiotti, G, Carotta, M. C., and Chiorino, A. (1998) Electrical and spectroscopic characterization of SnO_2 and Pd- SnO_2 thick films studied as CO gas sensors. Sensors and Actuators B, 47, 205-212.
- Mittal, K.L. and Shah, D.O. (1998) Adsorption and Aggregation of Surfactants in Solution. New York: Marcel Dekker.
- Mori, Y., Okats, Y., and Tsujimoto, Y. (2001) Titanium dioxide nanoparticles produced in water-in-oil emulsion. Journal of Nanoparticle Research, 3, 219-225.
- Osseo-Asare, K. and Arriagada, F.J. (1996) Synthesis of Nanosized Particles in Reverse Microemulsion, Ceramic and Powder Science III.
- Peiró, A.M., Ayllón, J.A., Peral, J., and Doménech, X. (2001) TiO_2 -photocatalyzed degradation of phenol and ortho-substituted phenolic compounds. Apply Catalysis B; Environment, 30, 359-373.

- Qi, L., Ma, J., and Shen, J. (1997) Synthesis of copper nanoparticles in nonionic water-in-oil microemulsions. Colloid and Interfacial Science, 186, 489-500.
- Raman, N. K., Anderson, M. T., and Brinker, C. J. (1996) Template-based approaches to the preparation of amorphous, nanoporous silicas. Chemical Materials, 8, 1682-1701.
- Saiwan, C., Krathong, S., Anukunprasert, T., and O'Rear III, E. A. (2004) Nanotitanium dioxide synthesis in AOT microemulsion system with salinity scan. Journal of Chemical Engineering of Japan, 37, 279-285.
- Serpone, N. and Emeline, A.V. (2002) Suggested term and definitions in photocatalysis and radiocatalysis. International Journal of Photoenergy, 4, 91-131.
- Shi, L. Y., Li, C. Z., Gu, H.C., and Fang, D.Y. (2000) Morphology and properties of ultrafine SnO₂-TiO₂ coupled semiconductor particles. Material Chemistry Physic, 62, 62-67.
- Sharma, R. K., Chan, P. CH., Tang, Z. N., Yan, G. Z., Hsing, I.M., and Sin, JK. O. (2001) Investigation of stability and reliability of metal oxide thin-film for integrated micro-machined gas sensor devices. Sensors and Actuators B, 81, 9-16.
- Shimizu, Y. and Egashira, M. (1999) Basic aspects and challenges of semiconductor gas sensors. Materials Research Bulletin, 19, 18-24.
- Song, K. C. and Kim, J. H. (1999) Preparation of nanosized tin oxide particles from water-in-oil microemulsions. Colloid and Interfacial Science, 212, 193-196.
- Stathatos, E., Tsiourvas, D., and Lianos, P. (1999) Titanium dioxide films made from reverse micelles and their use for photocatalytic degradation of adsorbed dyes. Colloid and Interfacial Science, 149, 49-56
- Subramanian, V., Wolf, E., and Kamat, P. (2001) Semiconductor-metal composite nanostructures. To what extent do metal nanoparticles improve the photocatalytic activity of TiO₂ films. Journal of Physic Chemistry, 105, 11439-11446.
- Takeuchi, T. (1998) Oxygen sensors, Sensors and Actuators B, 14, 109-124.

- Traversa, E., Villanti, S., Gusmano, G., Aono, H., and Sadaoka, Y. (1999) Design of ceramic materials for chemical sensors; SmFeO_3 thick films sensitive to NO_2 . Journal of American Ceramics Society, 82, 2442-2450.
- Traversa, E. (1995) Intelligent ceramic materials for chemical sensors. Journal of International Material Synthesis Structure, 6, 860-869.
- Traversa, E. (1995) Design of ceramic materials for chemical sensors with novel properties. Journal of American Ceramics Society, 78, 2625-2631.
- Traversa, E., Di Vona, M. L., Licoccia, S., Sacerdoti, M., Carotta, M.C., Gallana, M., and Martinelli, G. (2000) Sol-gel nanosized semiconducting titania-based powders for thick-films gas sensors. Journal of Sol-Gel Science Technology, 19, 193-196.
- Traversa, E., Di Vona, L.M., and Licoccia, S. (2001) Sol-gel processed TiO_2 -based nano-sized powders for use in thick-film gas sensors for atmospheric pollutant monitoring. Journal of Sol-Gel Science Technology, 22, 167-179.
- Trindade, T., O'Brien, P., and Pickett N.L. (2001) Nanocrystalline semiconductors; synthesis, properties and perspectives. Chemical Material, 13, 3843-3858.
- Wang, C.Y., Jiqng, W.Q., Zhou, Y., Wang, Y.N., and Chen, Z.Y. (2000) Synthesis of $\alpha\text{-Fe}$ ultrafine particles in a saturated salt solution/isopropanol/PVP microemulsion and their structure c haracterization. Material Research Bulletin, 35, 53-58.
- Wang, C. C., Chen, D.H., and Huang, T.C. (2001) Synthesis of palladium nanoparticles in water-in-oil microemulsions. Colloid and Interfacial Science, 189, 145-154.
- Xu, Jian and Li, Y. (2003) Formation of zinc sulfide nanorods and nanoparticles in ternary w/o microemulsions. Colloid and Interfacial Science, 259, 275-281.
- Zakrzewska, K. (2001) Mixed oxide as a gas sensors. Thin Solid Film, 391, 229-238.
- Zakrzewska, K. (2004) Gas sensing mechanism of TiO_2 -based thin films. Vacuum, 74, 335-338.

CURRICULUM VITAE

Name: Mr. Theera Anukunprasert

Date of Birth: September 16, 1978

Nationality: Thai

University Education:

1997-2001 Bachelor Degree in Chemical Engineering, King Mongkut Institute of Thechnology Ladkrabang (KMIT'L), Thailand

2001-2003 Master's Degree in Science, Major: Petroleum and Petrochemical Technology, The Petroleum and Petrochemical College, Chulalongkorn University (CU); Bangkok, Thailand.

Publications:

1. Saiwan, C., Krathong, S., Anukunprasert, T., and O'Rear E. A. (2004) Nano-titanium dioxide synthesis in AOT microemulsion system with salinity scan. Journal of Chemical Engineering of Japan, 37 (2), 279-285.
2. Anukunprasert, T., Saiwan, C., and Traversa E. (2005) The development of gas sensor for carbon monoxide monitoring using nanostructure of Nb-TiO₂. Science and Technology of Advanced Materials, 6, 359-363.
3. Anukunprasert, T., Saiwan, C., and Traversa E. (2006) Microstructure effect of nanocrystalline titanium dioxide prepared by microemulsion technique on photocatalytic decomposition of phenol. Journal of materials research, in press.
4. Anukunprasert, T., Saiwan, C., Di Bartolomeo, E., and Traversa E. (2006) Nanostructured TiO₂-based mixed metal oxides prepared using microemulsions for carbon monoxide detection. Journal of electroceramics, in press