

เอกสารอ้างอิง

ภาษาไทย

ไมตรี สุธจิตต์. แคดเมียม. ใน สารพิษรอบตัวเรา. หน้า 90-92. เชียงใหม่ :
ภาควิชาชีวเคมี คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่, 2531.

ภาษาอังกฤษ

- Adams, R.G., Harrison, J.F., and Scott, P. The development of cadmium-induced proteinuria, impaired renal function and osteomalacia in alkaline battery workers. Q.J. Med. 38(1969) : 425-443.
- Anderson, A., and Hahlin, M. Cadmium effects from phosphorus fertilization in field experiments. Swedish J. Agric. Res. 11(1981): 2 cited by Goyer, R.A. Toxic effects of metals. In C.D. Klaassen, M.O. Ammdur, and J. Doull (eds.) Cassarett and Doull's Toxicology : The Basic Science of Poisons, 3 rd ed, pp. 582-635. New York: Macmillan Publishing Company, 1986.
- Baselt, R.C., and Cravey, R.H., eds. Disposition of toxic drugs and chemicals in man. 3rd ed. Chicago : Year Book Medical Publisher, Inc. 1989.
- Blum, J.J. Observation on the role of sulfhydryl groups in the enzymatic activity of myosin. Arch. Biochem. Biophys. 97 (1962a): 309-320.
- _____. Observation on the role of sulfhydryl groups in the functioning of actomyosin. Arch. Biochem. Biophys. 97(1962 b) : 321-328.

- Carmignani, M., and Boscolo, P. Cardiovascular responsiveness to physiological agonists of male rats made hypertensive by long-term exposure to cadmium. Sci. Total Environ. 34(1984): 19-33.
- Chowdbury, P., and Louria, D.B. Influence of Cadmium and other trace metals on human α_1 -antitrypsin : an in vitro study. Science 191(1976): 480-481.
- Earl, C.Q., Linden, J., and Weglicki, W.B. Inhibition of cyclic AMP-dependent protein kinase activity by the cardiotonic drug amrinone and milrinone. Life Sciences. 39(1986): 1901-1908.
- Elinder, C.G., Kjellstrom, T., Lind, B., Linnman, L., Piscator, M., and Sundstedt, K. Cadmium exposure from smoking cigarettes. Variations with time and country where purchased. Environ. Res. 32(1983): 220-227.
- Endo, M. Calcium release from sarcoplasmic reticulum. In Current Topic in Membranes and Transport, vol. 25, pp 181-230. New York : Academic Press, Inc., 1985.
- Engstrom, B., and Nordberg, G.F. Dose dependence of gastrointestinal absorption and biological half-time of cadmium in mice. Toxicology. 13(1979) : 215-222.
- Fleckenstein, A. Calcium antagonism in heart and smooth muscle. New York : John Wiley and Sons, Inc. 1983.
- Fribery, L., Piscator, M., Nordberg, G.F., and Kjellstrom, T. Cadmium in the environment. 2 nd ed. Cleveland: CRC Press, Inc. 1974.
- Gaffney, T.E., Kahn, J.B., Jr., Van Maanen, E.F. and Acheson, G.H. A mechanism of the vagal effect of cardiac glycosides. J. Pharmacol. Exp. Ther. 122(1958) : 423-429.

- Giles, W., Hume, J.R., and Shibata, E.F. Presynaptic and postsynaptic actions of cadmium in cardiac muscle. Federation Proc. 42(1983) : 2994-2997.
- Gillis, R.A., and Quest, J.A. The role of the nervous system in the cardiovascular effects of digitalis. Pharmacological Reviews. 31(1980) : 19-97.
- Goering, P.L., and Klaassen, C.D. Altered subcellular distribution of cadmium following cadmium pretreatment: possible mechanism of tolerance to cadmium induced lethality. Toxicol. Appl. Pharmacol. 70(1983) : 195-203.
- _____. Tolerance to cadmium - induced hepatotoxicity following cadmium pretreatment. Ibid. 74(1984) : 308-313.
- Goyer, R.A. Toxic effects of metals. In C.D. Klaassen, M.O. Amdur, and J. Doull (eds.) Casarett and Doull's Toxicology : The Basic Science of Poisons, 3rd ed., pp 582-635. New York: Macmillan Publishing Company, 1986.
- Hawley, P.L., and Kopp, S.J. Extension of PR interval in isolated rat heart by cadmium. Proc. Soc. Exp. Biol. Med. 150(1975) : 669-671.
- Hay W.P., and Wadsworth, R.M. The effect of cadmium channel inhibitors and other procedures affecting calcium translocation on drug-induced rhythmic contractions in the rat vas deferens. Br. J. Pharmacol. 79(1983) : 347-362.
- Hayes, J.S., Bowling, N., Broder, G.B., and Kauffman, R. Molecular basis for the cardiovascular activities of amrinone and AR-L57. J. Pharmacol. Exp. Ther. 230(1984) : 124-132.

- Higgins, T.J.C., Allsopp, D., Bailey, P.J. Mechanism of stimulation of rat cardiac muscle by 5-Hydroxytryptamine. Biochem. Pharmacol. 30(1981a) : 2703-2707.
- _____. Mechanism of stimulation cardiac myocyte beating rat by 5-Hydroxytryptamine. Life Sciences. 28(1981b) : 999-1005.
- Hinkle, P.M., Kinsella, P.A., and Osterhoudt, K.C. Cadmium uptake and toxicity via voltage-sensitive calcium channels. J. Biol. Chem. 262(1987) : 16333-16337.
- Jamall, I.S. Differential effects of cadmium on cytosolic and mitochondrial glutathione levels in the rat heart. FEBS. 214(1987) : 62-64.
- _____. and Smith, J.C. Effects of cadmium on glutathione peroxidase, superoxide dismutase, and lipid peroxidation in the rat heart: A possible mechanism of cadmium cardiotoxicity. Toxicol. Appl. Pharmacol. 80(1985) : 33-42.
- Klaassen, C.D. Effect of metallothionein on the hepatic disposition of metal. Am. J. Physiol. 234(1978) : E47-E53.
- _____. Heavy metals and heavy-metal antagonists. In A.G. Gilman, T.W. Rall, A.S. Nies, and P. Taylor (eds.) Goodman and Gilman's The Pharmacological Basis of Therapeutics, 8 th ed., pp. 1592-1614. Singapore : Pergamon Press, Inc., 1990.
- _____. and Kotsonin, F.N. Biliary excretion of cadmium in the rat, rabbit and dog. Toxicol. Appl. Pharmacol. 41(1977): 101-112.
- Kleinfeld, M., Greene, H., Stein, E., and Magin, J. Effect of the cadmium ion on the electrical and mechanical activity of the frog heart. Am. J. Physiol. 181(1955) : 35-38.
- _____. and Stein, E. Action of divalent cations on membrane potentials and contractility in rat atrium. Am. J. Physiol. 215 (1968) : 593-599.

- _____. and Aguillardo, D. Divalent cations on action potentials of dog heart. Am. J. Physiol. 211(1966): 1438-1442.
- Kneip, T.J., Eisenbud, M., Strehlow, C.D., and Freudenthal, P.C. Airborne particulates in New York City. J. Air. Pollut. Control. Assoc. 20(1970) : 144-149.
- Kopp, S.J., Perry, H.M., Jr., Perry, E.F., and Erlanger, M. Cardiac physiologic and tissue metabolic changes following chronic low-level cadmium and cadmium plus lead ingestion in the rat. Toxicol. Appl. Pharmacol. 69(1983) : 149-160.
- Lauwerys, R.R., Roels, H.A., Buchet, J.P., Bernard, A., and Stanesca, D. Investigations on the lung and kidney function in workers exposed to cadmium. Environ. Health. Perspect. 28(1979) : 137-146.
- Mendez, C., Aceves, J., and Mendez, R. Inhibition of adrenergic cardiac acceleration by cardiac glycosides. J. Pharmacol. Exp. Ther. 131(1961) : 191-198.
- _____. and Mendez, R. The action of cardiac glycosides on the excitability and conduction velocity of the mammalian atrium. J. Pharmacol. Exp. Ther. 121(1957) : 402-413.
- Morner, S.E.J.N., and Wohlfart, B. Inotropic mechanisms of amrinone in papillary muscles from guinea-pig hearts. Acta. Physiol. Scand. 139(1990) : 575-581.
- Peter, C., and Sauviat, M-P. Effects of cadmium on the slow inward current of frog heart muscle in relation to a lowering of pH in external solution. Br. J. Pharmacol. 94(1988) : 469-474.
- Perry, H.M., and Erlanger, M.W. Metal-induced hypertension following chronic feeding of low doses of cadmium and mercury. J. Lab. Clin. Med. 83(1974) : 541-547.

- Pilati, C.F., Ewing, K.L., and Paradise, N.F. Effects of cadmium on contractility and calcium concentration in isolated heart muscle. Proc. Soc. Exp. Biol. Med. 169(1982) : 480-486.
- Prentice, R.C., Hawley, P.L., Glonek, T., and Kopp, S.J. Calcium - dependent effects of cadmium on energy metabolism and function of perfused rat heart. Toxicol. Appl. Pharmacol. 75(1984) : 198-210.
- Rahola, T., Aoran, R.K., and Mietinen, J.K. Assessment of radioactive contamination in man. Vienna : The Agency. 1972.
- Sakai, K., and Akima, M. An analysis of the stimulant effects of 5-Hydroxytryptamine on isolated, blood-perfused rat heart. Eur. J. Pharmacol. 55(1979) : 421-424.
- Schroeder, H.A., and Balassa, J.J. Hypertension induced in rats by small doses of cadmium. Am. J. Physiol. 202(1961) : 515-518.
- Shahid, M., and Rodger, I.W. Chronotropic and inotropic actions of amrinone, carbazeram and isobutylmethyl xanthine : role of phosphodiesterase inhibition. Br. J. Pharmacol. 98(1989) : 291-301.
- Shepherd, N., Kavaler, F., and Spielman, W. Cadmium block of isometric contractions of isolated bullfrog atrial cells. Am. J. Physiol. 260(1991) : C249-C258.
- Smetana, R.H., and Glogar, D.H. Role of cadmium and magnesium in pathogenesis of idiopathic dilated cardiomyopathy. Am. J. Cardiol. 58(1986) : 364-366.
- Sys, S.U., Boels, P.J., and Brutsaert, D.L. Positive inotropic and vasodilating effects of amrinone and milrinone in isolated canine heart. J. Cardiovasc. Pharmacol. 10(1987) : 445-449.

- Ten Eick, R.E., Wyte, S.R., Ross, S.M., and Hoffman, B.F. Post-coun-
tershock arrhythmias in untreated and digitalized dogs. Circ.
Res. 21(1967) : 375-390.
- Toda, N. Inhibition by cadmium ions of the electrical activity of
sinoatrial nodal pacemaker fibers and their response to
norepinephrine. J. Pharmacol. Exp. Ther. 184(1973 a) : 357-365.
- _____. Influence of cadmium ions on the transmembrane potential
and contractility of isolated rabbit left atria. J. Pharma-
col. Exp. Ther. 186(1973 b) : 60-66.
- _____. and West, T. The influence of ouabain on cholinergic
responses in the sinoatrial node. J. Pharmacol. Exp. Ther.
153(1966) : 104-113.
- Verboost, P.M., Flik, G., Pang, P.K.T., Lock, R.A.C. and Wendelaar
Bonga, S.E. Cadmium inhibition of erythrocyte Ca^{2+} pump. J.
Biol. Chem. 264(1989) : 5613-5615.
- _____. Senden, M.H.M.N., and Van Os, C.H. Nanomolar concentrations
of Cd^{2+} inhibit Ca^{2+} transport systems in plasma membrane and
intracellular Ca^{2+} stores in intestinal epithelium. Biochemica
et Biophysica Acta. 902(1987) : 247-252.
- World Health Organization. Environmental health criteria for cadmium
Ambio. 6(1977a) : 287-290. cited by Goyer, R.A. Toxic effects
of metals. In C.D. Klaassen, M.O. Ammdur, and J. Doull (eds.)
Cassarett and Doull's Toxicology: The Basic Science of Poisons,
3rd ed, pp. 582-635. New York : Macmillan Publishing Company,
1986.

Yamasaki, Y., Fujiwara, M., and Toda, N. Effects of intracellularly applied cyclic 3, 5 - adenosine monophosphate and dibutyryl cyclic 3, 5-adenosine monophosphate on the electrical activity of sinoatrial nodal cells of the rabbit. J. Pharmacol. Exp. Ther. 190(1974) : 15-20.

ประวัติผู้เขียน

นาย สุรวุฒิ วัฒนา เกิดวันที่ 30 กรกฎาคม 2507 ที่จังหวัดพระนครศรีอยุธยา
สำเร็จการศึกษาปริญญาตรีเกาสศาสตร์บัณฑิต คณะเกาสศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ในปี
การศึกษา 2530 เข้าศึกษาต่อในหลักสูตรเกาสศาสตรมหาบัณฑิต สาขาวิชาเกาสวิทยา บัณฑิต
วิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย เมื่อปีการศึกษา 2533

