

## REFERENCES

- Adler, M., and Lee, G. 1999. Stability and surface activity of lactate dehydrogenase in spray-dried trehalose. **J. Pharm. Sci.** 88 (2): 199-208.
- Ahsan, F., Rivas, I.P., Khan, M.A., and Torres Suarez, A.I. 2002. Targeting to macrophages: role of physicochemical properties of particulate carriers-liposomes and microspheres-on the phagocytosis by macrophages. **J. Control. Release.** 79: 29-40.
- Alonso, M.J., Gupta, R.K., Min, C., Siber, G.R., and Langer, R. 1994. Biodegradable microspheres as controlled-release tetanus toxoid delivery systems. **Vaccine.** 12 (4): 299-306.
- Ameri, M., and Maa, Y.F. 2006. Spray drying of biopharmaceuticals: Stability and process considerations. **Dry Technol.** 24: 763-768.
- Barbour, E.K., Abdelnour, A., Jirjis, F., Faroon, O., and Farran, M.T. 2002. Evaluation of 12 stabilizers in a developed attenuated *Salmonella* Enteritidis vaccine. **Vaccine.** 20 (17-18): 2249-2253.
- Behan, N., and Birkinshaw, C. 2000. The mechanism of polymerization of butyl cyanoacrylate in aqueous dispersions. **Macromol. Rapid Commun.** 21: 884-886.
- Behan, N., and Birkinshaw, C. 2001. Preparation of poly(butyl cyanoacrylate) nanoparticles by aqueous dispersion polymerization in the presence of insulin. **Macromol. Rapid Commun.** 22: 41-43.
- Behan, N., Birkinshaw, C., and Clarke, N. 2001. Poly *n*-butyl cyanoacrylate nanoparticles: A mechanistic study of polymerization and particle formation. **Biomaterials.** 22: 1335-1344.
- Benoit, M-A., Ribet, C., Distexhe, J., Hermand, D., Letesson, J-J., Vandenhautte, J., and Gillard, J. 2001. Studies on the potential of microparticles entrapping pDNA-poly(amino acids) complexes as vaccine delivery systems. **J. Drug. Target.** 9 (4): 253-266.
- Blanco, D., and Alonso, M.J. 1997. Development and characterization of protein-loaded poly(lactide-co-glycolide) nanospheres. **Eur. J. Pharm. Biopharm.** 43: 287-294.

- Blanco-Prieto, M.J., Campanero, M.A., Besseghir, K., Heimgatner, F., and Gander, B. 2004. Importance of single or blended polymer types for controlled *in vitro* release and plasma levels of a somatostatin analogue entrapped in PLA/PLGA microspheres. **J. Control. Release.** 96 (3): 437-448.
- Bot, A.I., Smith, D.J., Bot, S., Dellamary, L., Tarara, T.E., Harders, S., Phillips, W., Weers, J.G., and Woods, C.M. 2001. Receptor-mediated targeting of spray-dried lipid particles coformulated with immunoglobulin and loaded with a prototype vaccine. **Pharm. Res.** 18 (7): 971-979.
- Bradford, M.M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. **Anal. Biochem.** 72 (1-2): 248-254.
- Briones, M., Singh, M., Ugozzoli, M., Kazzaz, J., Klakamp, S., Ott, G., and O'Hagan, D.T. 2001. The preparation, characterization, and evaluation of cationic microparticles for DNA vaccine delivery. **Pharm. Res.** 18 (5): 709-712.
- Broadhead, J., Rouan, S.K.E., and Rhodes, C.T. 1992. The spray drying of pharmaceuticals. **Drug Dev. Ind. Pharm.** 18: 1169-1206.
- Broadhead, J., Rouan, S.K.E., Hau, I., and Rhodes, C.T. 1994. The effect of process and formulation variables on the properties of spray dried  $\beta$ -galactosidase. **J. Pharm. Pharmacol.** 46: 458-467.
- Calvo, P., Remunan-Lopez, C., Vila-Jato, J.L., and Alonso, M.J. 1997. Chitosan and chitosan/ethylene oxide-propylene oxide block copolymer nanoparticles as novel carriers for proteins and vaccines. **Pharm. Res.** 14 (10): 1431-1436.
- Carino, G.P., Jacob, J.S., and Mathiowitz, E. 2000. Nanosphere based oral insulin delivery. **J. Control. Release.** 65 (1-2): 261-269.
- Cegnar, M., Kos, J., and Kristl, J. 2004. Cystatin incorporated in poly(lactide-co-glycolide) nanoparticles: Development and fundamental studies on preservation of its activity. **Eur. J. Pharm. Sci.** 22 (5): 357-364.
- Challacombe, S.J., Rahman, D., and O'Hagan, D.T. 1997. Salivary, gut, vaginal and nasal antibody responses after oral immunization with biodegradable microparticles. **Vaccine.** 15: 169-175.
- Challacombe, S.J., Rahman, D., Jeffery, H., Davis, S.S., and O'Hagan, D.T. 1992. Enhanced secretory IgA and systemic IgG antibody responses after oral

- immunization with biodegradable microparticles containing antigen. **Immunology**. 76: 164-168.
- Chauvierre, C., Labarre, D., Couvreur, P., and Vauthier, C. 2003. Plug-in spectrometry with optical fibers as a novel analytical tool for nanoparticles technology; Application to the investigation of the emulsion polymerization of the alkylcyanoacrylate. **J. Nanopart. Res.** 5: 365-371.
- Cleland, J.L., Lim, A., Daugherty, A., Barron, L., Desjardin, N., Duenas, E.T., Eastman, D.J., Vennari, J.C., Wrin, T., Berman, P., Murthy, K.K., and Powell, M.F. 1998. Development of a single-shot subunit vaccine for HIV-1. 5. Programmable *in vivo* autoboot and long lasting neutralizing response. **J. Pharm. Sci.** 87 (12): 1489-1495.
- Collett, J.H., and Weller, P.J. 1994. Poloxamer. In A. Wade and P.J. Weller (eds.), **Handbook of Pharmaceutical Excipients**, pp. 352-354. Washington: American Pharmaceutical Association.
- Coombes, A.G.A., Lavelle, E.C., Jenkins, P.G., and Davis, S.S. 1996. Single dose, polymeric, microparticle-based vaccines; the influence of formulation conditions on the magnitude and duration of the immune response to a protein antigen. **Vaccine**. 14 (15): 1429-1438.
- Costantino, H.R., Johnson, O.L., and Zale, S.E. 2004. Relationship between encapsulated drug particle size and initial release of recombinant human growth hormone from biodegradable microspheres. **J. Pharm. Sci.** 93 (10): 2624-2634.
- Eldridge, J.H., Hammond, C.J., Meulbroek, J.A., Staas, J.K., Gilley, R.M., and Tice, T.R. 1990. Controlled vaccine release in the gut-associated lymphoid tissues. I. Orally administered biodegradable microspheres target the Peyer's patches. **J. Control. Release**. 11: 205-214.
- Eldridge, J.H., Staas, J.K., Meulbroek, J.A., Tice, T.R., and Gilley, R.M. 1991. Biodegradable and biocompatible poly(dl-lactide-co-glycolide) microspheres as an adjuvant for Staphylococcal enterotoxin B toxoid which enhances the level of toxin-neutralizing antibodies. **Infect. Immun.** 59: 2978-2986.
- Fältdt, P., and Bergenståhl, B. 1994. The surface composition of spray-dried protein-lactose powders. **Colloid. Surf. A-Physicochem. Eng. Asp.** 90: 183-190.

- Foged, C., Brodin, B., Frokjaer, S., and Sundblad, A. 2005. Particle size and surface charge affect particle uptake by human dendritic cells in an *in vitro* model. **Int. J. Pharm.** 298: 315-322.
- Goldsby, R.A., Kindt, T.J., and Osborne, B.A. 2000. **Immunology**. 4<sup>th</sup> ed. New York: Freeman.
- Griebenow, K., and Klibanov, A.M. 1995. Lyophilization-induced reversible changes in the secondary structure of proteins. **Proc. Natl. Acad. Sci. USA**. 92: 10969-10976.
- Hampl, J., Pokorova, D., Franz, J., Dittrich, M., and Stepanek, J. 1997. Antibody responses in rabbits after single immunization with viral glycoprotein-loaded microspheres or ISCOMs. **Int. J. Pharm.** 155: 19-25.
- He, P., Davis, S.S., and Illum, L. 1999. Chitosan microspheres prepared by spray drying. **Int. J. Pharm.** 187: 53-65.
- Howard, K.A., and Alpar, H.O. 2002. The development of polyplex-based DNA **Vaccines**. 10 (2): 143-151.
- Illum, L. 1998. Chitosan and its use as a pharmaceutical excipient. **Pharm. Res.** 15 (9): 1326-1331.
- Illum, L., Jabbal-Gill, I., Hinchcliffe, M., Fisher, A.N., and Davis, S.S. 2001. Chitosan as a novel nasal delivery system for vaccines. **Adv. Drug Deliver. Rev.** 51 (1-3): 81-96.
- Johansen, P., Estevez, F., Zurbriggen, R., Merkle, H.P., Gluck, R., Corradin, G., and Gander, B. 2001. Toward clinical testing of a single administration tetanus vaccine based on PLA/PLGA microspheres. **Vaccine**. 19: 1047-1054.
- Johansen, P., Men, Y., Merkle, H.P., and Gander, B. 2000. Revisiting PLA/PLGA microspheres: an analysis of their potential in parenteral vaccination. **Eur. J. Pharm. Biopharm.** 50: 129-146.
- Jung, T., Kamm, W., Breitenbach, A., Hungerer, K-D., Hundt, E., and Kissel, T. 2001. Tetanus toxoid loaded nanoparticles from sulfobutylated poly(vinyl alcohol)-graft-poly(lactide-co-glycolide): Evaluation of antibody response after oral and nasal application in mice. **Pharm. Res.** 18 (3): 352-360.
- Kazzaz, J., Neidleman, J., Singh, M., Ott, G., and O'Hagan, D.T. 2000. Novel anionic microparticles are a potent adjuvant for the induction of cytotoxic T

- lymphocytes against recombinant p55 gag from HIV-1. **J. Control. Release.** 67: 347-356.
- Kelly, S.M., and Price, N.C. 1997. The application of circular dichroism to studies of protein folding and unfolding. **Biochim. Biophys. Acta.** 1338: 161-185.
- Kidane, A., Guimond, P., Ju, T-C.R., Sanchez, M., Gibson, J., Bowersock, T.L. 2001. The efficacy of oral vaccination of mice with alginate encapsulated outer membrane proteins of *Pasteurella haemolytica* and One-Shot<sup>®</sup>. **Vaccine.** 19: 2637-2646.
- Kim, J.H., and Bae, Y.H. 2004. Albumin loaded microsphere of amphiphilic poly(ethylene glycol)/poly(alpha-ester) multiblock copolymer. **Eur. J. Pharm. Sci.** 23 (3): 245-251.
- Ko, J.A., Park, H.J., Hwang, S.J., Park, J.B., and Lee, J.S. 2002. Preparation and characterization of chitosan microparticles intended for controlled drug delivery. **Int. J. Pharm.** 249: 165-174.
- Kreuter, J., and Liehl, E. 1981. Long-term studies of microencapsulated and adsorbed influenza vaccine nanoparticles. **J. Pharm. Sci.** 70 (4): 367-371.
- Kusonwiriawong, C., Pichayakorn, W., Lipipun, V., and Ritthidej, G.C. 2007. Retained integrity of encapsulated protein in spray-dried chitosan microparticles. (submitted to J. Microencapsul.)
- Kusonwiriawong, C., Pichayakorn, W., Lipipun, V., Zhang, Q., and Ritthidej, G.C. Chitosan, poly(lactic-co-glycolic acid), and poly( $\alpha$ -butyl cyanoacrylate) micro-/nanoparticles intended for cellular delivery of protein: Physicochemical properties, cytotoxicity and cellular uptake in dendritic cells and macrophages. (manuscript in preparation)
- Kusonwiriawong, C., van de Wetering, P., Hubbell, J.A., Merkle, H.P., and Walter, E. 2003. Evaluation of pH-dependent membrane-disruptive properties of poly(acrylic acid) derived polymers. **Eur. J. Pharm. Biopharm.** 56: 237-246.
- Labrude, P., Rasolomanana, M., Vigneron, C., Thirion, C., and Chaillot, B. 1989. Protective effect of sucrose on spray drying of oxyhemoglobin. **J. Pharm. Sci.** 78: 223-229.

- Landström, K., Bergenstahl, B., Alsins, J., Almgren, M. 1999. A fluorescence method for quantitative measurements of specific protein at powder surfaces. **Colloid. Surf. B-Biointerfaces**. 12: 429-440.
- Lee, G. 2002. Spray-drying of proteins. In J.F. Carpenter and M.C. Manning (eds.), **Rational design of stable protein formulations: Theory and practice**, pp. 135-158. New York: Kluwer.
- Lemoine, D., and Preat, V. 1998. Polymeric nanoparticles as delivery for influenza glycoprotein. **J. Control. Release**. 54: 15-27.
- Lherm, C., Müller, R.H., Puisieux, F., and Couvreur, P. 1992. Alkylcyanoacrylate drug carriers: II. Cytotoxicity of cyanoacrylate nanoparticles with different alkyl chain length. **Int. J. Pharm.** 84: 13-22.
- Ma, J., Luo, D., Kwon, G.S., Samuel, J., Noujaim, A.A., and Madiyalakan, R. 1998. Use of encapsulated single chain antibodies for induction of anti-idiotypic humoral and cellular immune responses. **J. Pharm. Sci.** 87 (11): 1375-1378.
- Maa, Y.F., and Hsu, C.C. 1996. Effect of high shear on proteins. **Biotechnol. Bioeng.** 51: 458-465.
- Maa, Y.F., and Hsu, C.C. 1997. Protein denaturation by combined effect of shear and air-liquid interface. **Biotechnol. Bioeng.** 54: 503-512.
- Maa, Y.F., Nguyen, P.T., and Hsu, S.W. 1998. Spray-drying of air-liquid interface sensitive recombinant human growth hormone. **J. Pharm. Sci.** 87 (2): 152-159.
- Machluf, M., Apte, R.N., Regev, O., and Cohen, S. 2000. Enhancing the immunogenicity of liposomal hepatitis B surface antigen (HbsAg) by controlling its delivery from polymeric microspheres. **J. Pharm. Sci.** 89 (12): 1550-1557.
- Malamud, D., and Drysdale, J.W. 1978. Isoelectric points of proteins: A table. **Anal. Biochem.** 86: 620-647.
- Maloy, K.J., Donachie, A.M., O'Hagan, D.T., Mowat, A. 1994. Induction of mucosal and systemic immune responses by immunization with ovalbumin entrapped in poly(lactide-co-glycolide) microparticles. **Immunology**. 81: 661-667.
- Men, Y., Gander, B., Merkle, H.P., and Corradin, G. 1996. Induction of sustained and elevated immune responses to weakly immunogenic synthetic malarial

- peptides by encapsulation in biodegradable polymer microspheres. **Vaccine**. 14 (15): 1442-1450.
- Mi, F.L., Tan, Y.C., Liang, H.F., and Sung, H.W. 2002. *In vivo* biocompatibility and degradability of a novel injectable-chitosan-based implant. **Biomaterials**. 23: 181-191.
- Millqvist-Fureby, A., Malmsten, M., and Bergenståhl, B. 1999. Spray-drying of trypsin—surface characterization and activity preservation. **Int. J. Pharm.** 188: 243-253.
- Mills, K.H.G., Cosgrove, C., McNeela, E.A., Sexton, A., Giemza, R., Jabbal-Gill, I., Church, A., Lin, W., Illum, L., Podda, A., Rappuoli, R., Pizza, M., Griffin, G.E., and Lewis, D.J.M. 2003. Protective levels of diphtheria-neutralizing antibody induced in healthy volunteers by unilateral priming-boosting intranasal immunization associated with restricted ipsilateral mucosal secretory immunoglobulin A. **Infect. Immun.** 71 (2): 726-732.
- Moore, A., McGuirk, P., Adams, S., Jones, W.C., McGee, J.P., O'Hagan, D.T., and Mills, K.H.G. 1995. Immunization with a soluble recombinant HIV protein entrapped in biodegradable microparticles induces HIV-specific CD8+ cytotoxic T lymphocytes and CD4+ Th1 cells. **Vaccine**. 13: 1741-1749.
- Mumenthaler, M., Hsu, C.C., and Pearlman, R. 1994. Feasibility study on spray-drying protein pharmaceuticals: Recombinant human growth hormone and tissue-type plasminogen activator. **Pharm. Res.** 11 (1): 12-20.
- Newman, K.D., Sosnowski, D.L., Kwon, G.S., and Samuel, J. 1998. Delivery of MUC1 mucin peptide by poly(D,L-lactic-co-glycolic acid) microspheres induces type 1 T helper immune responses. **J. Pharm. Sci.** 87 (11): 1421-1427.
- Newman, M.J., Todd, C.W., and Balusubramanian, M. 1998. Design and development of adjuvant-active nonionic block copolymers. **J. Pharm. Sci.** 87 (11): 1357-1362.
- Nixon, D.F., Hioe, C., Chen, P., Bian, Z., Kuebler, P., Li, M-L., Qiu, H., Li, X-M., Singh, M., Richardson, J., McGee, P., Zamb, T., Koff, W., Wang, C.Y., and O'Hagan, D.T. 1996. Synthetic peptides entrapped in microparticles can elicit cytotoxic T cell activity. **Vaccine**. 14: 1523-1530.

- O'Hagan, D.T., Jeffery, H., Roberts, M.J.J., McGee, J.P., and Davis, S.S. 1991. Controlled release microparticles for vaccine development. **Vaccine**. 9: 768-771.
- O'Hagan, D.T., MacKichan, M.L., and Singh, M. 2001. Recent developments in adjuvants for vaccine against infectious diseases. **Biomol. Eng.** 18: 69-85.
- O'Hagan, D.T., McGee, J.P., Holmgren, H., Mowat, Amcl., Donachie, A.M., Mills, K.H.G., Gaisford, W., Rahman, D., and Challacombe, S.J. 1993. Biodegradable microparticles for oral immunization. **Vaccine**. 11: 149-154.
- O'Hagan, D.T., Singh, M., and Gupta, R. 1998. Poly(lactide-co-glycolide) microparticles for the development of single-dose controlled-release vaccines. **Adv. Drug Deliver. Rev.** 32: 225-246.
- Pelton, J.T., and McLean, L.R. 2000. Spectroscopic methods for analysis of protein secondary structure. **Anal. Biochem.** 277: 167-176.
- Prestrelski, S., Tedeschi, N., Arakawa, T., and Carpenter, J.F. 1993. Dehydration-induced conformational transitions in proteins and their inhibition by stabilizers. **Biophys. J.** 65: 661-671.
- Righetti, P.G., and Caravaggio, T. 1976. Isoelectric points and molecular weights of proteins: A table. **J. Chromatogr. A.** 127: 1-28.
- Sarkar, J., Sreenivasa, B.P., Singh, R.P., Dhar, P., and Bandyopadhyay, S.K. 2003. Comparative efficacy of various chemical stabilizers on the thermostability of a live-attenuated *peste des petits ruminants* (PPR) vaccine. **Vaccine**. 21 (32): 4728-4735.
- Shi, L., Caulfield, M.J., Chern, R.T., Wilson, R.A., Sanyal, G., and Volkin D.B. 2002. Pharmaceutical and immunological evaluation of a single-shot hepatitis B vaccine formulated with PLGA microspheres. **J. Pharm. Sci.** 91 (4): 1019-1035.
- Shu, X.Z., and Zhu, K.J. 2001. Chitosan/gelatin microspheres prepared by modified emulsification and ionotropic gelation. **J. Microencapsul.** 18 (2): 237-245.
- Shu, X.Z., and Zhu, K.J. 2002. Controlled drug release properties of ionically cross-linked chitosan beads: the influence of anion structure. **Int. J. Pharm.** 233: 217-225.
- Singh, M., and O'Hagan, D.T. 2002. Recent advances in vaccine adjuvants. **Pharm. Res.** 19 (6): 715-728.



- Singh, M., and O'Hagan, D.T. 2003. Recent advances in veterinary vaccine adjuvants. **Int. J. Parasitol.** 33: 469-478.
- Singh, M., McGee, J.P., Li, X-M., Koff, W., Zamb, T., Wang, C.Y., and O'Hagan, D.T. 1997. Biodegradable microparticles with an entrapped branched octameric peptide as a controlled-release HIV-1 vaccine. **J. Pharm. Sci.** 86 (11): 1229-1233.
- Sinha, V.R., Bansal, K., Kaushik, R., Kumria, R., and Trehan, A. 2004. Poly-epsilon-caprolactone microspheres and nanospheres: An overview. **Int. J. Pharm.** 278 (1): 1-23.
- Spitzer, N., Jardim, A., Lippert, D., and Olafson, R.W. 1999. Long-term protection of mice against *Leishmania major* with a synthetic peptide vaccine. **Vaccine.** 17 (11-12): 1298-1300.
- Sreerama, N., and Woody, R.W. 2000. Circular dichroism of peptides and proteins. In N. Berova, K. Nakanishi and R.W. Woody (eds.), **Circular dichroism: Principles and applications**, pp. 601-620. New York: Wiley-VCH.
- Ståhl, K., Claesson, M., Lilliehorn, P., Lindén, H., and Bäckström, K. 2002. The effect of process variables on the degradation and physical properties of spray dried insulin intended for inhalation. **Int. J. Pharm.** 233: 227-237.
- Storni, T., Kuendig, T.M., Senti, G., and Johansen, P. 2005. Immunity in response to particulate antigen-delivery systems. **Adv. Drug Deliver. Rev.** 57: 333-355.
- Sturesson, C., and Carlfors, J. 2000. Incorporation of protein in PLG-microspheres with retention of bioactivity. **J. Control. Release.** 67 (2-3): 171-178.
- Tabata, Y., and Ikada, Y. 1988. Effect of the size and surface charge of polymer microspheres on their phagocytosis by macrophage. **Biomaterials.** 9: 356-362.
- Tabata, Y., Inoue, Y., and Ikada, Y. 1996. Size effect of systemic and mucosal immune responses induced by oral administration of biodegradable microspheres. **Vaccine.** 14: 1677-1685.
- Thiele, L., Rothen-Rutishauser, B., Jilek, S., Wunderli-Allenspach, H., Merkle, H.P., and Walter, E. 2001. Evaluation of particle uptake in human blood monocyte-derived cells *in vitro*. Does phagocytosis activity of dendritic cells measure up with macrophages? **J. Control. Release.** 76: 59-71.

- Thomasin, C., Corradin, G., Men, Y., Merkle, H.P., and Gander, B. 1996. Tetanus toxoid and synthetic malaria antigen containing poly(lactide)/poly(lactide-co-glycolide) microspheres: Importance of polymer degradation and antigen release for immune response. **J. Control. Release.** 41: 131-145.
- Tobio, M., Gref, R., Sanchez, A., Langer, R., and Alonso, M.J. 1998. Stealth PLA-PEG nanoparticles as protein carriers for nasal administration. **Pharm. Res.** 15: 270-275.
- Tobio, M., Nolley, J., Guo, Y., McIver, J., and Alonso, M.J. 1999. A novel system based on a poloxamer/PLGA blend as a tetanus toxoid delivery vehicle. **Pharm. Res.** 16 (5): 682-688.
- Tzannis, S.T., and Prestrelski, S.J. 1999. Activity-stability considerations of trypsinogen during spray drying: Effects of sucrose. **J. Pharm. Sci.** 88 (3): 351-359.
- Uchida, T., Goto, S., and Foster, T.P. 1994. Particle size studies for subcutaneous delivery of poly(lactide-co-glycolide) microspheres containing ovalbumin as vaccine formulation. **J. Pharm. Pharmacol.** 47: 556-560.
- Uchida, T., Shiosaki, K., Nakada, Y., Fukada, K., Eda, Y., Tokiyoshi, S., Nagareya, N., and Matsuyama, K. 1998. Microencapsulation of hepatitis B core antigen for vaccine preparation. **Pharm. Res.** 15 (11): 1708-1713.
- van de Weert, M., Hoehstetter, J., Hennink, W.E., and Crommelin, D.J.A. 2000. The effect of a water/organic solvent interface on the structural stability of lysozyme. **J. Control. Release.** 68: 351-359.
- van der Lubben, I.M., Konings, F.A.J., Borchard, G., Verhoef, J.C., and Junginger, H.E. 2001a. *In vivo* uptake of chitosan microparticles by murine Peyer's patches: Visualization studies using confocal laser scanning microscopy and immunohistochemistry. **J Drug Target.** 9 (1): 39-50
- van der Lubben, I.M., van Opdorp, F.A.C., Hengeveld, M.R., Onderwater, J.J.M., Koerten, H.K., Verhoef, J.C., Borchard, G., and Junginger, H.E. 2002. Transport of chitosan microparticles for mucosal vaccine delivery in a human intestinal M-cell model. **J Drug Target.** 10 (6): 449-456.
- van der Lubben, I.M., Verhoef, J.C., Borchard, G., and Junginger, H.E. 2001c. Chitosan for mucosal vaccination. **Adv. Drug Deliver. Rev.** 5 (2): 139-144.

- van der Lubben, I.M., Verhoef, J.C., Borchard, G., and Junginger, H.E. 2001d. Chitosan and its derivatives in mucosal drug and vaccine delivery. **Eur. J. Pharm. Sci.** 14 (3): 201-207.
- van der Lubben, I.M., Verhoef, J.C., van Aelst, A.C., Borchard, G., and Junginger, H.E. 2001b. Chitosan microparticles for oral vaccination: Preparation, characterization and preliminary *in vivo* uptake studies in murine Peyer's patches. **Biomaterials.** 22 (7): 687-694.
- Vordermeier, H.M., Coombes, A.G.A., Jenkins, P., McGee, J.P., O'Hagan, D.T., Davis, S.S., and Singh, M. 1995. Synthetic delivery systems for tuberculosis vaccines: Immunological evaluation of the *M tuberculosis* 38 kDa protein entrapped in biodegradable microparticles. **Vaccine.** 13: 1576-1582.
- Walsh, G. 2005. Biopharmaceuticals: Recent approvals and likely directions. **Trends Biotechnol.** 23 (11): 553-558.
- Walter, E., and Merkle, H.P. 2002. Microparticle-mediated transfection of non-phagocytic cells *in vitro*. **J. Drug Target.** 10 (1): 11-21.
- Westerink, M.A.J., Smithson, S.L., Srivastava, N., Blonder, J., Coeshott, C., and Rosenthal G.J. 2001. Projuvant™ (Pluronic F127/chitosan) enhances the immune response to intranasally administered tetanus toxoid. **Vaccine.** 20 (5-6): 711-723.
- Winters, M.A., Knutson, B.L., Debenedetti, P.G., Sparks, H.G., Przybycien, T.M., Stevenson, C.L., and Prestrelski, S.J. 1996. Precipitation of proteins in supercritical carbon dioxide. **J. Pharm. Sci.** 85 (6): 586-594.
- Xu, Y.M., and Du, Y.M. 2003. Effect of molecular structure of chitosan on protein delivery properties of chitosan nanoparticles. **Int. J. Pharm.** 250 (1): 215-226.
- Yang, D.K., Kim, B.H., Kweon, C.H., Kwon, J.H., Lim, S.I., and Han, H.R. 2004. Biophysical characterization of Japanese Encephalitis virus (KV 1899) isolated from pigs in Korea. **J. Vet. Sci.** 5 (2): 125-130.
- Youan, B.C. 2004. Microencapsulation of superoxide dismutase into biodegradable microparticles by spray-drying. **Drug Deliv.** 11 (3): 209-214.
- Zimmerman, I. 1997. Possibilities and limitations of laser light scattering techniques for particle size analysis. In R.H. Müller and W. Mehnert (eds.), **Particle and surface characterization methods.** Stuttgart: Medpharm.

Zinkernagel, R.M., Ehl, S., Aichele, P., Oehen, S., Kundig, T., and Hengartner, H. 1997. Antigen localisation regulates immune responses in a dose- and time-dependent fashion: a geographical view of immune reactivity. **Immunol. Rev.** 156: 199-209.

## BIOGRAPHY

Mr. Chirasak Kusonwiriya Wong got his Bachelor degree in Pharmacy and Master degree in Industrial Pharmacy from Chulalongkorn University, Bangkok, Thailand, in 1991 and 1994, respectively. He was a lecturer at the Department of Pharmaceutical Technology, Faculty of Pharmaceutical Sciences, Prince of Songkla University, Songkhla, Thailand during 1994-1998 and has been a lecturer at Rangsit University, Pathum Thani, Thailand, since 1998.