

รายการอ้างอิง

- [1] Lichtman MA. Classification and Clinical Manifestation of Neutrophil Disorders. In: Lichtman MA, Beutler E, Kipps TJ, Seligsohn U, Kaushansky K, Prchal JT, eds. *Williams Hematology* 7 ed: McGraw-Hill Companies 2006:899-901.
- [2] Dale DC. Neutropenia and Neutrophilia. In: Lichtman MA, Beutler E, Kipps TJ, Seligsohn U, Kaushansky K, Prchal JT, eds. *Williams Hematology* 7 ed: McGraw-Hill Companies 2006:907-19.
- [3] Palmblad J, Papadaki HA. Chronic idiopathic neutropenias and severe congenital neutropenia. *Curr Opin Hematol* 2008;15:8-14.
- [4] Lima CS, Paula EV, Takahashi T, Saad ST, Lorand-Metze I, Costa FF. Causes of incidental neutropenia in adulthood. *Ann Hematol* 2006;85:705-9.
- [5] Berliner N, Horwitz M, Loughran TP, Jr. Congenital and acquired neutropenia. *Hematology Am Soc Hematol Educ Program* 2004:63-79.
- [6] Papadaki HA, Palmblad J, Eliopoulos GD. Non-immune chronic idiopathic neutropenia of adult: an overview. *Eur J Haematol* 2001;67:35-44.
- [7] Ryan DH. Examination of the blood. In: Lichtman MA, Beutler E, Kipps TJ, Seligsohn U, Kaushansky K, Prchal JT, eds. *Williams Hematology* 7 ed: McGraw-Hill Companies 2006:11-9.
- [8] Watts RG. Neutropenia. In: Greer JP, Foerster J, Rodgers GM, Paraskevas F, Glader B, Arber DA, et al., eds. *Wintrobe's Clinical Hematology* 12th ed. Philadelphia: Lippincott Williams & Wilkins 2009: 1527-47.
- [9] Orfanakis NG, Ostlund RE, Bishop CR, Athens JW. Normal blood leukocyte concentration values. *Am J Clin Pathol* 1970;53:647-51.
- [10] Rumke CL, Brezemer PD, Kulik DJ. Normal values and least significant differences for differential leukocyte counts. *J Chronic Dis* 1975;28:661.
- [11] England JM, Bain BJ. Total and differential leucocyte count. *Br J Haematol* 1976;33:1-7.
- [12] Broun GO, Jr., Herbig FK, Hamilton JR. Leukopenia in Negroes. *N Engl J Med* 1966;275:1410-3.

- [13] Rippey JJ. Leukopenia in West Indians and Africans. *Lancet* 1967;2:1967.
- [14] Hsieh MM, Everhart JE, Byrd-Holt DD, Tisdale JF, Rodgers GP. Prevalence of neutropenia in the U.S. population: age, sex, smoking status, and ethnic differences. *Ann Intern Med* 2007;146:486-92.
- [15] Grann VR, Bowman N, Joseph C, Wei Y, Horwitz MS, Jacobson JS, et al. Neutropenia in 6 ethnic groups from the Caribbean and the U.S. *Cancer* 2008;113:854-60.
- [16] Bain B, Seed M, Godsland I. Normal values for peripheral blood white cell counts in women of four different ethnic origins. *J Clin Pathol* 1984;37:188-93.
- [17] Krailadsiri P, Charuruks N. Automated hematology 1 : reference values for leucocyte parameters on the flow cytometric system (Technicon H*1). *Chula Med J* 1994;38 337-42.
- [18] National Cancer Institute. Common Terminology Criteria for Adverse Events v3.0 (CTCAE). 31 March 2003 [cited 12 December 2008]; Available from: <http://ctep.cancer.gov>
- [19] Papadaki HA, Xylouri I, Coulocheri S, Kalmanti M, Kafatos A, Eliopoulos GD. Prevalence of chronic idiopathic neutropenia of adults among an apparently healthy population living on the island of Crete. *Ann Hematol* 1999;78:293-7.
- [20] Papadaki HA, Eliopoulos GD, Coulocheri SA, Spyropoulou M, Stavropoulos-Giokas C. Increased frequency of HLA-DRB1*1302 haplotype in patients with nonimmune chronic idiopathic neutropenia of adults. *Blood* 2001;97:580-1.
- [21] Dale DC, Guerry Dt, Wewerka JR, Bull JM, Chusid MJ. Chronic neutropenia. *Medicine (Baltimore)* 1979;58:128-44.
- [22] Dale DC, Bolyard AA, Schwinzer BG, Pracht G, Bonilla MA, Boxer L, et al. The Severe Chronic Neutropenia International Registry: 10-Year Follow-up Report. *Support Cancer Ther* 2006;3:220-31.
- [23] Sera Y, Kawaguchi H, Nakamura K, Sato T, Habara M, Okada S, et al. A comparison of the defective granulopoiesis in childhood cyclic neutropenia and in severe congenital neutropenia. *Haematologica* 2005;90:1032-41.

- [24] กรมการปกครอง, กระทรวงมหาดไทย. ข้อมูลสถิติเกี่ยวกับจำนวนประชากรทั่วประเทศ ประจำปี 2550. 2008 [cited 13 October 2008]; Available from: www.dopa.go.ac.th
- [25] Indiana University Information Technology Services. In SPSS, how do I compute point biserial correlation coefficients? 2009 November 02 [cited 2010 Mar 21]; Available from: <http://kb.iu.edu/data/aeqi.html>
- [26] Andersohn F, Konzen C, Garbe E. Systematic review: agranulocytosis induced by nonchemotherapy drugs. *Ann Intern Med* 2007;146:657-65.
- [27] Bhatt V, Saleem A. Review: Drug-induced neutropenia--pathophysiology, clinical features, and management. *Ann Clin Lab Sci* 2004;34:131-7.
- [28] Lexi-Comp Inc. Lexi-Drugs. 2010 [cited 24 Mar 2010]; Available from: <http://www.lexi.com/>
- [29] Ridruejo E, Adrover R, Cocozzella D, Fernandez N, Reggiardo MV. Efficacy, tolerability and safety in the treatment of chronic hepatitis C with combination of PEG-Interferon. Ribavirin in daily practice. *Ann Hepatol* 9:46-51.
- [30] Bozikas VP, Garyfallos G, Nikolaidis N, Partsafyllidis D, Fokas K. Pregabalin induced neutropenia. *Prog Neuropsychopharmacol Biol Psychiatry* 2008;32:907-8.
- [31] WHO expert consultation. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet* 2004;363:157-63.
- [32] National Cancer Institute [homepage on the internet]. Common Terminology Criteria for Adverse Events v4.0 (CTCAE) [cited 2009 August 30; update 2009 May 28]; Available from: <http://ctep.cancer.gov>
- [33] Cheng CK, Chan J, Cembrowski GS, van Assendelft OW. Complete blood count reference interval diagrams derived from NHANES III: stratification by age, sex, and race. *Lab Hematol* 2004;10:42-53.
- [34] Parody R, Martino R, Sanchez F, Subira M, Hidalgo A, Sierra J. Predicting survival in adults with invasive aspergillosis during therapy for hematological malignancies or after hematopoietic stem cell transplantation: Single-center

- analysis and validation of the Seattle, French, and Strasbourg prognostic indexes. *Am J Hematol* 2009;84:571-8.
- [35] Garcia-Vidal C, Upton A, Kirby KA, Marr KA. Epidemiology of invasive mold infections in allogeneic stem cell transplant recipients: biological risk factors for infection according to time after transplantation. *Clin Infect Dis* 2008;47:1041-50.
- [36] Parody R, Martino R, Rovira M, Vazquez L, Vazquez MJ, de la Camara R, et al. Severe infections after unrelated donor allogeneic hematopoietic stem cell transplantation in adults: comparison of cord blood transplantation with peripheral blood and bone marrow transplantation. *Biol Blood Marrow Transplant* 2006;12:734-48.
- [37] Bowman SJ. Hematological manifestations of rheumatoid arthritis. *Scand J Rheumatol* 2002;31:251-9.
- [38] Srisupanant M, Wiwanitkit V. Prevalence of hepatitis B seropositivity among Thai workers in screening program before going abroad. *Ann Hepatol* 2008;7:389.
- [39] Sukone Pradutkanchana, Kusol Nasongkla, Jintana Pradutkanchana, Uraivan Heembai. A Ten-Year Trend of the Prevalence of Hepatitis B Surface Antigen in Pregnant Women at Songklanagarind Hospital. *J Infect Dis Antimicrob Agents* 2005;22:111-4.
- [40] Tanprasert S, Somjitta S. Trend study on HBsAg prevalence in Thai voluntary blood donors. *Southeast Asian J Trop Med Public Health* 1993;24 Suppl 1:43-5.
- [41] Ratanasuwan W, Sonji A, Tiengrim S, Techasathit W, Suwanagool S. Serological survey of viral hepatitis A, B, and C at Thai Central Region and Bangkok: a population base study. *Southeast Asian J Trop Med Public Health* 2004;35:416-20.
- [42] Antonini MG, Babudieri S, Maida I, Baiguera C, Zanini B, Fenu L, et al. Incidence of neutropenia and infections during combination treatment of chronic hepatitis C with pegylated interferon alfa-2a or alfa-2b plus ribavirin. *Infection* 2008;36:250-5.

- [43] Soza A, Lau DT, Khokhar MF, Conjeevaram H, Park Y, Hoofnagle JH. Resolution of chronic hepatitis B-associated autoimmune neutropenia with interferon-alpha therapy. *J Pediatr Gastroenterol Nutr* 2003;36:141-3.
- [44] Pawlowska E, Ciecko-Michalska I, Bogdal J, Turowski G. Metabolic activity of neutrophils in patients suffering from chronic viral hepatitis. *Med Sci Monit* 2000;6:1136-41.
- [45] Farrag KA, Elkemary TA, Saleh SA, Mangoud H. Blood count profile in chronic active hepatitis (C) Egyptian patients. *J Egypt Public Health Assoc* 2004;79:83-94.
- [46] Boxer LA, Yokoyama M, Wiebe RA. Autoimmune neutropenia associated with chronic active hepatitis. *Am J Med* 1972;52:279-82.
- [47] Ramos-Casals M, Garcia-Carrasco M, Lopez-Medrano F, Trejo O, Forns X, Lopez-Guillermo A, et al. Severe autoimmune cytopenias in treatment-naive hepatitis C virus infection: clinical description of 35 cases. *Medicine (Baltimore)* 2003;82:87-96.
- [48] Crum NF. Epstein Barr virus hepatitis: case series and review. *South Med J* 2006;99:544-7.
- [49] Cuadrado A, Aresti S, Cortes MA, Gomez-Ortega JM, Salcines JR. Autoimmune hepatitis and agranulocytosis. *Dig Liver Dis* 2009;41:e14-6.
- [50] Eakin DL, Peake RL, Weiss GB. Effect of therapy on the neutropenia of hyperthyroidism. *South Med J* 1983;76:335-7, 40.
- [51] Knight J, Laing P, Knight A, Adams D, Ling N. Thyroid-stimulating autoantibodies usually contain only lambda-light chains: evidence for the "forbidden clone" theory. *The Journal of clinical endocrinology and metabolism* 1986;62:342-7.
- [52] Geukers VG, Veenhoven RH, Schouten-van Meeteren AY, Bruin MC, de Haas M. [Neutropenia due to antibodies against Type III Fc receptors on neutrophil granulocytes: 3 children with different clinical courses]. *Ned Tijdschr Geneesk* 1998;142:362-4.

- [53] Vinogradova Iu E, Shinkarkina AP, Vinogradov DL, Poverennyi AM. [Characteristics of a clinical course of immune cytopenias with a high titer of autoantibodies to the microsomal antigen of the thyroid gland]. *Ter Arkh* 2004;76:81-5.
- [54] Fumeaux Z, Beris P, Borisch B, Sarasin FP, Roosnek E, Dayer JM, et al. Complete remission of pure white cell aplasia associated with thymoma, autoimmune thyroiditis and type 1 diabetes. *Eur J Haematol* 2003;70:186-9.
- [55] Casis B, Fernandez-Vazquez I, Barnardos E, Saiz A, Ballestin C, Morillas JD, et al. Autoimmune enteropathy in an adult with autoimmune multisystemic involvement. *Scand J Gastroenterol* 2002;37:1012-6.
- [56] Lynfield YL, Green K, Gopal R. Bullous pemphigoid and multiple autoimmune diseases. Alopecia universalis, bullous pemphigoid, hypothyroidism, rheumatoid arthritis, and neutropenia in one patient. *J Am Acad Dermatol* 1983;9:257-61.
- [57] Virtual Medical Centre. Neutropenia. 26 Mar 2010 [cited 26 Mar 2010]; Available from: <http://www.virtualmedicalcentre.com>
- [58] Sergeant S, Johnson WT. Iron and copper requirements for proliferation and differentiation of a human promyelocytic leukemia cell line (HL-60). *Journal of cellular physiology* 1995;163:477-85.
- [59] วรรณเพ็ญ ชูประภาวรรณ. รายงานการสำรวจสถานะสุขภาพอนามัยของประชาชนไทยด้วยการสอบถามและตรวจร่างกายทั่วประเทศ ครั้งที่ 1 พ.ศ.2534-2535: สถาบันวิจัยสาธารณสุขไทย 2539.
- [60] Sutton L, Vusirikala M, Chen W. Hematogone hyperplasia in copper deficiency. *Am J Clin Pathol* 2009;132:191-9; quiz 307.
- [61] Knovich MA, Il'yasova D, Ivanova A, Molnar I. The association between serum copper and anaemia in the adult Second National Health and Nutrition Examination Survey (NHANES II) population. *Br J Nutr* 2008;99:1226-9.
- [62] Halfdanarson TR, Kumar N, Li CY, Phyliky RL, Hogan WJ. Hematological manifestations of copper deficiency: a retrospective review. *Eur J Haematol* 2008;80:523-31.

- [63] Angotti LB, Post GR, Robinson NS, Lewis JA, Hudspeth MP, Lazarchick J. Pancytopenia with myelodysplasia due to copper deficiency. *Pediatr Blood Cancer* 2008;51:693-5.
- [64] Irving JA, Mattman A, Lockitch G, Farrell K, Wadsworth LD. Element of caution: a case of reversible cytopenias associated with excessive zinc supplementation. *Cmaj* 2003;169:129-31.
- [65] Felty AR. Chronic arthritis in the adult, associated with splenomegaly and neutropenia. *Johns Hopkins Med J* 1924:16.
- [66] Saway PA, Prasthofer EF, Barton JC. Prevalence of granular lymphocyte proliferation in patients with rheumatoid arthritis and neutropenia. *Am J Med* 1989;86:303-7.
- [67] Satoh M, Vazquez-Del Mercado M, Chan EK. Clinical interpretation of antinuclear antibody tests in systemic rheumatic diseases. *Modern rheumatology / the Japan Rheumatism Association* 2009;19:219-28.
- [68] Papadaki HA, Psyllaki M, Eliopoulos DG, Tsiroyianni A, Eliopoulos GD. Increased frequency and specific reactivity of serum antinuclear antibodies in patients with nonimmune chronic idiopathic neutropenia of adults. *Acta Haematol* 2001;105:13-20.

ประวัติผู้เขียนวิทยานิพนธ์

ชื่อ พญ. ปณิสนี ลวสุต

วันเดือนปีเกิด 7 พฤศจิกายน พ.ศ. 2523 จังหวัดนครสวรรค์

ประวัติการศึกษาและการทำงาน

นักศึกษาคณะแพทยศาสตร์ศิริราชพยาบาล มหิดล	2541- 2547
แพทย์เพิ่มพูนทักษะ โรงพยาบาลศูนย์การแพทย์สมเด็จพระเทพฯ	2547
แพทย์ประจำบ้านโลหิตวิทยา โรงพยาบาลจุฬาลงกรณ์	2548 – 2551

ปริญญาและประกาศนียบัตร

แพทยศาสตรบัณฑิต มหิดล	2547
วุฒิปัตรแพทย์ผู้เชี่ยวชาญสาขาอายุรศาสตร์โรคเลือด	2551

สมาชิกสมาคมวิชาชีพ

- สมาชิกแพทยสภา
- สมาชิกราชวิทยาลัยอายุรแพทย์แห่งประเทศไทย
- สมาชิกสมาคมโลหิตวิทยาแห่งประเทศไทย

