

REFERENCES

- Amakawa, T. 1959. Family Jungermanniaceae of Japan. I. *J. Hattori Bot. Lab.* 21: 248-291.
- Boonkerd, T., Vatcharapai, M., Treratn, S., Maneerat, Y., Thaithong, O. and Hlaichuthai, N. 1987. Collection and preparation herbarium specimens. Chulalongkorn University, Bangkok, Thailand.
- Brotherus, V. F. 1901. Bryales, *in* J. Schmidt, Flora of Koh Chang III. *Bot. Tidsskr.* 24: 115-125.
- Brotherus, V. F. 1911. Musci, *in* C. C. Hosseus, Die botanischen Ergebnisse meiner Expedition nach Siam. *Beih. Bot. Centralbl.* 28: 361-363.
- Chantanaorrapint, S. & Thaitong, O. 2002. Preliminary study of Orchidaceae at Huai Yang Waterfall National Park, Prachuap Khiri Khan Province, Thailand. Chulalongkorn University, Bangkok, Thailand. (unpublished data)
- Dixon, H. N. 1932. On the moss flora of Siam. *J. Siam Soc. Nat. Hist. Suppl.* 9: 1-51.
- Dixon, H. N. 1935. Further contributions to the moss flora of Siam. *J. Siam Soc. Nat. Hist. Suppl.* 10: 1-30.
- Eddy, A. 1988. Handbook of Malesian mosses. Vol.1. British Museum (Nat. Hist.), London, England.
- Eddy, A. 1990. Handbook of Malesian mosses. Vol.2. British Museum (Nat. His.), London, England.
- Eddy, A. 1996. Handbook of Malesian mosses. Vol.3. British Museum (Nat. His.), London, England.
- Eroth, J. 1989. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXVII. Neckeraceae (Musi). *Acta Bot. Fenn.* 137: 41-80.
- Eroth, J. 1990. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXXVI. Leucobryaceae (Musi). *Acta Bot. Fenn.* 139: 65-120.
- Frahm, J.-P., Gies, M., Padberg, M., Koponen, T. & Norris, D.H. 1985. Bryophyte flora of the Huon Peninsula, Papua New Guinea. IX. *Atractylocarpus*, *Bryohumbertia*, *Campylopodium* and *Campylopus* (Dicranaceae, Musci). *Acta Bot. Fenn.* 131:63-88.
- Gangulee, H. C. 1969. Mosses of Eastern India and Adjacent Regions. Fasc. 1. Published by the author, Calcutta, India.
- Gangulee, H. C. 1969. Mosses of Eastern India and Adjacent Regions. Fasc. 2. Published by the author, Calcutta, India.
- Gangulee, H. C. 1971. Mosses of Eastern India and Adjacent Regions. Fasc. 3. Published by the author, Calcutta, India.
- Gangulee, H. C. 1972. Mosses of Eastern India and Adjacent Regions. Fasc. 4. Published by the author, Calcutta, India.
- Gangulee, H. C. 1974. Mosses of Eastern India and Adjacent Regions. Fasc. 5. Published by the author, Calcutta, India.
- Gangulee, H. C. 1976. Mosses of Eastern India and Adjacent Regions. Fasc. 6. Published by the author, Calcutta, India.
- Gangulee, H. C. 1978. Mosses of Eastern India and Adjacent Regions. Fasc. 7. Published by the author, Calcutta, India.
- Gangulee, H. C. 1980. Mosses of Eastern India and Adjacent Regions. Fasc. 8. Published by the author, Calcutta, India.
- Giesy, R. M. & Richards, P. W. 1959. A collection of bryophytes from Thailand (Siam). *Trans. Brit. Bryol. Soc.* 3: 575-581.

- Gradstein, S.R. & Pócs, T. 1989. Bryophytes, in: H. Lieth & M.J.A. Werger (eds.), *Tropical Rain Forest Ecosystems*, pp. 31-325. Elsevier, Amsterdam, Oxford, New York, USA.
- Grolle, R. & Piippo, S. 1986. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XVI. Pallaviciniaceae (Hepaticae). *Acta Bot. Fenn.* 133: 59-79.
- Hansen, B. 1961. Sphagnaceae. In: K. Larsen. Studies in the Flora of Thailand. *Dansk. Bot. Ark.* 20: 89-108.
- Hasegawa, J. 1983. Taxonomical studies on Asian Anthocerotae III. Asian species of *Megaceros*. *J. Hattori Bot. lab.* 54: 227-240.
- Hasegawa, J. 1988. A proposal for a new system of the Anthocerotae, with a revision of the genera. *J. Hattori Bot. lab.* 64: 87-95.
- Hässel, G.G. 1988. A proposal for a new classification of the genera within the Anthocerotophyta. *J. Hattori Bot. lab.* 64: 71-86.
- Hattori, S. 1972. Notes on Asiatic species of the genus *Frullania*, Hepaticae. I. *J. Hattori Bot. Lab.* 36: 109-140.
- Hattori, S. 1974. Notes on Asiatic species of the genus *Frullania*, Hepaticae. V. *J. Hattori Bot. Lab.* 38: 185-221.
- Hattori, S. & Mizutani, M. 1958. A revision of the Japanese species of the family Lepidoziaceae. *J. Hattori Bot. Lab.* 19: 76-118.
- Hattori, S. & Mizutani, M. 1969. Studies in the flora of Thailand 59. *Dansk Bot. Ark.* 27(1)91-98.
- Hattori, S., Thaitong, O. & Kitagawa, N. 1977. The genus *Frullania* in Thailand. *J. Hattori Bot. Lab.* 43: 439-457.
- Horikawa, Y. & Ando, H. 1964. Contributions to the moss flora of Thailand, In Kira & Umesao. *Nat. & Life in Southeast Asia*. 3: 1-44. Tokyo.
- He, S. 1997. *Annotated checklist and atlas of the mosses of Thailand*. Missouri Botanical Garden, St. Louis, USA.
- He, S. 1999. Mosses flora of Chaina vol. 1. Missouri Botanical Garden, St. Louis, USA.
- He, S. 2001. Mosses flora of Chaina vol. 2. Missouri Botanical Garden, St. Louis, USA.
- He, S. 2002. Mosses flora of Chaina vol. 3. Missouri Botanical Garden, St. Louis, USA.
- Hyvönen, J. 1986. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XVIII. Polytrichaceae and Buxbaumiaceae (Musci). *Acta Bot. Fenn.* 133: 107-149.
- Hyvönen, J. 1989. A synopsis of genus *Pogonatum* (Polytrichaceae, Musci). *Acta Bot. Fenn.* 138: 1-87.
- Inoue, H. 1958. The family Plagiochilaceae of Japan and Formosa. II. *J. Hattori Bot. Lab.* 20: 54-106.
- Inoue, H. 1962. Contributions the knowledge of the Plagiochilaceae of Southeastern Asia 3. Studies in the *Plagiochila sciophila-acanthophylla* Complex. *J. Hattori Bot. Lab.* 25: 91-101.
- Inoue, H. 1964. The genus *Plagiochilion*. *J. Hattori Bot. Lab.* 27: 51-72.
- Inoue, H. 1969. Contribution the knowledge of the Plagiochilaceae of Southeastern Asia, XII. Typification of *Plagiochila javanica* (Sw.) Dumort. *J. Hattori Bot. Lab.* 32: 50-56.
- Inoue, H. 1979. Contribution the knowledge of the Plagiochilaceae of Southeastern Asia, XVIII. A review of the genus *Plagiochila* (Dumort.) Dumort. In Ceylon. *J. Hattori Bot. Lab.* 46: 193-233.

- Iwatsuki, Z. & Suzuki, T. 1977. *Fissidens* in the Ryukyu Island, Japan. *J. Hattori Bot. Lab.* 43: 379-408.
- Iwatsuki, Z. & Suzuki, T. 1982. A taxonomic revision of the Japanese species of *Fissidens* (Musci). *J. Hattori Bot. Lab.* 51: 329-508.
- Kamimura, M. 1961. A monograph of Japanese Frullaniaceae. *J. Hattori Bot. Lab.* 24: 1-109.
- Kitagawa, N. 1965. A revision of the family Lophoziaceae of Japan and its adjacent regions. I. *J. Hattori Bot. Lab.* 28: 239-291.
- Kitagawa, N. 1967. Studies on the Hepaticae of Thailand. I. the genus *Bazzania*, with general introduction. *J. Hattori Bot. Lab.* 30: 249-270.
- Kitagawa, N. 1968. Studies on the Hepaticae of Thailand. III. the genus *Leucolejeunea*. *Tonan Ajia Kenkyu* (The Southeast Asia Studies) 6(3): 138-143.
- Kitagawa, N. 1969a. Studies on the Hepaticae of Thailand. I. the genus *Cephalozia* and *Cephaloziella*. *J. Hattori Bot. Lab.* 30: 290-306.
- Kitagawa, N. 1969b. Some Hepaticae common to Japan and Thailand. I. *Shida to Koke* (The Ferns and Mosses) 4: 49-55.
- Kitagawa, N. 1970. Lophoziaceae of north Borneo. *J. Hattori Bot. Lab.* 30: 203-221.
- Kitagawa, N. 1978. The Hepaticae of Thailand collected by Dr. A. Touw. (I). *Acta Phytotax. Geobot.* 29: 47-64.
- Kitagawa, N. 1979. The Hepaticae of Thailand collected by Dr. A. Touw. (II). *Acta Phytotax. Geobot.* 30: 31-40.
- Koponen, T. & Norris, D. H. 1986. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XVII. Grimmiaceae, Racopilaceae and Hedwigiaceae (Musci). *Acta Bot. Fenn.* 133: 81-106.
- Larsen, K. 1992. Exploration of the flora of Thailand. In K. Larsen & L.B. Holm-Neilsen eds: *Tropical botany*: 125-133. Acad. Press, London.
- Manop, O. 1977. *Studies in Sematophyllous mosses in Thailand*. Master Thesis, Chulalongkorn University, Bangkok, Thailand. 169 pages.
- Meijer, W. 1960. Notes on the species of *Bazzania* (Hepaticae) mainly of Java. *Blumea*. 10(2): 367-384.
- Malcolm, B. & Malcolm, N. 2000. *Mosses and other bryophytes an illustrated glossary*. Micro-Optics Press, a division of Micro-Optics Ltd., Nelson, New Zealand.
- Meteorological Department. 2002. *Climate data for Prachuap Khiri Khan Climatic Station, Prachuap Khiri Khan Province, 1972-2002*. Data processing Subdivision, Climatology Division, Meterological Department, Bangkok.
- Miller, H.A. 1965. A review of *Herberta* in the tropical Pacific and Asia. *J. Hattori Bot. Lab.* 28: 299-412.
- Mizutani, M. 1961. A revision of Japanese Lejeuneaceae. *J. Hattori Bot. Lab.* 24: 115-302.
- Mizutani, M. 1964. Studies of little known Asiatic species of Hepaticae in the Stephani herbarium. 1. on some little known Southeast Asiatic species. *J. Hattori Bot. Lab.* 27: 139-148.
- Mizutani, M. 1967. Studies of the Himalayan species of *Bazzania*. *J. Hattori Bot. Lab.* 30: 71-90.
- Mizutani, M. 1971. *Lejeunea* from the Himalayan region. *J. Hattori Bot. Lab.* 34: 445-457.
- Mizutani, M. 1986. Notes on the Lejeuneaceae. 12. *Mastigolejeunea humilis* and its related species from Asia. *J. Hattori Bot. Lab.* 61: 281-297.

- Mizutani, M. 1987. Notes on the Lejeuneaceae. 13. Some Asiatic species of the genus *Thysananthus*. *J. Hattori Bot. Lab.* 63: 411-419.
- Mohamad, H., 1984. A synopsis of the genus *Rhodobryum* in Asia. *J. Hattori Bot. Lab.* 55: 281-293.
- Mohamed, H. & Robinson, H. 1991. A taxonomic revision of the moss families Hookeriaceae and Hypopterygiaceae in Malaya. *Smithsonian Contr. Bot.* 80: 1-44.
- Noguchi, A. 1960. Notulae Bryologicae VI. A small collection of mosses from Thailand and Laos. *J. Hattori Bot. Lab.* 23: 77-79.
- Noguchi, A. 1973. Contributions to the bryology of Thailand. *J. Hattori Bot. Lab.* 37: 235-250.
- Noguchi, A. 1976. A taxonomic revision of the family Meteoriaceae of Asia. *J. Hattori Bot. Lab.* 41: 231-357.
- Noguchi, A. 1987. *Illustrated Moss flora of Japan* part 1. Hattori Botanical Laboratory, Nichinan-shi, Japan.
- Noguchi, A. 1988. *Illustrated Moss flora of Japan* part 2. Hattori Botanical Laboratory, Nichinan-shi, Japan.
- Noguchi, A. 1989. *Illustrated Moss flora of Japan* part 3. Hattori Botanical Laboratory, Nichinan-shi, Japan.
- Noguchi, A. 1991. *Illustrated Moss flora of Japan* part 4. Hattori Botanical Laboratory, Nichinan-shi, Japan.
- Noguchi, A. 1994. *Illustrated Moss flora of Japan* part 5. Hattori Botanical Laboratory, Nichinan-shi, Japan.
- Norris D.H. & Koponen, T. 1985. Bryophyte flora of the Huon Peninsula, Papua New Guinea. VII. Trachypodaceae, Thuidiaceae and Meteoriaceae (Musci). *Acta Bot. Fenn.* 131:1-51.
- Norris D.H. & Koponen, T. 1989. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXVIII. Pottiaceae (Musci). *Acta Bot. Fenn.* 137: 81-138.
- Norris D.H. & Koponen, T. 1990. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXXV. Dicranaceae and Dicnemonaceae (Musci). *Acta Bot. Fenn.* 139: 1-64.
- Piippo, S. 1985. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XII. Geocalycaceae (Hepaticae). *Acta Bot. Fenn.* 131: 129-167.
- Piippo, S. 1985. Bryophyte flora of the Huon Peninsula, Papua New Guinea. LIV. Anthocerotophyta. *Acta Bot. Fenn.* 148: 27-51.
- Plerdpling, S. 2000. *Survey of Natural Resources in Huai Yang National Park, Huai Yang Subdistrict, Tubsakae District, Prachuap Khiri Khan Province*. Phetchaburi Forest Office, Prachuap Khiri Khan Province.
- Pócs, T. 1969. A short survey of the *Bazzania* of North Veit-Nam. *J. Hattori Bot. Lab.* 32: 79-94.
- Reede, C. F. & Robinson, H. 1967. Contribution to the bryophytes of Thailand. *Phytologia*. 15(1): 61-70.
- Reede, C. F. & Robinson, H. 1967. Contribution to the bryophytes of Thailand. *Phytologia*. 15(6): 447-452.
- Reese, W. D., Koponen, T. & Norris, D. H. 1986. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XIX. *Calymperves*, *Syrrhopodon*, and *Mitthyridium* (Calymperaceae, Musci). *Acta Bot. Fenn.* 133: 151-202.
- Schuster, R.M. 1957. Notes on nearctic Hepaticae, IX. A study of *Plagiochila yokogurensis* Steph. *J. Hattori Bot. Lab.* 18: 14-26.

- Schuster, R.M. 1966. The Hepaticae and Anthocerotae of North America east of the hundredth meridian. Vol. 1. Columbia university press, New York, USA.
- Schuster, R.M. 1974. The Hepaticae and Anthocerotae of North America east of the hundredth meridian. Vol. 2. Columbia university press, New York. USA
- Schuster, R.M. 1980. The Hepaticae and Anthocerotae of North America east of the hundredth meridian. Vol. 4. Columbia university press, New York, USA.
- Schuster, R.M. 1983. New manual of bryology. Vol. 1. Hattori Botanical Laborary, Nichinan-shi, Japan.
- Schuster, R.M. 1984. New manual of bryology. Vol. 2. Hattori Botanical Laborary, Nichinan-shi, Japan.
- Sornsamran, R. 1988. The bryophytes in the Sakaerat Experiment Station Area. Srinakharinwirot University Science Journal. 4 (1): 22-30.
- Sornsamran, R. & Thaithong, O. 1995. Bryophytes in Thailand. Office of Environmental Policy and Planing, Bangkok, Thailand.
- Tan, B. C. & Robinson, H. 1990. A review of Philippine Hookeriaceous taxa (Musci). Smithsonian contr. Bot. 75: 1-40.
- Thaithong, O. 1984. Bryophytes of the mangrove forest. J. Hattori Bot. Lab. 56: 85-87.
- The Plant Names Project. 1999. International Plant Names Index. Published on the Internet; <http://www.ipni.org> [accessed 31 January 2000]
- Tixier, P. 1970. Bryophytæ Indosinicae. Bryophytes of Thai Tenasserim. Bull. Nat. Hist. Siam Soc. 23(4-5): 541-560.
- Tixier, P. & T. Smitinand. 1966. Checklist of the moss collection in the Forest Herbarium, Royal Forest Department, Bangkok. Nat. Hist. Bull. Siam Soc. 21(3-4): 161-195.
- Touw, A. 1962. Revision of the moss genus *Neckeropsis* (Neckeraceae). I. Asiatic and Pacific species. Blumea 11: 373-425.
- Touw, A. 1968. Miscellaneous notes on Thai mosses. Nat. Hist. Bull. Siam Soc. 22: 217-244.
- Yamada, K. 1975. Memoranda on the type specimens of Radula taxa from the Southeast Asia. J. Hattori Bot. Lab. 39: 71-84.
- Yamada, K. 1979. A revision of Asiaa Taxa of *Radula*. J. Hattori Bot. Lab. 45: 201-322.
- Yamaguchi, T. 1990. A revision of the genus *Leucobryum* in Asia. J. Hattori Bot. Lab. 73: 1-123.
- Yuyen, Y. & Boonkerd, T. 2002. Pteridophytes Flora of Huai Yang Waterfall National Prak, Prachaup Khira Khan, Province, Thailand. The Natural History Joournal of Chulalongkorn University vol. 2(1): 39-49.
- Zhu, R.L. & So, M.L. 2001. Epiphyllous Liverworts of China. Hedwigia 121: 1-418.

BIOGRAPHY

Mr. Sahut Chantanaorrapint was born on May 14, 1976, in Nakhon Pathom Province. He was graduated in Botany from Faculty of Science, Chulalongkorn University in 1997, then continued his study for Master of Science in Botany at the Department of Botany, Faculty of Science, Chulalongkorn University from 2000-2002.

