

REFERENCES

- Aoyagi, S., Onishi, H., and Machida, Y. (2007) Novel chitosan wound dressing loaded with minocycline for the treatment of severe burn wounds. International Journal of Pharmaceutics, 330, 138-145.
- Casper, C.L., Stephens, J.S., Tassi, N.G., Chase, D.B., and Rabolt, J.F. (2004) Controlling surface morphology of electrospun polystyrene fibers: effect of humidity and molecular weight in the electrospinning process. Macromolecules, 37, 573-578.
- Dan, L., and Younan, X. (2004) Electrospinning: Reinvention of the wheel. Advanced Materials, 16(14), 1151-1170.
- Ding, B., Kim, H.Y., Lee, S.C., Shao, C.L., Lee, D.R., Park, S.J., Kwag, G.B., and Choi, K.J. (2002) Preparation and characterization of a nanoscale poly(vinyl alcohol) fibre aggregate produced by an electrospinning method. Journal of Polymer Science Part B-Polymer Physics, 40, 1261-1268.
- Doshi, J., and Reneker, D.H. (1995) Electrospinning process and applications of electrospun fibres. Journal of Electrostatics, 35, 151-60.
- Hirano, S., and Noishiki, Y. (1985) The blood compatibility of chitosan and N-acylchitosans. Journal of Biomedical Materials Research, 19, 413-417.
- Hirano, S., and Yagi, Y. (1980) The effects of N-substitution of chitosan and the physical form of the products on the rate of hydrolysis by chitinase from *Streptomyces griseus*. Carbohydrate Research, 83, 103-108.
- Hirano, S., Ohe, Y., and Ono, H. (1976) Selective N-acylation of chitosan. Carbohydrate Research, 47, 315-320.
- Hirano, S., Tsuchida, H., and Nagao, N. (1989) N-acetylation in chitosan and the rate of its enzymatic hydrolysis. Biomaterials, 10, 574-576.
- Hirano, S., Usutani, A., Yoshikawa, M., and Midorikawa, T. (1998) Fiber preparation of N-acylchitosan and its cellulose blend by spinning their aqueous xanthate solutions. Carbohydrate Polymers, 37, 311-313.
- Hirano, S., Zhang, M., Chung, B.G., and Kim, S.K. (2000) The N-acylation of chitosan fibre and the N-deacetylation of chitin fibre and chitin-cellulose blended fibre at a solid state. Carbohydrate Polymers, 41, 175-179.

- Hon, D.N.S. (1996) Chitin and chitosan: medical applications. In: Dumitriu S. (Eds.). Polysaccharides in Medicinal Applications, New York: Marcel Decker, 631-651.
- Hong, K.H., Park, J.L., Sul, I.H., Youk, J.H., and Kang, T.J. (2006) Preparation of antimicrobial poly(vinyl alcohol) nanofibers containing silver nanoparticles. Journal of Polymer Science Part B-Polymer Physics, 44, 2468-2474.
- Hu, Y., Du, Y.M., Yang, J.H., Tang, Y.F., Li, J., and Wang, X.Y. (2007) Self-aggregation and antibacterial activity of N-acylated chitosan. Polymer, 48, 3098-3106.
- Hutadilok, N., Mochimasu, T., Hisamori, H., Hayashi, K.I., Tachibana, H., Ishii, T., and Hirano, S. (1995) The effect of N-substitution on the hydrolysis of chitosan by an endo-chitosanase. Carbohydrate Research, 268, 143-149.
- Illum, L. (1998) Chitosan and its use as a pharmaceutical excipient. Pharmaceutical Research, 15, 1326-1331.
- Ishihara, M., Nakanishi, K., Ono, K., Sato, M., Kikuchi, M., Saito, Y., Yura, H., Matsui, T., Hattori, H., Uenoyama, M., and Kurita, A. (2002) Photocrosslinkable chitosan as a dressing for wound occlusion and accelerator in healing process. Biomaterials, 23, 833-840.
- Jayaraman, K., Kotaki, M., Zhang, Y., Mo, X., and Ramakrishna, S. (2004) Recent advanced in polymer nanofibers. Journal of Nanoscience and Nanotechnology, 4, 52-65.
- Kaifu, K., Nishi, N., and Kaomai, T. (1981) Preparation of hexanoyl, decanoyl, and dodecanoylchitin. Journal of Polymer Science: Polymer Chemistry Edition, 19, 2361-2363.
- Kawase, M., Michibayashi, N., Nakashima, Y., Kurikawa, N., Yagi, K., and Mizoguchi, T. (1997) Application of glutaraldehyde-crosslinked chitosan as a scaffold for hepatocyte attachment. Biological & Pharmaceutical Bulletin, 20, 708-710.
- Kenawy, E.R., Bowlin, G.L., Mansfield, K., Layman, J., Simpson, D.G., Sanders, E.H., and Wnek, G.E. (2002) Release of tetracycline hydrochloride from electrospun poly(ethylene-co-vinylacetate), poly(lactic acid), and a blend. Journal of Controlled Release, 81, 57-64.

- Kenawy, E.R., Bowlin, G.L., Mansfield, K., Layman, J., Simpson, D.G., Sanders, E.H., and Wnek, G.E. (2002) Release of tetracycline hydrochloride from electrospun poly(ethylene-*co*-vinylacetate), poly(lactic acid), and a blend. Journal of Controlled Release, 81, 57-64.
- Koombhongse, S. (2001) Doctoral Dissertation, The University of Akron.
- Kotze, A.F., Luessen, H.L., de Boer, A.G., Verhoef, J.C., and Junginger, H.E. (1999) Chitosan for enhanced intestinal permeability: prospects for derivatives soluble in neutral and basic environments. European Journal of Pharmaceutical Sciences, 7, 145-151.
- Kurita, K., Ikeda, H., Yoshida, Y., Shimojoh, M., and Harata, M. (2002) Chemoselective protection of the amino groups of chitosan by controlled phthaloylation: facile preparation of a precursor useful for chemical modifications. Biomacromolecules, 3(1), 1-4.
- Kurita, K., Ikeda, H., Yoshida, Y., Shimojoh, M., and Harata, M. (2002) Chemoselective protection of the amino groups of chitosan by controlled phthaloylation: Facile preparation of a precursor useful for chemical modifications. Biomacromolecules, 3, 1-4.
- Langer, R., and Vacanti, J. P. (1993) Tissue engineering. Science, 260, 920-926.
- Laurencin, C.T., Ambrosio, A.M.A., Borden, M.D., and Cooper, Jr, J.A. (1999) Tissue Engineering: Orthopedic application. Annual Review of Biomedical Engineering, 1, 19-46.
- Lavertu, M., Methot, S., Tran-Khanh, N., and Buschmann, M.D. (2006) High efficiency gene transfer using chitosan/DNA nanoparticles with specific combinations of molecular weight and degree of deacetylation. Biomaterials, 27, 4815-4824.
- Lee, D.W., Powers, K., and Baney, R. (2004) Physicochemical properties and blood compatibility of acylated chitosan nanoparticles. Carbohydrate Polymers, 58, 371-377.
- Lee, K.Y., Ha, W.S., and Park, W.H. (1995) Blood compatibility and biodegradability of partially N-acylated chitosan derivatives. Biomaterials, 16, 1211-1216.

- Li, Z.S., and Zhang, M.Q. (2005) Chitosan-alginate as scaffolding material for cartilage tissue engineering. Journal of Biomedical Materials Research Part A, 75A, 485-493.
- Lin, Y.H., Mi, F.L., Chen, C.T., Chang, W.C., Peng, S.F., Liang, H.F., and Sung, H.W. (2007) Preparation and characterization of nanoparticles shelled with chitosan for oral insulin delivery. Biomacromolecules, 8, 146-152.
- Liu, L., Li, Y., Li, Y., and Fang, Y.E. (2004) Rapid N-phthaloylation of chitosan by microwave irradiation. Carbohydrate Polymers, 57, 97-100.
- Luu, Y.K., Kim, K., Hsiao, B.S., Chu, B., and Hadjiaargyrou, M. (2003) Development of a nanostructured DNA delivery scaffold via electrospinning of PLGA and PLA-PEG block copolymers. Journal of Controlled Release, 89, 341–53.
- Ma, J.B., Wang, H.J., He, B.L., and Chen, J.T. (2001) A preliminary in vitro study on the fabrication and tissue engineering applications of a novel chitosan bilayer material as a scaffold of human neofetal dermal fibroblasts. Biomaterials, 22 (4), 331-336.
- Malette, W., Quigley, H., and Adickes, E. (1986) Chitosan effect in vascular surgery, tissue culture and tissue regeneration. In: Muzzarelli R, Jeuniaux C, Gooday G. (Eds.). Chitin in Nature and Technology. New York: Plenum Press, 435-442.
- Mariappan, M.R., Alas, E.A., Williams, J.G., and Prager, M.D. (1999) Chitosan and chitosan sulfate have opposing effects on collagen-fibroblast interactions. Wound Repair Regeneration, 7, 400-406.
- Matthew, H.W.T. (2002) Polymers for tissue engineering scaffolds. In: Dumitriu S. (Eds.). Polymeric Biomaterials. New York: Marcel Dekker, 167-186.
- Megelski, S., Stephens, J.S., Chase, D.B., and Rabolt, J.F. (2002) Micro- and nanostructured surface morphology on electrospun polymer fibers. Macromolecules, 35, 8456-8466.
- Mi, F.L., Peng, C.K., Huang, M.F., Lo, S.H., and Yang, C.C. (2005) Preparation and characterization of *N*-acetylchitosan, *N*-propionylchitosan and *N*-butyrylchitosan microspheres for controlled release of 6-mercaptopurine. Carbohydrate Polymers, 60, 219-227.

- Michelson, D. (1990) Electrostatic Atomization, New York: Adam Hilger.
- Moroni, L., Schotel, R., Hamann, D., De Wijn, J.R., and Van Blitterswijk, C.A. (2008) 3D fiber-deposited electrospun integrated scaffolds enhance cartilage tissue formation. Advanced Functional Materials, 18, 53-60.
- Mazzarelli, C., Francescangeli, O., Tosi, G., and Mazzarelli, R.A.A. (2004) Susceptibility of dibutyryl chitin and regenerated chitin fibres to deacetylation and depolymerization by lipases. Carbohydrate Polymers, 56, 137-146.
- Mazzarelli, R., Baldassare, B., Conti, F., Ferrara, P., Biagini, G., Gazzanelli, G., and Vasi, V. (1988) Biological activity of chitosan: ultrastructural study. Biomaterials, 9, 247-252.
- Mazzarelli, R.A.A, Biagini, G., DeBenedittis, A., Mengucci, P., Majni, G., and Tosi, G. (2001) Chitosan-oxychitin coatings for prosthetic materials. Carbohydrate Polymers, 45, 35-41.
- Neammark, A., Sanchavanakit, N., Pavasant, P., Bunaprasert, T., Supaphol, P., and Rujiravanit, R. (2007) *In vitro* biocompatibility evaluations of hexanoyl chitosan film. Carbohydrate Polymers, 68, 166-172.
- Nettles, D.L., Elder, S.H., and Gilbert, J.A. (2002) Potential use of chitosan as a cell scaffold material for cartilage tissue engineering. Tissue Engineering, 8, 1009-1016.
- Nishimura, S.I., Kohgo, O., Kurita, K., and Kuzuhara, H. (1991) Chemospecific manipulations of a rigid polysaccharide: Syntheses of novel chitosan derivatives with excellent solubility in common organic solvents by regioselective chemical modifications. Macromolecules, 24, 4745-4748.
- Park, Y.J., Lee, Y.M., Park, S.N., Sheen, S.Y., Chung, C.P., and Lee, L.J. (2000) Platelet derived growth factor releasing chitosan sponge for periodontal bone regeneration. Biomaterials, 21, 153-159.
- Peesan, M., Supaphol, P., and Rujiravanit, R. (2007) Modification of polylactide by solution-cast blends from polylactide and hexanoyl-chitosan. Proceedings of The 1st South East Asian Technical University Consortium (SEATUC) Symposium, February 27th-28th 2007, Bangkok, THAILAND, extended paper.

- Pielka, S., Paluch, D., Kus, J.S., Zywicka, B., Solski, L., Szosland, L., Czarny, A., and Zaczynska, E. (2003) Wound healing acceleration by a textile dressing containing dibutylchitin and chitin. *Fibres & Textiles in Eastern Europe*, 11(2), 79-84.
- Porporatto, C., Bianco, I.D., Riera, C.M., and Correa, S.G. (2003) Chitosan induces different L-arginine metabolic pathways in resting and inflammatory macrophages. *Biochemical and Biophysical Research Communications*, 34, 266-272.
- Powell, H.M., Supp, D.M., and Boyce, S.T. (2008) Influence of electrospun collagen on wound contraction of engineered skin substitutes. *Biomaterials*, 29, 834-843.
- Qi, L., Xu, Z., Jiang, X., Hu, C., and Zou, X. (2004) Preparation and antibacterial activity of chitosan nanoparticles. *Carbohydrate Research*, 339(16), 2693-2700.
- Reneker, D. H., Yarin, A.L., Fong, H., and Koombhongse, S. (2000) Bending instability of electrically charged liquid jets of polymer. *Journal of Applied Physics*, 87 (9), 4531-4546
- Rho, K.S., Jeong, L., Lee, G., Seo, B.M., Park, Y.J., Hong, S.D., Roh, S., Cho, J.J., Park, W.H., and Min, B.M. (2006) Electrospinning of collagen nanofibers: Effects on the behavior of normal human keratinocytes and early-stage wound healing. *Biomaterials*, 27, 1452-1461.
- Sabnis, S., and Block, L.H. (1997) Improved infrared spectroscopic method for the analysis of degree of N-deacetylation of chitosan. *Polymer Bulletin*, 39, 67-71.
- Sashiwa, H., and Shigemasa, Y. (1999) Chemical modification of chitin and chitosan 2: Preparation and water soluble property of N-acylated or N-alkylated partially deacetylated chitins. *Carbohydrate Polymers*, 39, 127-138.
- Schindler, M., Ahmed, I., Kamal, J., Kamal, A.N.E., Grafe, T.H., Chung, H.Y., and Meiners, S. (2005) A synthetic nanofibrillar matrix promotes in vivo-like organization and morphogenesis for cells in culture. *Biomaterials*, 26, 5624-5631.

- Sechriest, V.F., Miao, Y.J., Niyibizi, C., Westerhausen-Larson, A., Matthew, H.W., Evans, C.H., Fu, F.H., and Suh, J.K. (2000) GAG-augmented polysaccharide hydrogel: a novel biocompatible and biodegradable material to support chondrogenesis. *Journal of Biomedical Materials Research*, 49, 534-541.
- Seo, S.J., Choi, Y.J., Akaike, T., Higuchi, A., and Cho, C.S. (2006) Alginate/halactosylated chitosan/heparin scaffold as a new synthetic extracellular matrix for hepatocytes. *Tissue Engineering*, 12, 33-44.
- Seo, Y., Otake, H., Unishi, T., and Iijima, T. (1995) Permeation of solutes through chemically-modified chitosan membranes. *Journal of Applied Polymer Science*, 58, 633-644.
- Shin, Y.M., Hohman, M.M., Brenner, M.P., and Rutledge, G.C. (2001) Experimental characterization of electrospinning: the electrically forced jet and instabilities. *Polymer*, 42, 9955–9967.
- Suwantong, O., Waleetorncheepsawat, S., Sanchavanakit, N., Pavasant, P., Cheepsunthorn, P., Bunaprasert, T., and Supaphol, P. (2007) In vitro biocompatibility of electrospun poly(3-hydroxybutyrate) and poly(3-hydroxybutyrate-co-3-hydroxyvalerate) fiber mats. *International Journal of Biological Macromolecules*, 40, 217-223.
- Taylor, G. (1969) *Proc. Roy. Soc. Lond. A.*, 313, 453-475.
- Theron, S.A., Zussman, E., and Yarin, A.L. (2004) Experimental investigation of the governing parameters in the electrospinning of polymer solutions. *Polymer*, 45, 2017–2030.
- Tien, C.L., Lacroix, M., Ispas-Szabo, P., and Mateescu, M.A. (2003) *N*-acylated chitosan: hydrophobic matrices for controlled drug release. *Journal of Controlled Release*, 93, 1-13.
- Tokura, S., Nishi, N., Tsutsumi, A., and Somorin, O. (1983) Studies on chitin VIII. Some properties of water soluble chitin derivatives. *Polymer Journal*, 15, 485-489.
- Verreck, G., Chun, I., Rosenblatt, J., Peeters, J., Dijck, A., Mensch, J., Noppe, M., and Brewster, M.E. (2003) Incorporation of drugs in an amorphous state

- into electrospun nanofibers composed of a water-insoluble, nonbiodegradable polymer. *Journal of Controlled Release*, 92, 349–360.
- Wang, W., Bo, S., Li, S., and Qin, W. (1991) Determination of the Mark–Houwink equation for chitosan with different degrees of deacetylation. *International Journal of Biological Macromolecules*, 13, 281–285.
- Williams, D.F. (1987) Definitions in biomaterials. *Proceedings of a Consensus Conference of the European Society for Biomaterials*. Chester: England, March 3-5 1986, 4, New York: Elsevier.
- Wu, L.L., Yuan, X.Y., and Sheng, J. (2005) Immobilization of cellulase in nanofibrous P.V.A membranes by electrospinning. *Journal of Membrane Science*, 250, 167–173.
- Wutticharoenmongkol, P., Pavasant, P., and Supaphol, P. (2007) Osteoblastic phenotype expression of MC3T3-E1 cultured on electrospun polycaprolactone fiber mats filled with hydroxyapatite nanoparticles. *Biomacromolecules*, 8(8), 2602-2610.
- Xu, C.Y., Inai, R., Kotaki, M., and Ramakrishna, S. (2004) Aligned biodegradable nanofibrous structure: a potential scaffold for blood vessel engineering. *Biomaterials*, 25, 887-886.
- Xu, J., McCarthy, S.P., Gross, R.A., and Kaplan, D.L. (1996) Chitosan film acylation and effects on biodegradability. *Macromolecules*, 29, 3436-3440.
- Yalpani, M., and Hall, L.D. (1984) Some chemical and analytical aspects of polysaccharide modifications. III. Formation of branched-chain, soluble chitosan derivatives. *Macromolecules*, 17, 272-281.
- Yoshimoto, H., Shin, Y.M., Terai, H., and Vacanti, J.P. (2003) A biodegradable nanofiber scaffold by electrospinning and its potential for bone tissue engineering. *Biomaterials*, 24, 2077-2082.
- Zhang, C., Yuan, X., Wu, L., Han, Y., and Sheng, J. (2005) Study on morphology of electrospun poly(vinyl alcohol) mats. *European Polymer Journal*, 41, 423–32.
- Zong, Z., Kimura, Y., Takahashi, M., and Yamane, H. (2000) Characterization of chemical and solid state structures of acylated chitosans. *Polymer*, 41, 899-906.

CURRICULUM VITAE

Name: Mr. Arthop Neamnark

Date of Birth: July 10, 1980

Nationality: Thai

University Education:

1999-2002 Bachelor Degree of Chemistry, Faculty of Science,
Chulalongkorn University, Bangkok, Thailand

Publications:

1. Sangsanoh, P., Suwantong, O., Neamnark, A., Cheepsunthorn, P., Pavasant, P., and Supaphol, P. In vitro biocompatibility of electrospun and solvent-cast chitosan substrata towards four different cell lineages, in preparation.
2. Taepaiboon, P., Neamnark, A., Rungsardthong, U., Pavasant, P., and Supaphol, P. In vitro biocompatibility of regenerated electrospun cellulose and cellulose acetate fibrous membrane, in preparation.
3. Neamnark, A., Sanchavanakit, N., Pavasant, P., Rujiravanit, R., and Supaphol, P. (2008) In vitro biocompatibility of electrospun hexanoyl chitosan fibrous scaffolds towards human keratinocytes and fibroblasts. European Polymer Journal, 44(7), 2060-2067.
4. Neamnark, A., Sanchavanakit, N., Pavasant, P., Bunaprasert, T., Supaphol, P., and Rujiravanit, R. (2007) In vitro biocompatibility evaluations of hexanoyl chitosan film. Carbohydrate Polymers, 68(1), 166-172.
5. Neamnark, A., Rujiravanit, R., and Supaphol, P. (2006) Electrosinning of hexanoyl chitosan. Carbohydrate Polymers, 66(3), 298-305.

Presentations:

1. Neamnark, A., Wutticharoenmongkol, P., Rujiravanit, R., and Supaphol, P. (2004, December 1-3) Electrosinning of Hexanoyl Chitosan. Paper presented at the International Conference on Smart Materials (SmartMat-'04) "Smart/Intelligent Materials and Nanotechnology". Chiang Mai, Thailand.



2. Neammark, A., Sanchavanakit, N., Pavasant, P., Rujiravanit, R., and Supaphol, P. (2006, October 10-13) In Vitro Biocompatibility of Hexanoyl Chitosan Films. Paper presented at the IUPAC International Symposium on Advanced Polymers for Emerging Technologies. Busan, Korea.
3. Neammark, A., Sanchavanakit, N., Pavasant, P., Bunaprasert, T., Rujiravanit, R., and Supaphol, P. (2006, November 7-10) Electrospun Hexanoyl Chitosan Fibrous Scaffold for Skin Tissue Engineering. Paper presented at the 6th Asian BioCeramics Symposium 2006. Bangkok, Thailand.
4. Neammark, A., Sanchavanakit, N., Pavasant, P., Rujiravanit, R., and Supaphol P. (2007, June 25-28) Possible Use of Electrospun Hexanoyl Chitosan for Tissue Engineering. Paper presented at the 2nd International Conference on Advances in Petrochemicals and Polymers (ICAPP 2007). Bangkok, Thailand.