

## REFERENCES

- Ajayan, P.M., Ebbesen, T.W., Ichihashi, T., Iijima, S., Tanigaki, K., and Hiura, H. (1993) Opening carbon nanotubes with oxygen and. implications for filling. Nature, 362, 522-524.
- Ajayan, P.M. and Zhou, O.Z. (2001) Applications of carbon nanotubes. Topics in applied physics, 80, 391-425.
- Alvarez, W.E., Pompeo, F., Herrera, J.E., Balzano, L., and Resasco, D.E. (2002) Characterization of single-walled carbon nanotubes (SWNTs) produced by CO disproportionation on Co-Mo catalysts. Chemistry of Materials, 14(4), 1853-1858.
- Arepalli, S., Nikolaev, P., Gorelik, O., Hadjiev, V., Holmes, W., Files, B., and Yowell, L. (2004) Protocol for the characterization of single-wall carbon nanotube material quality. Carbon, 42, 1783-1791.
- Bandow, S., Rao, A.M., Williams, K.A., Thess, A., Smalley, R.E., and Eklund, P.C. (1997) Purification of single-wall carbon nanotubes by microfiltration. Journal of Physical Chemistry B, 101(44), 8839-8842.
- Bethune, D.S., Kiang, C.H., Devries, M.S., Gorman, G., Savoy, R., Vazquez, J., and Beyers, J. (1993) Cobalt-catalysed growth of carbon nanotubes with single-atomic-layer walls. Nature, 363(6430), 605-607.
- Borowiak-Palen, E., Pichler, T., Liu, X., Knupfer, M., Graff, A., Jost, O., Pompe, W., Kalenczuk, R.J., and Fink, J. (2002) Reduced diameter distribution of single-wall carbon nanotubes by selective oxidation. Chemical Physics Letters, 363, 567-572.
- Boyd, J. "Rice chemists create, grow nanotube seeds: Study proves validity of Smalley's SWNT amplification concept." Rice University: News & Media Relations 17 Nov 2006. 26 Apr 2007  
<<http://www.media.rice.edu/media/NewsBot.asp?MODE=VIEW&ID=90>>
- Bronikowski, M.J., Willis, P.A., Colbert, T.D., Smith, K.A., and Smalley, R.E. (2001) Gas-phase production of carbon single-walled nanotubes from carbon monoxide via the HiPCO process: a parametric study. Journal of Vacuum Science and Technology A, 19(4), 1800-1805.

- Cheng, H.M., Li, F., Su, G., Pan, H.Y., He, L.L., Sun, X., and Dresselhaus, M.S. (1998) Large-scale and low-cost synthesis of single-walled carbon nanotubes by the catalytic pyrolysis of hydrocarbons. Applied Physics Letters, 72, 3282-3284.
- Chiang, I.W., Brinson, B.E., Smalley, R.E., Margrave, J.L., and Hauge, R.H. (2001) Purification and characterization of single-wall carbon nanotubes. Journal of Physical Chemistry B, 105(6), 1157-1161.
- Chiang, I.W., Brinson, B.E., Huang, A.Y., Willis, P.A., Bronikowski, M.J., Margrave, J.L., Smalley, R.E., and Hauge, R.H. (2001) Purification and characterization of single-wall carbon nanotubes (SWNTs) obtained from the gas-phase decomposition of CO (HiPco Process). Journal of Physical Chemistry B, 105(35), 8297-8301.
- Collins, P.G. and Avouris, P. (2000) Nanotubes for electronics. Scientific American, 283, 62-69.
- Colomer, J.F., Stephan, C., Lefrant, S., Van Tendeloo, G., Willems, I., Konya, Z., Fonseca, A., Laurent, C., and Nagy, J.B. (2000) Large-scale synthesis of single-wall carbon nanotubes by catalytic chemical vapor deposition (CCVD) method. Chemical Physics Letters, 317, 83-89.
- Dupuis, A.C. (2005) The catalyst in the CCVD of carbon nanotubes-a review. Progress in Materials Science, 50, 929-961.
- Ebbesen, T.W. and Ajayan, P.M. (1992) Large-scale synthesis of carbon nanotubes. Nature, 358, 220-222.
- Farkas, E., Anderson, M.E., Chen, Z., and Rinzler, A.G. (2002) Length sorting cut single wall carbon nanotubes by high performance liquid chromatography. Chemical Physics Letters, 363, 111-116.
- Ferrari, A.C., Robertson, J., (2000) Interpretation of Raman Spectra of disordered and amorphous carbon. Physical Review B, 61, 14095-14107.
- Georgakilas, V., Voulgaris, D., Vazquez, E., Prato, M., Guldi, D.M., Kukovecz, A., and Kuzmany, H. (2002) Purification of HiPCO carbon nanotubes via organic functionalization. Journal of the American Chemical Society, 124(48), 14318-14319.

- Gao, B., Bower, C., Lorentzen, J.D., Fleming, L., Kleinhammes, A., Tang, X.P., McNeil, L.E., Wu, Y., and Zhou, O. (2000) Enhanced saturation lithium composition in ball-milled single-walled carbon nanotubes. Chemical Physics Letters, 327, 69-75.
- Gu, Z., Peng, H., Hauge, R.H., Smalley, R.E., and Margrave, J.L. (2002) Cutting single-wall carbon nanotubes through fluorination. Nano Letters, 2(9), 1009-1013.
- Guo, T., Nikolaev, P., Rinzler, A., Tomanek, D., Colbert, D., and Smalley, R. E. (1995a) Self-assembly of tubular fullerenes. Journal of Physical Chemistry, 99, 10694-10697.
- Guo, T., Nikolaev, P., Thess, A., Colbert, D.T., and Smalley, R.E. (1995b) Catalytic growth of single-walled nanotubes by laser vaporization. Chemical Physics Letters 243, 49-54.
- Hamada, N., Sawada, S., and Oshiyama, A. (1992) New one-dimensional conductors: graphitic microtubules. Physical Review Letters, 68, 1579-1581.
- Harris, P.J.F. (1999) Carbon nanotubes and related structures: new materials for the twenty-first century. Cambridge: Cambridge University Press.
- Harutyunyan, A.R., Pradhan, B.K., Chang, J., Chen, G., and Eklund, P.C. (2002) Purification of single-wall carbon nanotubes by selective microwave heating of catalyst particles. Journal of Physical Chemistry B, 106(34), 8671-8675.
- Hiura, H., Ebbesen, T., Tanigaki, K., and Takahashi, H. (1993) Raman studies of carbon nanotubes. Chemical Physics Letters, 202(6), 509-512.
- Hou, P.X., Liu, C., Tong, Y., Liu, M., and Cheng, H.M. (2001) Purification of single-walled carbon nanotubes synthesized by the hydrogen arc-discharge method. Journal of Materials Research, 16(9), 2526-2529.
- Iijima, S. (1991) Helical microtubules of graphitic carbon. Nature, 354(6348), 56-58.
- Iijima, S. and Ichihashi, T. (1993) Single-shell carbon nanotubes of 1-nm diameter. Nature, 363(6430), 603-605.
- Javey, A., Guo, J., Wang, Q., Lundstrom, M., and Dai, H. (2003) Ballistic carbon nanotube field-effect transistors. Nature, 424, 654.

- Kajiura, H., Tsutsui, S., Huang, H., and Murakami, Y., (2002) High-quality single-walled carbon nanotubes from arc-produced soot. Chemical Physics Letters, 364, 586-592.
- Kitiyanan, B., Alvarez, W.E., Harwell, J.H., and Resasco, D.E. (2000) Controlled production of single-wall carbon nanotubes by catalytic decomposition of CO on bimetallic Co–Mo catalysts. Chemical Physics Letters, 317, 497-503.
- Kroschwitz, J.I. and Howe-Grant, M. (1992) Encyclopedia of Chemical  
Li, F., Cheng, H.M., Xing, Y.T., Tan, P.H., and Su, G. (2000). Purification of single-walled carbon nanotubes synthesized by the catalytic decomposition of hydrocarbons. Carbon, 38, 2041-2045.
- Luyken, R.J. and Hofmann, F. (2003) Concepts for hybrid CMOS-molecular non-volatile memories. Nanotechnology, 14, 273-276.
- Mamedov, A.A., Kotov, N.A., Prato, M., Guldi, D.M., Wicksted, J.P., and Hirsch, A. (2002) Molecular design of strong single-wall carbon nanotube/polyelectrolyte multilayer composites. Nature Materials, 1, 190-194.
- Maruyama, S., Kojima, R., Miyauchi, Y., Chiashi, S., and Kohno, M. (2002) Low-temperature synthesis of high purity single-walled carbon nanotubes from alcohol. Chemical Physics Letters, 360, 229-234.
- Moon, J.M., An, K.H., Lee, Y.H., Park, Y.S., Bae, D.J., and Park, G.S. (2001) High-yield purification process of singlewalled carbon nanotubes. Journal of Physical Chemistry, 105(24), 5677-5681.
- Nikolaev, P., Bronikowski, M., Bradley, R.K., Rohmund, F., Colbert, D.T., Smith, K.A., and Smalley, R.E. (1999) Gas-phase catalytic growth of single-walled carbon nanotubes from carbon monoxide. Chemical Physics Letters, 313, 91-97.
- Niyogi, S., Hu, H., Hamon, M.A., Bhowmik, P., Zhao, B., Rozenzhak, S.M., Chen, J., Itkis, M.E., Meier, M.S., and Haddon, R.C. (2001) Chromatographic Purification of Soluble Single-Walled Carbon Nanotubes (s-SWNTs). Journal of the American Chemical Society, 123(4), 733-734.
- Niyogi, S., Hamon, M.A., Hu, H., Zhao, B., Bhowmik, P., Sen, R., Itkis, M.E., and Haddon, R.C. (2002) Chemistry of single-walled carbon nanotubes. Accounts of Chemical Research, 35(12), 1105-1113.

- Odom, T., Huang, J., Kim, P., and Lieber, C.M. (1998) Atomic structure and electronic properties of single-walled carbon nanotubes. Nature, 391, 62-64.
- Poncharal, P., Berger, C., Yi, Y., Wang, Z.L., and de Heer, W.A. (2002) Room temperature ballistic conduction in carbon nanotubes. Journal of Physical Chemistry B, 106, 12104-12118.
- Ren, Z.F., Huang, Z.P., Xu, J.W., Wang, J.H., Bush, P., Siegel, M.P., and Provencio, P. N. (1998) Synthesis of large arrays of well-aligned carbon nanotubes on glass. Science, 282(5391), 1105-1107.
- Ren, Z.F., Huang, Z.P., Wang, D.Z., Wen, J.G., Xu, J.W., Wang, J.H., Calvet, L.E., Chen, J., Klemic, J.F., and Reed, M.A.(1999) Growth of a single freestanding multi-wall carbon nanotube on each nano-nickel dot. Applied Physics Letters, 75(8), 1086-1088.
- Resasco, D.E., Alvarez, W.E., Pompeo, F., Balzano, L., Herrera, J.E., Kitiyanan, B., and Borgna, A. (2002) A scalable process for production of single-walled carbon nanotubes (SWNTs) by catalytic disproportionation of CO on a solid catalyst. Journal of Nanoparticle Research, 4, 131-136.
- Rinzler, A.G., Liu, J., Dai, H., Nikolaev, P., Huffman, C.B., Rodriguez-Macias, F.J., Boul, P.J., Lu, A.H., Heymann, D., Colbert, D.T., Lee, R.S., Fischer, J.E., Rao, A.M., Eklund, P.C., and Smalley, R.E. (1998) Large scale purification of single wall carbon nanotubes: process, product and characterization. Applied Physics A, 67, 29-37.
- Rosen, M.J. (1989) Surfactants and Interfacial Phenomena. 2<sup>nd</sup> Ed., New York: John Wiley and Sons.
- Saito, R., Fujita, M., Dresselhaus, G., and Dresselhaus, M.S. (1992) Electronic structure of chiral graphene tubules. Applied Physics Letters, 60, 2204-2206.
- Sen, R., Govindaraj, A., and Rao, C.N.R. (1997) Carbon nanotubes by the metallocene route. Chemical Physics Letters, 267, 276-280.
- Shelimov, K.B., Esenaliev, R.O., Rinzler, A.G., Huffman, C.B., and Smalley, R.E. (1998) Purification of single-wall carbon nanotubes by ultrasonically assisted filtration. Chemical Physics Letters, 282, 429-434.

- Sinnot, S.B., Andrews, R., Qian, D., Rao, A.M., Mao, Z., Dickey, E.C., and Derbyshire, F. (1999) Model of carbon nanotube growth through chemical vapor deposition. Chemical Physics Letters, 315, 25-30.
- Tans, S.J., Verschueren, A.R.M., and Dekker, C. (1998) Room-temperature transistor based on a single carbon nanotube. Nature, 393, 49.
- Tang, S., Zhong, Z., Xiong, Z., Sun, F., Liu, L., Lin, J., Shen, Z., and Tan, K.L. (2001) Controlled growth of single-walled carbon nanotubes by catalytic decomposition of CH<sub>4</sub> over Mo/Co/MgO catalysts. Chemical Physics Letters, 350, 19-26.
- Thess, A., Lee, R., Nikolaev, P., Dai, H., Petit, P., Robert, J., Xu, C., Lee, Y.H., Kim, S.G., Rinzler, A.G., Colbert, D.T., Scuseria, G.E., Tomanek, D., Fischer, J.E., and Smalley, R.E. (1996) Crystalline ropes of metallic nanotubes. Science, 273(5274), 483-487.
- Thien-Nga, L., Hernadi, K., Ljubovic, E., Garaj, S., and Forro, L. (2002) Mechanical purification of single-walled carbon nanotube bundles from catalytic particles. Nano Letters, 2(12), 1349-1352.
- Tibbetts, G.G. (1984) Why are carbon filaments tubular? Journal of Crystal Growth, 66, 632-638.
- Treacy, M.M.J., Ebbesen, T.W., and Gibson, J.M. (1996) Exceptionally high young's modulus observed for individual nanotube. Nature, 381, 678-680.
- Walker Jr., P.L., Rakszawski, J.F., Imperial, G. R. (1959) Carbon Formation from Carbon Monoxide-Hydrogen Mixtures over Iron Catalysts.I. Properties of Carbon Formed. Journal of Physical Chemistry, 63(2), 133-140.
- Yacaman, M.J., Yoshida, M.M., Rendon, L., and Santiesteban, J.G. (1993) Catalytic growth of carbon microtubules with fullerene structure. Applied Physics Letters, 62(6), 657-659.
- Yakobson, B.I. and Smalley, R.E. (1997) Fullerene nanotubes: C1000000 and beyond. American Scientist, 85, 324-337.
- Yu, M.F., Lourie, O., Dyer, M.J., Moloni, K., Kelly, T.F., and Ruoff, R.S.(2000) Strength and breaking mechanism of multiwalled carbon nanotubes under tensile load. Science, 287(5453), 637-640.

- Yudasaka, M., Kikuchi, R., Matsui, T., Ohki, Y., Yoshimura, S., and Ota, E. (1995) Specific conditions for Ni catalyzed carbon nanotube growth by chemical vapor deposition. Applied Physics Letters, 67(17), 2477-2479.
- Yudasaka, M., Kikuchi, R., Ohki, Y., Ota, E., and Yoshimura, S. (1997) Behavior of Ni in carbon nanotube nucleation. Applied Physics Letters, 70(14), 1817-1818.
- Zhao, B., Hu, H., Niyogi, S., Itkis, M.E., Hamon, M.A., Bhowmik, P., Meier, M.S., and Haddon, R.C. (2001) Chromatographic purification and properties of soluble single-walled carbon nanotubes. Journal of the American Chemical Society, 123(47), 11673-11677.

## CURRICULUM VITAE

**Name:** Mr. Pisan Chungchamroenkit

**Date of Birth:** July 10, 1976

**Nationality:** Thai

**University Education:**

1997 – 1999 Master Degree of Chemical Engineering, Faculty of Engineering, Chemical Engineering Practice School, King Mongkut's University of Technology Thonburi, Bangkok, Thailand

1993 – 1997 Bachelor Degree of Chemical Engineering, Faculty of Engineering, Khon Kaen University, Khon Kaen, Thailand

**Working Experience:**

2000 Process Engineer, Bangchak Petroleum Refinery Company, Limited, Thailand

1999 – 2000 Cleaner Technology Lead Auditor, Thailand Environment Institute (TEI), Thailand

**Publications:**

1. **Chungchamroenkit, P.**, Kitiyanan, B., Herrera, J.E., Chavadej, S., Resasco, D.E. (2007) Growth of single-walled carbon nanotubes by disproportionation of CO over Co-Re/SiO<sub>2</sub> catalysts. Solid State Phenomena, 121-123, 337-341.
2. **Chungchamroenkit, P.**, Chavadej, S., Yanatatsaneejit, Y., Kitiyanan, B. Residue catalyst support removal and purification of carbon nanotubes by NaOH leaching and froth flotation., Separation and Purification Technology, In Press
3. **Chungchamroenkit, P.**, Chavadej, S., Yanatatsaneejit, Y., Kitiyanan, B., Scamehorn, J.F. Separation of carbon black from silica by froth flotation., Submitted to Separation Science and Technology
4. **Chungchamroenkit, P.**, Kitiyanan, B., Chavadej, S. Comparison of single-walled carbon nanotubes produced by using different catalysts, In Preparation



**Proceedings:**

1. **Chungchamroenkit, P.**, Kitiyanan, B., Herrera, J.E., Chavadej, S., Resasco, D.E. (2005) Growth of Single-Walled Carbon Nanotubes by Disproportionation of CO Over Co-Re/SiO<sub>2</sub> Catalysts. Proceeding of ChinaNANO 2005, June 9-11, 2005, Beijing, China.
2. **Chungchamroenkit, P.**, Herrera, J.E., Kitiyanan, B., Chavadej, S., Resasco, D.E. (2004) Growth of Single-Walled Carbon Nanotubes by Disproportionation of CO Over Co-Re/SiO<sub>2</sub> Catalysts. Proceeding of 10<sup>th</sup> APCCChE Congress, October 17-21, 2004, Kitakyushu, Japan.
3. **Chungchamroenkit, P.**, Yanatatsaneejit, U., Kitiyanan, B., Chavadej, S., Scamehorn, J.F., Resasco, D.E. (2004) Separation of Carbon Black from Silica by Froth Flotation Technique as an Approach for Single-Walled Carbon Nanotubes Purification. Proceeding of 10<sup>th</sup> APCCChE Congress, October 17-21, 2004, Kitakyushu, Japan.

**Presentations:**

1. **Chungchamroenkit, P.**, Herrera, J.E., Kitiyanan, B., Chavadej, S., Resasco, D.E. (2003) Comparison of Different Metallic Catalysts for Single-walled Carbon Nanotubes Production. 2003 AIChE Annual Meeting, November 16-21, 2003, San Francisco, California, USA. (*Oral Presentation*)
2. **Chungchamroenkit, P.**, Herrera, J.E., Kitiyanan, B., Chavadej, S., Resasco, D.E. (2004) Growth of Single-Walled Carbon Nanotubes by Disproportionation of CO Over Co-Re/SiO<sub>2</sub> Catalysts. 2004 AIChE Annual Meeting, November 7-12, 2004, Austin, Texas, USA. (*Oral Presentation*)
3. **Chungchamroenkit, P.**, Yanatatsaneejit, U., Kitiyanan, B., Chavadej, S., Scamehorn, J.F., Resasco, D.E. (2004) Purification of Single-Walled Carbon Nanotubes by Froth Flotation Technique. 2004 AIChE Annual Meeting, November 7-12, 2004, Austin, Texas, USA. (*Oral Presentation*)
4. Kiatsoongchart, K., **Chungchamroenkit, P.**, Yanatatsaneejit, U., Kitiyanan, B., Chavadej, S., Scamehorn, J.F. (2005) Purification of Carbon Nanotubes

by Froth Flotation Technique. ICMAT&IUMRS-ICAM 2005, June 3-8, 2005, Singapore. (*Oral Presentation*)