

REFERENCES

- Aaronson SA, Rubin JS, Finch PW, Wong J, Marchese C, Falco J, et al. Growth factor-regulated pathways in epithelial cell proliferation. **Am Rev Respir Dis** 1990;142:S7-S10.
- Albertini DF. Regulation of meiotic maturation in the mammalian oocyte : interplay between exogenous cues and the microtubule cytoskeleton. **Bioessays** 1992;14:97-103.
- Allworth AE, Albertini DF. Meiotic maturation in cultured bovine oocytes is accompanied by remodeling of the cumulus cell cytoskeleton. **Dev Biol** 1993;158:101-12.
- Antczak M, Van Blerkom J. Oocyte influences on early development : the regulatory proteins leptin and STAT3 are polarized in mouse and human oocytes and differentially distributed within the cells of the preimplantation embryo. **Mol Hum Reprod** 1997;3:1067-86.
- Antczak M, Van Blerkom J, Clark A. A novel mechanism of vascular endothelial growth factor, leptin and transforming growth factor- β 2 sequestration in a subpopulation of human ovarian follicle cells. **Hum Reprod** 1997;12:2226-34.
- Barnes FL, Crombie A, Gardner DK, Kausche A, Lacham-Kaplan O, Suikkari AM, et al. Blastocyst development and birth after *in vitro* maturation of

- human primary oocytes, intracytoplasmic sperm injection and assisted hatching. **Hum Reprod** 1995;10:3243-7.
- Bleil JD, Wassarman PM. Synthesis of zona pellucida proteins by denuded and follicle-enclosed mouse oocytes during culture *in vitro*. **Proc Natl Acad Sci USA** 1980;77:1029-33.
- Bleil JD, Beall CF, Wassarman PM. Mammalian sperm-egg interaction : fertilization of mouse egg triggers modification of the major zona pellucida glycoprotein, ZP2. **Dev Biol** 1981;86:189-97.
- Bottaro DP, Rubin JS, Ron D, Finch PW, Florio C, Aaronson SA. Characterization of the receptor for keratinocyte growth factor. Evidence for multiple fibroblast growth factor receptor. **J Biol Chem** 1990;265:12767-70.
- Brackett BG, Younis AI, Fayrer-Hosken RA. Enhanced viability after *in vitro* fertilization of bovine oocytes matured *in vitro* with high concentration of lutenizing hormone. **Fertil Steril** 1989;52:319-24.
- Buccione R, Schroeder AC, Eppig JJ. Interactions between somatic cells and germ cells throughout mammalian oogenesis. **Biol Reprod** 1990;43:543-7.
- Canipari R, Palombi F, Riminucci M, Mangia F. Early programming of maturation competence in mouse oogenesis. **Dev Biol** 1984;102:519-24.
- Cha KY, Koo JJ, KO JJ, Choi DH, Han SY, Yoon TK. Pregnancy after *in vitro* fertilization of human follicular oocytes collected from nonstimulated

cycles, their culture *in vitro* and their transfer in a donor oocyte program.

Fertil Steril 1991;55:109-13.

Chari S, Hillensjo T, Magnusson C, Sturm G, Daume E. *In vitro* inhibition of rat oocyte meiosis by human follicular fluid fractions. **Arch Gynecol** 1983;233:155-64.

Chesnel F, Wigglesworth K, Eppig JJ. Acquisition of meiotic competence by denuded mouse oocytes : Participation of somatic-cell products and cAMP. **Dev Biol** 1994;161:285-95.

Chien EJ, Morrill GA, Kostellow AB. Progesterone-induced second messengers at the onset of meiotic maturation in the amphibian oocyte: interrelationships between phospholipid N-methylation, calcium and diacylglycerol release, and inositol phospholipid turnover. **Mol Cell Endocrinol** 1991;81:53-67.

Christmann L, Jung T, Moor RM. MPF components and meiotic competence in growing pig oocytes. **Mol Reprod Dev** 1994;38:85-90.

Cicirelli MF, Smith LD. Cyclic AMP levels during the maturation of *Xenopus* oocytes. **Dev Biol** 1985;108:254-8.

Cork RJ, Barnold RL, Smith LD, Robinson KR. Microinjected GTP- α -S inhibits progesterone-induced maturation of *Xenopus* oocytes. **Dev Biol** 1990;141:447-50.

Cross PC, Brinster RL. *In vitro* development of mouse oocytes. **Biol Reprod** 1970;3:298-307.

- Crozet N, Ahmed-Ali M, Dubos MP. Developmental competence of goat oocytes from follicles of different size categories following maturation, fertilization and culture *in vitro*. **J Reprod Fertil** 1995;103:293-8.
- Daar I, Yew N, Vande Woude GF. Inhibition of mos-induced oocyte maturation by protein kinase A. **J Cell Biol** 1993;120:1197-202.
- Dandekar P, Martin M, Glass R. Maturation of immature oocytes by coculture with granulosa cells. **Fertil Steril** 1991;55:95-9.
- Das K, Phipps WR, Hensleigh HC, Tagatz GE. Epidermal growth factor in human follicular fluid stimulates mouse oocyte maturation *in vitro*. **Fertil Steril** 1992;57:895-901.
- Das K, Stout LE, Hensleigh HC, Tagatz GE, Phipps WR, Leung BS. Direct positive effect of epidermal growth factor on the cytoplasmic maturation of mouse and human oocytes. **Fertil Steril** 1991;55:1000-4.
- De Felici M, Siracusa G, "Spontaneous" hardening of the zona pellucida of mouse oocytes during *in vitro* culture. **Gamete Res** 1982;6:107-13.
- De Smedt V, Crozet N, Gall L. Morphological and functional changes accompanying the acquisition of meiotic competence of ovarian goat oocyte. **J Exp Zool** 1994;269:128-39.
- Dean J. Biology of mammalian fertilization : role of the zona pellucida. **J Clin Invest, Inc** 1992;89:1055-59.
- Dekel N, Sherizly I. Epidermal growth factor induces maturation of rat follicle-enclosed oocytes. **Endocrinology** 1985;116:406-12.

- DeMeestere I, Barlow P, Leroy F. Hardening of zona pellucida of mouse oocytes and embryos *in vivo* and *in vitro*. **Inter J Fertil Women Med** 1997;42:219-22.
- De Smedt V, Crozet, N, Gall L. Morphological and functional changes accompanying the acquisition of meiotic competence of ovarian goat oocyte. **J Exp Zool** 1994;269:128-39.
- Downs SM, Eppig JJ. Induction of mouse oocyte maturation *in vivo* by perturbants of purine metabolism. **Biol Reprod** 1987;36:431-7.
- Downs SM, Hunzicker-Dunn M. Differential regulation of oocyte maturation and cumulus expansion in the mouse oocyte- cumulus cell complex by site-selective analogs of cyclic adenosine monophosphate. **Dev Biol** 1995;172:72-85.
- Downs SM, Mastropolo AM. Culture conditions affect meiotic regulation in cumulus-cell enclosed mouse oocytes. **Mol Reprod Dev** 1997;46:551-66.
- Downs SM, Schroeder AC, Eppig JJ. Serum maintains the fertilizability of mouse oocytes matured *in vitro* by preventing hardening of the zona pellucida. **Gamete Res** 1986;15:115-22.
- Downs SM, Daniel SAJ, Eppig JJ. Induction of maturation in cumulus cell-enclosed mouse oocytes by follicle stimulating hormone and epidermal growth factor : evidence for a positive stimulus of somatic cell origin. **J Exp Zool** 1988;245:86-96.

- Ducibella T, Buetow J. Competence to undergo normal, fertilization-induced cortical activation develops after metaphase I of meiosis in mouse oocytes. **Dev Biol** 1994;165:95-104.
- Ducibella T, Kurasawa S, Rangarajan S, Kopf GS, Schultz RM. Precocious loss of cortical granules during mouse oocyte meiotic maturation and correlation with an egg-induced modification of the zona pellucida. **Dev Biol** 1990;137:46-55.
- Edwards RG. Maturation *in vitro* of mouse, sheep, cow, pig, rhesus monkey and human ovarian oocytes. **Nature** 1965;208:349-51.
- Eppig JJ. A comparison between oocyte growth in co-culture with granulosa cells and oocytes with granulosa cell-oocyte junctional contact maintained *in vitro*. **J Exp Zool** 1979;209:345-53.
- Eppig JJ. Intercommunication between mammalian oocytes and companion somatic cells. **Bioessays** 1991;13:569-74.
- Eppig JJ. Growth and development of mammalian oocytes *in vitro*. **Arch Pathol Lab Med** 1992;116:379-82.
- Eppig JJ. Further reflections on culture systems for the growth of oocytes *in vitro*. **Hum Reprod** 1994;9:974-6.
- Eppig JJ, Downs SM. Chemical signals that regulate mammalian oocyte maturation. **Biol Reprod** 1984;30:1-11.
- Eppig JJ, Downs SM. The effect of hypoxanthine on mouse oocyte growth and development *in vitro* : maintenance of meiotic arrest and gonadotropin-induced oocyte maturation. **Dev Biol** 1987;119:313-21.

- Eppig JJ, O'Brien, MJ. Development *in vitro* of mouse oocytes from primordial follicles. **Biol Reprod** 1996;54:197-207.
- Eppig JJ, Schroeder AC. Capacity of mouse oocytes from preantral follicles to undergo embryogenesis and development to live young after growth, maturation and fertilization *in vitro*. **Biol Reprod** 1989;41:268-76.
- Eppig JJ, Wigglesworth K. Atypical maturation of oocytes in strain I/LnJ mice. **Hum Reprod** 1994;9:1136-42.
- Eppig JJ, O'Brien, MJ, Wigglesworth K. Mammalian oocyte growth and development *in vitro*. **Mol Reprod Dev** 1996;44:260-73.
- Eppig JJ, Schroeder AC, O'Brien, MJ. Developmental capacity of mouse oocytes matured *in vitro* : effects of gonadotrophic stimulation, follicular origin and oocyte size. **J Reprod Fertil** 1992;95:119-27.
- Eppig JJ, Wigglesworth K, Chesnel F. Secretion of cumulus expansion enabling factor by mouse oocytes: relationship to oocyte growth and competence to resume meiosis. **Dev Biol** 1993;158:400-9.
- Eppig JJ, Wigglesworth K, O'Brien, MJ. Comparison of embryonic development competence of mouse oocytes growth with and without serum. **Mol Reprod Dev** 1992;32:33-40.
- Eppig JJ, Peters AHMF, Telfer EE, Wigglesworth K. Production of cumulus expansion enabling factor by mouse oocytes grown *in vitro* : preliminary characterization of the factor. **Mol Reprod Dev** 1993;34:450-6.

- Eppig JJ, Schultz RM, O'Brien M, Chesnel F. Relationship between the developmental programs controlling nuclear and cytoplasmic maturation of mouse oocyte. **Dev Biol** 1994;164:1-9.
- Feng P, Catt KJ, Knecht M. Transforming growth factor- β stimulates meiotic maturation of the rat oocyte. **Endocrinology** 1988;122:181-6.
- Francis SH, Corbin JD. Structure and function of cyclic nucleotide-dependent protein kinases. **Annu Rev Physiol** 1994;56:237-72.
- Fujiwara T, Nakada K, Shirakawa H, Miyazaki S. Development of inositol triphosphate-induced calcium release mechanism during maturation of hamster oocytes. **Dev Biol** 1993;156:69-79.
- Funahashi H, Day BN. Effects of different serum supplements in maturation medium on meiotic and cytoplasmic maturation of pig oocytes. **Theriogenology** 1993;39:965-73.
- Fukui Y. Effect of follicle cells on the acrosome reaction, fertilization and developmental competence of bovine oocytes matured *in vitro*. **Mol Reprod Dev** 1990;26:40-6.
- Funahashi H, Cantly TC, Day BN. Synchronization of meiosis in porcine oocytes by exposure to dibutyryl cyclic adenosine monophosphate improve developmental competence following *in vitro* fertilization. **Biol Reprod** 1997;57:49-53.
- Gallo CJ, Hand AR, Jones TLZ, Jaffe LA. Stimulation of *Xenopus* oocyte maturation by inhibition of the G-protein α s subunit, a component of the

- plasma membrane and yolk platelet membranes. **J Cell Biol** 1995;130:275-84.
- Garside WT, De Mola JRL, Bucci JA, Tureck RW, Heyner S. Sequential analysis of zona thickness during *in vitro* culture of human zygotes : correlation with embryo quality, age, and implantation. **Mol Reprod Dev** 1997;47:99-104.
- George MA, Johnson MH. Use of fetal bovine serum substitutes for the protection of the zona pellucida against hardening during cryoprotectant addition. **Hum Reprod** 1993;11:1898-900.
- Gianfortoni JG, Gulyas BJ. The effects of shortterm incubation (aging) of mouse oocytes on *in vitro* fertilization, zona solubility, and embryonic development. **Gamete Res** 1985;11:59-68.
- Gilula NB, Epstein ML, Beers WH. Cell-to-cell communication. A study of the cumulus-oocyte complex. **J Cell Biol** 1978;78:58-75.
- Goodrowe KL, Hay M, King WA. Nuclear maturation of domestic cat ovarian oocytes *in vitro*. **Biol Reprod** 1991;45:466-70.
- Goren S, Piontkewitz Y, Dekel N. Meiotic arrest in incompetent rat oocytes is not regulated by cAMP. **Dev Biol** 1994;166:11-7.
- Goto K, Kajihara Y, Kosaka S, Koba M, Nakanishi Y, Ogawa K. Pregnancies after co-culture of cumulus cells with bovine embryos derived from *in vitro* fertilization of *in vitro* matured follicular oocytes. **J Reprod Fertil** 1988;83:753-8.

- Goud PT, Goud AP, Qian C, Laverge H, Van der Elst J, De Sutter P, et al. *In vitro* maturation of human germinal vesicle stage oocytes : role of cumulus cells and epidermal growth factor in the culture medium. **Hum Reprod** 1998;13:1638-44.
- Grana X, Reddy EP. Cell cycle control in mammalian cells: role of cyclins, cyclin dependent kinases (CDKs), growth suppressor genes and cyclin dependent kinase inhibitors (CKIs). **Oncogene** 1995;11:211-9.
- Greenwald GS. Enzymatic dissociation of the mammalian ovary to recover primordial and pre-antral follicles. **Hum Reprod** 1994;9:973-4.
- Haghighat N, Van Winkle LJ. Developmental change in follicular cell-enhanced amino acid uptake into mouse oocytes that depends on intact gap junctions and transport system Gly. **J Exp Zool** 1990;253:71-82.
- Halpin DMG, Jones A, Fink G, Charlton HM. Postnatal ovarian follicle development in hypogonadal (hpg) and normal mice and associated changes in the hypothalamic-pituitary ovarian axis. **J Reprod Fertil** 1986;77:287-96.
- Hampl A, Eppig AA. Analysis of the mechanism (s) of metaphase I arrest in maturing mouse oocytes. **Development** 1995;121:925-33.
- Han JK, Lee SK. Reducing PIP2 hydrolysis, Ins(1,4,5)P3 receptor availability, or calcium gradients inhibits progesterone-stimulated *Xenopus* oocyte maturation. **Biochem Biophys Res Commun** 1995;217:931-9.

- Han JK, Fukami K, Nuccitelli R. Reducing inositol lipid hydrolysis, Ins(1,4,5) P3 receptor availability, or Ca^{2+} gradients lengthens the duration of the cell cycle in *Xenopus laevis* blastomeres. **J Cell Biol** 1992;116:147-56.
- Harper KM, Brackett BG. Bovine blastocyst development after *in vitro* maturation in a defined medium with epidermal growth factor and low concentrations of gonadotropins. **Biol Reprod** 1993;48:409-16.
- Harrouk W, Clarke HJ. Mitogen-activated protein (MAP) kinase during the acquisition of meiotic competence by growing oocytes of the mouse. **Mol Reprod Dev** 1995;41:29-36.
- Hasler JF, Henderson WB, Hurtgen PJ, Jin ZQ, McCauley AD, Mower SA, et al. Production, freezing and transfer of bovine IVF embryos and subsequent calving results. **Theriogenology** 1995;43:141-52.
- Hillensjo T, Ekholm C, Ahren K. Role of cyclic AMP in oocyte maturation and glycolysis in the pre-ovulatory rat follicle. **Acta Endocrine** 1978;87:377-88.
- Hillensjo T, Brannstrom M, Chari S, Daume E, Magnusson C, Nilsson L, et al. Oocyte maturation as regulated by follicular factors. **Ann NY Acad Sci** 1988;267:73-9.
- Hinsch E, Hegele W, Schill WB, Hinsch KD. The zona pellucida "receptors". **Advances Experiment Med & Biol** 1997;424:313-28.
- Hirao Y, Miyano T, Kato S. Fertilization of *in vitro* grown mouse oocytes. **Theriogenology** 1990;34:1071-7.

- Hirao Y, Miyano T, Kato S. Acquisition of maturational competence in *in vitro* growth mouse oocytes. **J Exp Zool** 1993;267:543-7.
- Hirao Y, Nagai T, Kubo M, Miyano T, Miyake M, Kato S. *In vitro* growth and maturation of pig oocytes. **J Reprod Fertil** 1994;100:333-9.
- Hirshfield AN. Development of follicles in the mammalian ovary. **Int Rev Cytol** 1991;124:43-101.
- Izumi S, Slayden OD, Rubin JS, Brenner RM. Keratinocyte growth factor and its receptor in the rhesus macaque placenta during the course of gestation. **Placenta** 1996;17:123-35.
- Janssenswillen JC, Nagy ZP, Van Steirteghem A. Maturation of human cumulus-free germinal vesicle-stage oocytes to metaphaseII by coculture with monolayer Vero cells. **Hum Reprod** 1995;10:375- 8.
- Jinno M, Sandow BA, Hodgen GD. Enhancement of the developmental potential of mouse oocytes matured *in vitro* by gonadotropins and ethylenediaminetetraacetic acid (EDTA). **J In Vitro Fert Embryo Transfer** 1989;6:36-40.
- Jinno M, Sandow BA, Iizuka R, Hodgen GD. Full physiological maturation *in vitro* of immature mouse oocytes induced by sequential treatment with follicle-stimulating hormone and lutenizing hormone. **J In Vitro Fert Embryo Transfer** 1990;7:285-91.
- Kennedy JF, Donahue RP. Human oocytes : maturation in chemically defined media. **Science** 1969;164:1292-3.

- Koji T, Chedid M, Rubin JS, Slayden OD, Csaky KG, Aaronson SA, et al. Progesterone-dependent expression of keratinocyte growth factor mRNA in stromal cells of the primate endometrium: keratinocyte growth factor as a progestomedin. **J Cell Biol** 1994;125:393-401.
- Kranen RW, Overes HW, Kloosterboer HJ, Poels LG. The expression of cytoskeleton proteins during differentiation of rat granulosa cells. **Hum Reprod** 1993;8:24-9.
- Legge M. Oocyte and zygote zona pellucida permeability to macromolecules. **J Exp Zool** 1995;271:145-50.
- Maller JL, Krebs EG. Progesterone-stimulated meiotic division in *Xenopus* oocytes: Induction by regulatory subunit and inhibition by catalytic subunit of adenosine 3',5'-monophosphate-dependent protein kinase. **J Biol Chem** 1977;252:1712-8.
- Maller JL, Buchter FR, Krebs EG. Early effect of progesterone on levels of cyclic adenosine 3',5'-monophosphate in *Xenopus* oocytes. **J Biol Chem** 1979;254:579-82.
- Matten W, Daar I, Vande Woude GF. Protein kinase A acts at multiple points to inhibit *Xenopus* oocyte maturation. **Mol Cell Biol** 1994;14:4419-26.
- Meduri G, Vuhai-Luuthi MT, Jolivet A, Milgrom E. New functional zonation in the ovary as shown by immunohistochemistry of luteinizing hormone receptor. **Endocrinology** 1992;131:366-73.

- Mehlmann LM, Mikoshiba K, Kline D. Redistribution and increase in cortical inositol 1,4,5-triphosphate receptors after meiotic maturation of the mouse oocyte. **Dev Biol** 1996;180:489-98.
- Monget P, Monniaux D. Growth factors and the control of folliculogenesis. **J Reprod Fertil Suppl** 1995;49:321-33.
- Moller CC, Wassarman PM. Characterization of a proteinase that cleaves zona pellucida glycoprotein ZP2 following activation of mouse eggs. **Dev Biol** 1989;132:103-112.
- Morgan PM, Warikoo PK, Bavister BD. *In vitro* maturation of ovarian oocytes from unstimulated rhesus monkeys : assessment of cytoplasmic maturity by embryonic development after *in vitro* fertilization. **Biol Reprod** 1991;45:89-93.
- Motta PM, Makabe S, Naguro T, Correr S. Oocyte follicular cells association during development of human ovarian follicle. A study by high resolution scanning and transmission electron microscopy. **Arch Histo Cytol** 1994;57:369-94.
- Muramatsu MA, Kaibuchi K, Arai KI. A protein kinase C cDNA without the regulatory domain is active after transfection *in vitro* in the absence of phorbol ester. **Mol Cell Biol** 1989;9:831-6.
- Noh SJ, Han JK. Inhibition of the adenylyl cyclase and activation of the phosphatidylinositol pathway in oocytes through expression of serotonin receptors does not induce oocyte maturation. **J Exp Zoo** 1998;280:45-56.

- Ogreid D, Ekanger R, Suva RH, Miller JP, Doskeland SO. Comparison of the two classes of binding sites (A and B) of type I and type II cyclic-AMP-dependent protein kinases by using cyclic nucleotide analogs. **Eur J Biochem** 1989;181:19-31.
- Parrott JA, Skinner MK. Developmental and hormonal regulation of keratinocyte growth factor expression and action in the ovarian follicle. **Endocrinology** 1998;139:228-35.
- Parrott JA, Vigne JL, Chu BZ, Skinner MK. Mesenchymal-epithelial interactions in the ovarian follicle involve keratinocyte and hepatocyte growth factor production by theca cells and their action on granulosa cells. **Endocrinology** 1994;135:569-75.
- Pedersen KO. Fetuin, a new globulin isolated from serum. **Nature** 1944;154:575
- Philpott CC, Ringuette MJ, Dean J. Oocyte-specific expression and developmental regulation of ZP3, and sperm receptor of the mouse zona pellucida. **Dev Biol** 1987;121:568-75.
- Pincus G, Enzmann EV. The comparative behavior of mammalian eggs *in vivo* and *in vitro*. I. The activation of ovarian eggs. **J Exp Med** 1935;62: 665-75.
- Rao MC, Midgley Jr AR, Richards JS. Hormonal regulation of ovarian cellular proliferation. **Cell** 1978;14:71-8.

- Rempel RE, Sleight SB, Maller JL. Maternal Xenopus Cdk2-cyclin E complexes function during meiotic and early embryonic cell cycles that lack a G1 phase. **J Biol Chem** 1995;270:6843-55.
- Richards JS. Hormonal control of gene expression in the ovary. **Endocr Rev** 1994;15:725-51.
- Roudebush WE, Leving AS, Lodge JS, Tsai CC, Butler WJ. Human follicular fluid and mouse cumulus cells act synergistically to enhance preimplantation mouse Balb/cJ embryo development. **J Assist Reprod Gen** 1995;12:733-7.
- Roy SK, Treacy BJ. Isolation and long-term cultures of human preantral follicles. **Fertil Steril** 1993;59:783-90.
- Rubin JS, Bottaro DP, Chedid M, Miki T, Ron D, Cheon G, et al. Keratinocyte growth factor. **Cell Biol Int Rep** 1995;19:399-411.
- Sadler SE, Maller JL. Progesterone inhibits adenylate cyclase in Xenopus oocytes. **J Biol Chem** 1981;256:6368-73.
- Sanders MM, Midgley AR. Cyclic nucleotides can induce luteinizing hormone receptor in cultured granulosa cells. **Endocrinology** 1983;112:1382-88.
- Sato E, Ishibashi T. Meiotic arresting action of the substance obtained from cell surface of porcine ovarian granulosa cells. **Jpn J Zootech Sci** 1977;48: 22-6.
- Schiewe MC, Araujo E, Asch RH, Balmaceda JP. Clinical assisted reproduction : Enzymatic characterization of zona pellucida hardening in human eggs and embryos. **J Assist Reprod Gen** 1995;12:2-7.

Schramm RD, Bavister BD. Granulosa cells from follicle stimulating hormone-primed monkeys enhance the development competence of *in vitro* matured oocytes from non-stimulated rhesus monkeys. **Hum Reprod** 1996;11:1698-1702.

Schramm RD, Tennier MT, Boatman DE, Bavister BD. Chromatin configurations and meiotic competence of oocytes are related to follicular diameter in nonstimulated rhesus monkeys. **Biol Reprod** 1993;48:349-56.

Schroeder AC, Eppig JJ. The developmental capacity of mouse oocytes that matured spontaneously *in vitro* is normal. **Dev Biol** 1984;102:493-7.

Schroeder AC, Eppig JJ. Developmental capacity of mouse oocytes that undergo maturation *in vitro* : Effects of hormonal state of the oocyte donor. **Gamete Res** 1989;24:81-92.

Schroeder AC, Downs SM, Eppig JJ. Factors affecting the developmental capacity of mouse oocytes undergoing maturation *in vitro*. **Ann NY Acad Sci** 1988;541:197-204.

Schroeder AC, Schultz RM, Kopf GS, Taylor FR, Becker RB, Eppig JJ. Fetuin inhibits zona pellucida hardening and conversion of ZP2 to ZP2f during spontaneous mouse oocyte maturation *in vitro* in the absence of serum. **Biol Reprod** 1990;43:891-7.

Schultz RM, Montgomery RR, Ward-Bailey PF, Eppig JJ. Regulation of oocyte maturation in the mouse : possible roles of intercellular

communication, cAMP, and testosterone. **Dev Biol** 1983;95:294-304.

Shalgi R, Dekel N, Kraicer PF. The effect of LH on the fertilizability and developmental capacity of rat oocytes matured *in vitro*. **J Reprod Fertil** 1979;55:429-35.

Sherr CJ. Cancer cell cycles. **Science** 1996;274:1672-7.

Shoham Z, Jacobs HS, Insler V. Lutenizing hormone : Its role, mechanism of action and detrimental effects when hypersecreted during the follicular phase. **Fertil Steril** 1993;59:1153-61.

Sirard MA, Parrish JJ, Ware CB. The culture of bovine oocytes to obtain developmentally competent embryos. **Biol Reprod** 1988;39:546-52.

Skinner MK, Osteen KG. Developmental and hormonal regulation of bovine granulosa cell function in the preovulatory follicle. **Endocrinology** 1988;123:1668-75.

Smith LD. The induction of oocyte maturation: Transmembrane signaling events and regulation of the cell cycle. **Development** 1989;107:685-99.

Sorensen RA, Wassarman PM. Relationship between growth and meiotic maturation of the mouse oocyte. **Dev Biol** 1976;50:531-6.

Spaulding SW. The ways in which hormones change cyclic adenosine 3',5'-monophosphate-dependent protein kinase subunits, and how such changes affect cell behavior. **Endocrine Rev** 1993;14:632-50.

Spears N. *In vitro* growth of oocytes : *In vitro* growth of ovarian oocytes. **Hum Reprod** 1994;9:969-70.

- Stith BJ, Kirkwood AJ, Wohnlich E. Insulin-like growth factor I, insulin, and progesterone-induce early and late increases in *Xenopus* oocyte sn-1,2-diacylglycerol levels before meiotic cell division. **J Cell Physiol** 1991;149:252-9.
- Stith BJ, Jaynes C, Goalstone M, Silva S. Insulin and progesterone increase ³²PO₄-labeling of phospholipids and inositol 1,4,5-triphosphate mass in *Xenopus* oocyte. **Cell Calcium** 1992;13:341-52.
- Suzuki S, Tojo R, Kitai H, Kurasawa S, Kimura H, Nango S, et al. Maturation and activation of mammalian oocytes *in vitro*. **Hum Reprod** 1998;13:1012-18
- Taieb F, Jesus C. *Xenopus* cyclin D2: Cloning and expression in oocytes and during early development. **Biol Cell** 1996;88:in press.
- Taieb F, Thibier C, Jesus C. On cyclins, oocytes, and eggs. **Mol Reprod Dev** 1997;48:397-411.
- Tanphaichitr N, Smith J, Kates M. Levels of sulfogalactosylglycerolipid in capacitated motile and immotile mouse spermatozoa. **Biochem Cell Biol** 1990;68:528-35.
- Thibault C, Szollosi D, Gerard M. Mammalian oocyte maturation. **Reprod Nutr Dev** 1987;27:865-96.
- Tikoo R, Casaccia-Bonnet P, Chao MV, Koff A. Changes in cyclin-dependent kinase 2 and p27^{Kip1} accompany glial cell differentiation of central glial-4 cells. **J Biol Chem** 1997;272:442-7.

- Trounson A, Gardner DK. **Handbook of *in vitro* fertilization**. CRC Press, Florida, USA 1993:17-32.
- Trounson A, Pushett D, Maclellan LJ, Lewis I, Gardner DK. Current status of IVM/IVF and embryo culture in human and farm animals. **Theriogenology** 1994;41:57- 66.
- Tsafiri A. Local nonsteroidal regulators of ovarian function. In : E Knobil, editors. **The physiology of reproduction, vol. 2**. New York : Raven Press, 1988:527-65.
- Tsafiri A, Dekel N, Bar-Ami S. The role of oocyte maturation inhibitor in follicular regulation of oocyte maturation. **J Reprod Fert** 1982;64:541-51.
- Vanderhyden SC, Armstrong DT. Role of cumulus cells and serum on the *in vitro* maturation, fertilization, and subsequent development of rat oocytes. **Biol Reprod** 1989;40:720-8.
- Vanderhyden SC, Armstrong DT. Effects of gonadotropins and granulosa cell secretions on the maturation and fertilization of rat oocytes *in vitro*. **Mol Reprod Dev** 1990;26:337-46.
- Vanderhyden SC, Telfer EE, Eppig JJ. Mouse oocytes promote proliferation of granulosa cells from preantral and antral follicles *in vitro*. **Biol Reprod** 1992;46:1196-204.
- Wang X-N. Hypophysectomy of the cyclic mouse. II. Effects of follicle-stimulating hormone (FSH) and luteinizing hormone on folliculogenesis,

FSH and human chorionic gonadotropin receptors, and steroidogenesis.

Biol Reprod 1993;48:595-605.

Wassermen WJ, Freedman AB, Labella JJ. Sn-1,2-diacylglycerol levels increase in progesterone-stimulated *Xenopus laevis* oocytes **J Exp Zool** 1990;255:63-71.

Wickramasinghe D, Ebert KM, Albertini DF. Meiotic competence acquisition is associated with the appearance of M-phase characteristics in growing mouse oocytes. **Dev Biol** 1991;143:162-72.

Wu S, Wolgemuth DJ. The distinct and developmentally regulated patterns of expression of members of the mouse *cdc25* gene family suggests differential functions during gametogenesis. **Dev Biol** 1995;170:195-206.


Yang X, Jiang S, Foote RH. Bovine development following different oocyte maturation and sperm capacitation procedures. **Mol Reprod Dev** 1993;34:94-100.

Yoshida M, Mizoguchi Y, Ishigaki K, Kojima T, Nagai T. Birth of piglets derived from *in vitro* fertilization of pig oocytes matured *in vitro*. **Theriogenology** 1993;39:1303-11.

BIOGRAPHY

I was born on October 29, 1960 in Chonburi, Thailand. I graduated with B.Sc. (Biology) from the Faculty of Science, Ramkhamhaeng University in 1983, and M.Sc. (Physiology) from the Inter-Department of Physiology, Graduate School, Chulalongkorn University in 1987. I am the lecturer of the Unit of Physiology, Department of Medical Science, Faculty of Science, Rangsit University. I finished with the degree of Doctor of Philosophy in Physiology, Inter-Department of Physiology, Graduate School, Chulalongkorn University in 1999.

PUBLICATIONS

1. อรรถกร กู้ตระกูล และประมวล วิรุตมเสน The Growing Oocyte and Maturation : *in vitro* Maturation of Oocytes. New Concepts in Assisted Reproductive Technology. ภาควิชาสูติศาสตร์-นรีเวชวิทยา คณะแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย หน้า 154-171, 2540.
 
2. Kutrakul A, Yodyingyuad V, Virutamasen P. Role of Gonadotropins in Oocyte Maturation *in vitro*. Oral presentation at Hand-on Workshop in New Concepts in Assisted Reproductive Technology, Navamintrachenee Building, Chulalongkorn University, July 13-16, 1998.
3. Kutrakul A, Yodyingyuad V, Virutamasen P. Relationship Between the Time Course of *in vitro* and *in vivo* Oocytes Maturation and Fertilization *in vitro* in Mouse. Oral presentation at The Royal Thai College of Obstetricians and Gynaecologists XIIIth Annual Scientific Meeting, at Khon Kaen province, October 20-22, 1998.
4. Kutrakul A, Yodyingyuad V, Virutamasen P. Role of Oocyte Maturation Inducers on Oocyte Maturation and *in vitro* Fertilization in Mouse. Oral presentation at The Royal Thai College of Obstetricians and Gynaecologists XIIIth Annual Scientific Meeting, at Khon Kaen province, October 20-22, 1998.