



REFERENCES

- Acosta, J.A., Morales, E., Ojeda, M.C., and Linares, J. (1986). Material Science, 21, 725.
- Bartczak, Z., Argon, A.S., Cohen, R. E., and Weinberg, M. (1999). Toughness mechanism in semi-crystalline polymer blends: II. High density polyethylene toughened with calcium carbonate filler particles. Polymer, 40, 2347-2365.
- Ewen, J. A., Johns, R.L., Razavi, A., Ferrara. J.D. (1988). Journal of American Chemical Society, 110, 6255.
- Feng, Y., Jin, X., and Rook, J.N. (1998). Effects of nucleating agent addition on crystallization of isotactic polypropylene. Journal of Applied Polymer Science, 69, 2089-2095.
- Fujiyama, M., and Wakino, T. (1991). Structure and properties of injection moldings of Crystallization nucleator-added polypropylene I. Structure-Property relationship. Journal of Applied Polymer Science, 42, 2739-2749.
- Goldman, A.Y., and Copsey, C.J. (2000). Polypropylene toughened with calcium carbonate mineral filler. Mat Res Innoval, 3, 302-307.
- Kim, K.J., and White J.L. (1999). Rheological investigations of suspensions of talc, calcium carbonate and their mixture in a polystyrene melt. Polymer Engineering and Science, 39(11), 2189-2198.
- Kim, Y.C., and Kim, C.Y. (1991). Crystallization characteristics of isotactic polypropylene with and without nucleating agents. Polymer Engineering and Science, 31(14), 1009-1014.
- Kowalewski, T., and Galewski, A. (1986). Influence of chalk and its surface treatment on crystallization of filled polypropylene. Journal of Applied Polymer Science, 32, 2089-2095.
- Li, L. and Masuda, T. (1990). Effect of dispersion of particles on viscoelasticity of CaCO₃-filled polypropylene melt. Polymer Engineering and Science, 30 (14), 841-847.

- Mlecnik, E., and La Mantia, F. P. (1997). Influence of calcium-based fillers and vegetable oil on the processability and yield behavior of polyolefin. Journal of Applied Polymer Science, 43, 2761-2772.
- Maiti, S.N., and Mahapatro, P.K. (1991). Mechanical Properties of i-PP/CaCO₃ composites. Journal of Applied Polymer Science, 42, 3101-3110.
- McGenity, P.M., Hooper, J.J., Paynter, C.D., Nutbeem, C., Elton, N.J., and Adam, J.M. (1992). Nucleation and crystallization of polypropylene by mineral fillers: relationship to impact strength. Polymer, 33(24), 5215-5224.
- Mitsushi, K., Ueno, S., Kodoma, S., and Kawasaki, H. (1991). Crystallization behavior of polypropylene filled with surface-modified calcium carbonate. Journal of Applied Polymer Science, 43, 2043-2049.
- Natta, G., Pasguon, I., and Zambelli, A. (1962). Journal of American Chemical Society, 84, 1488.
- Prempet, K., and Horanont, P. (1999). Influence of stearic-acid treatment of filler particles on the structure and properties of ternary-phase polypropylene composites. Journal of Applied Polymer Science, 74, 3445-3454.
- Pukanszky, B. (1995). In: Karger-Kocsis, J. Polypropylene: Structure, blend and composites volume3-composites, Chapman & Hall, London.
- Ren, Z., Shanks, R.A. and Rook, T.J. (2001). Crystallization and melting of highly filled polypropylene composite prepared with surface-treated fillers. Journal of Applied Polymer Science, 79, 1942-1948.
- Riley, A.M., Paynter, C.D., McGenity, P.M., and Adams, J. .M. (1990). Plastics and Rubber Processing and Applications, 14, 85.
- Rybnikar, F. (1991). Interaction in the system isotactic polypropylene-calcite. Journal of Applied Polymer Science, 42, 2727-2737.
- Sticker, F., Bruch, M., and Mulhaupt, R. (1997). Mechanical and thermal properties of syndiotactic polypropylene filled with glass beads and talcum. Polymer, 38, 5347-5353.
- Supaphol, P., and Spruiell, J.E. (2000). Crystalline memory effects in isothermal crystallization of syndiotactic polypropylene. Journal of Applied Polymer Science, 75, 337-346.

- Supaphol, P. (2000). Nonisothermal bulk crystallization and subsequent melting behavior of syndiotactic polypropylene: crystallization from the melt state. Journal of Applied Polymer Science, 78, 338-354.
- Supaphol, P., and Spruiell, J.E. (2000). Thermal properties and isothermal crystallization of syndiotactic polypropylene: differential scanning calorimetry and overall crystallization kinetics. Journal of Applied Polymer Science, 75, 44-59.
- Supaphol, P., and Spruiell, J.E. (2001). Isothermal melt- and cold-crystallization kinetics and subsequent melting behavior in syndiotactic polypropylene: a differential scanning calorimetry study. Polymer, 42(2), 699-712.
- Supaphol, P. (2001). Crystallization and melting behavior in syndiotactic polypropylene: origin of multiple melting phenomenon. Journal of Applied Polymer Science, 82(5), 1083-1097.
- Tjong, S.C., Li, R.K.Y., and Cheung, T. (1997). Mechanical behavior of CaCO₃ particulated filled β -crystalline phase polypropylene composites. Polymer Engineering and Science, 37(1), 166-172.
- Tjong, S.C., and Xu, S. A. (1997). Non-isothermal crystallization kinetics of calcium carbonate-filled β -crystalline phase polypropylene composites. Polymer International, 44, 95-103.
- Wang, Y., and Wang, J.J. (1999). Shear yield behavior of calcium carbonate-filled polypropylene. Polymer Engineering and Science, 39(1), 190-198.
- Wang, Y. And Yu, M.J. (2000). Effect of volume loading and surface treatment on the thixotropic behavior of polypropylene filled with calcium carbonate. Polymer Composites, 21(1), 1-12.

CURRICULUM VITAE

Name: Ms. Wipasiri Harnsiri

Date of Birth: January 16, 1979

Nationality: Thai

University Education:

1996-2000 Bachelor Degree of Science (Second Class Honors) in Material Science, Faculty of Science, Chulalongkorn University, Bangkok, Thailand

