



REFERENCES

- Bar, G., Thimann, Y., Brandsch, R., Cantow, H. -J., and Whangbo, M. -H. (1997). Factors affecting the height and phase images in tapping mode atomic force microscope. Study of phase-separated polymer blends of poly (ethene-*co*-styrene) and poly (2,6-dimethyl-1,4-phenylene oxide). Langmuir, 13, 3807-3812.
- Cantrell, W. and Ewing, G.E. (2001). Thin film water on muscovite mica. J.Phys. Chem. B, 105, 5434-5439.
- Chujo, Y. and Saegusa, T. (1992). Organic polymer hybrids with silica gel formed by means of the sol-gel method. Advances in Polymer Science, 100, 11-29.
- Ertl, G., Knozinger, H., and Weirkamp (Eds.). (1997). Handbook of Heterogeneous Catalysis. Weinheim: VCH.
- Gao, Y., Roy, N., Dutta, C. N., Matisons, J., Reading, M., and Delmotte, L. (2001). Organic/inorganic hybrid from ionomer via sol-gel reation. Chem.Mater., 13, 3644-3652.
- Grant, L.M., Tiberg, F., and Ducker, W.A. (1988). Nanometer-scale organization of ethylene oxide surfactants on graphite, hydrophilic silica and hydrophobic silica. J. Phys. Chem. B, 102, 4288-4294.
- Grosse, I. and Estel, K. (2000). Thin surfactant layers at the solid interface. Colloid Polym SCI, 278, 1000-1006.
- Iler, R. K. (1979). The Chemistry of Silica, New York: John Wiley and Sons.
- Jang, J. and Park, H. (2002). In situ sol-gel process of polystyrene/silica hybrid materials:Effect of silane-coupling agents. Journal of Applied Polymer Science, 85, 2074-2083.
- Kimura, M., Wada, K., Ohka, K., Hanabusa, K., Shirai, H., and Kobayashi, N. (2001). Organic-inorganic composites comprised of ordered stacks of amphiphilic molecular disks. J. Am. Chem. Soc., 123, 2438-2439.
- Király, Z., Börner, R.H., and Findenegg, G.H. (1997). Adsorption and aggregation of C₈E₄ and C₈G₁ nonionic surfactants on hydrophilic silica studied by calorimetry. Langmuir, 13, 3308-3315.

- Manne, S., Cleveland, J.P., Gaub, H. E., Stucky, G.D., and Hansma, P.K. (1994). Direct visualization of surfactant hemimicelles by force microscopy of the electrical double layer. *Langmuir*, 10, 12, 4409-4413.
- Manne, S. and Gaub, H.E. (1995). Molecular organization of surfactants at solid-liquid interface. *Nature*, 270, 1480-1482.
- Narkiewicz-Michalek, J. (1992). A theoretical interpretation of cationic surfactant adsorption on mica, monitored by electron spectroscopy for chemical analysis: Effects of the surface energetic heterogeneity of mica. *Langmuir*, 8, 7-13.
- O'Haver, J.H., Harwell, J.H., Evans, L.R., and Waddell, W.H. (1996). Polar copolymer-surface-modified precipitated silica. *Journal of Applied Polymer Science*, 59, 1427-1435.
- Osman, M. A., Seyfang, G., and Suter, U. W. (1994). Two-dimensional melting of alkane monolayer ionically Bonded to Mica. *J. Phys. Chem. B*, 104, 4433-4439.
- Patrick, H.N., Warr, G.G., Manne, S., and Aksay, I.A. (1997). Self-assembly structures of nonionic surfactants at graphite/solution interface. *Langmuir*, 13, 4349-4356.
- Pedroso, M.A.S., Dias, M.L., Azuma, C., and Moth'e, C.G. (2000). Hydrocarbon dispersion of nanosperical silica by a sol-gel process. 1. Tetraethoxysilane homopolymerization. *Colloid Polym Sci*, 278, 1180-1186.
- Penfold, J., Staples, E., and Tucker, I. (2002). On the consequence of surface treatment on the adsorption of nonionic surfactants at the hydrophilic silica-solution interface. *Langmuir*, 18, 2967-2970.
- Reculusa, S., Poncet-Legrand, C., Ravaine, S., Mingotaud, C., Duguet, E., and Bougeat-Lami, E. (2002). Syntheses of raspberrylike silica/polystyrene materials. *Chem. Mater.*, 13, 3002-3007.
- Rosen, M.J. (1988). *Surfactants and Interfacial Phenomena*. 2nd Edition: New York: John Wiley & Sons.
- Rutland, M.W. and Christenson, H. K. (1990). The effect of nonionic surfactant on ion adsorption and hydration forces. *Langmuir*, 6 (6), 1083-1087.

- Rutland, M.W. and Senden, T.J. (1993). Adsorption of the poly(oxyethylene) nonionic surfactant C₁₂E₅ to silica: A study using atomic force microscope. Langmuir, 1993, 9, 412-418.
- Sakhalkar, S.S. and Hirt, D.E. (1995). Admicellar polymerization of polystyrene on glass fibers. Langmuir, 11, 3369-3373.
- Saphanuchart, W. (2001). Atomic Force Microscope Studies of Ultra Thin Silica Film Formation from Adsolubilized Tetra-n-Butoxysilane Polymerization on Mica. M.S. Thesis, The Petroleum and Petrochemical College, Chulalongkorn University.
- Tamaki, R., Naka, K., and Chujo, Y. (1997). Synthesis of polystyrene/silica gel polymer hybrids by in-situ polymerization method. Polymer Bulletin, 39 (3), 303-310.
- Tamahi, R. and Chujo, Y. (1999). Synthesis of polystyrene and silica gel polymer hybrids utilizing ionic interactions. Chem. Mater., 1999, 11, 1719-1726.
- Tiberg, F., Brinck, J., and Grant, L. (2000). Adsorption and surface-induced self-assembly of surfactants at the solid-aqueous interface. Current Opinion in Colloid & Interface Science, 4, 411-419.
- Wu, J., Harwell, J.H., and O'Rear, E.A. (1987). Two-dimensional reaction solvents: surfactant bilayers in the formation of ultrathin films. Langmuir, 3, 531-537.

CURRICULUM VITAE

Name: Ms. Rampaiphan Saechia

Date of Birth: November 11, 1979

Nationality: Thai

University Education:

1997 – 2001 Bachelor Degree of Engineering in Chemical Engineering,
Faculty of Engineer, Thammasat University, Bangkok, Thailand

