

## REFERENCES

- Ahmed, A.A. and Jakupovic, J. 1990. Sesqui- and monoterpenes from *Jasonia montana*. Phytochemistry 29 : 3658-3661.
- Ahmed, B. and Merotra, R. 1991. Coleoside-B: A new phenolic glycoside from *Coleus forskohlii*. Pharmazie 46 : 157-158.
- Ahmed, B. and Vishwakarma, R.A. 1988. Coleoside, a monoterpene glycoside from *Coleus forskohlii*. Phytochemistry 27 : 3309-3310.
- Alonso, W.R. and Croteau, R. 1991. Purification and characterization of the monoterpene cyclase  $\gamma$ -terpinene synthase from *Thymus vulgaris*. Arch. Biochem. Biophys. 286 : 511-526.
- Alonso, W.R., Rajaonarivony, J.I.M., Gershenzon, J. and Croteau, R. 1992. Purification of 4S-limonene synthase, a monoterpene cyclase from the glandular trichomes of peppermint (*Mentha x piperita*) and spearmint (*Mentha spicata*). J. Biol. Chem. 267 : 7582-7593.
- Arihara, S., Ruedi, P. and Eugster, C.H. 1975. Neue spiro-cyclopropyl-cyclogexendion-diterpene: Colenone M, N, P, Q, R sowie barbatusin aus *Plectranthus caninus* und Coleon O aus *Coleus somaliensis*. Helv. Chim. Acta. 58 : 343-356.
- Asprey, G.F. and Thornton, P. 1955. Medicinal plants of Jamaica. III. West Indian Med. J. 4 : 69-82.
- Aswal, B.S., Bhakuni, D.S., Goel, A.K., Kar, K., Mehrotra, B.N. and Mukherjee, K.C. 1984. Screening of Indian plants for biological activity: Part X. Indian J. Exp. Biol. 22 : 312-332.
- Baslas, R.K. and Kumar, P. 1981. Chemical examination of essential oil of *Coleus aromaticus* Benth. J. Indian Chem. Soc. 58 : 103-104.
- Bhakuni, O.S., Dhar, M.L., Dhar, M.M., Dhawan, B.N., Gupta, B., and Srimali, R.C. 1971. Screening of Indian plants for biological activity. Part III. Indian J. Exp. Biol. 9 : 91-99.
- Bhat, S.V. 1993. Forskolin and congeners. In Progress in the Chemistry of Organic Natural Products, Vol.62, pp. 1-74. New York : Springer-Verlag.

- Blake, S.T. 1971. A Revision of *Plectranthus* (Labiatae) in Australia, 420 pp., Contrib. from the Queensland Herbarium No. 9. Queensland Herb., Dept. of Primary Industry, Brisbane, Australia.
- Boily, Y. and Van Puyvelde, L. 1986. Screening of medicinal plants of *Rwanda* (Central Africa) for antimicrobial activity. J. Ethnopharmacol. 16 : 1-13.
- Bos, R., Hendriks, H. and Van Os, F.H.L. 1983. The composition of the essential oil in the leaves of *Coleus aromaticus* Benth and their importance as a component. Pharm. Weekbl. (scied) 5 : 129-130. Chemical Abstract No. 99 181332 x.
- Brieskorn, C.H. and Riedel, W. 1977a. Flavonoids from *Coleus amboinicus*. Planta Med. 31 : 308-310.
- Brieskorn, C.H. and Riedel, W. 1977b. Triterpene acids from *Coleus amboinicus*. Arch. Pharm. (Weinheim) 310 : 910-915.
- Brown, W.H. 1946. Useful Plants of the Philippines, Vol. 3. Manila : Agriculture and Commercial Department.
- Burkill, I.H. 1966. Dictionary of the Economic Products of the Malay Peninsula, Vol. 1, Kuala Lumpur : Ministry of Agriculture and Cooperatives.
- Castillo, U.F., Wilkins, A.L., Lauren, D.R., McNaughton, D.E. and Smith, B.L. 1995. Structure elucidation of 1,4-dihydroxy-2-*iso*-propyl-5-methylphenyl-1-0- $\beta$ -D-glucopyranoside, a constituent of *Pteridium aquilinum* var. *caudatum*. J. Nat. Prod. 58 : 1889-1891.
- Chopra, R.N., Chopra, I.C. Handa, K.L. and Kapur, L.D. 1958. Chopra's Indigenous Drugs of India (2nd ed.). Calcutta : U.N. Dhur & Sons, Pub. Ltd.
- Couvee, S. 1952. Compilation of herbs, plants, crops supposed to be effective in various complaints and illnesses. J. Sci. Res. 15 : 1-16.
- Croteau, R., Karp, F., Wagschal, K.C., Satterwhite, D.M., Hyatt, D.C. and Skotland, C.B. 1991. Biochemical characterization of a spearmint mutant that resembles peppermint in monoterpene content. Plant Physiol. 96 : 744-759.
- D'Agostino, M., de Simone, F., Zollo, F. and Pizza, C. 1990. A monoterpene glycoside from *Eupatorium tinifolium*. Phytochemistry 29 : 3656-3657.

- de Souza, N.J. 1993. Rohitukine and forskolin: second-generation immunomodulatory, intraocular-pressure-lowering, and cardiotoxic analogues. In Human medicinal agents from plants, pp. 331-340. Washington, D.C. : American Chemical Society.
- de Souza, N.J., Dohadwalla, A.N. and Reden, J. 1983. Forskolin: a labdane diterpenoid with antihypertensive, positive inotropic, platelet aggregation inhibitory, and adenylate cyclase activating properties. Medicinal research reviews. 3 : 201-219.
- Devriese, E.G., Buffel, K. and Geuns, J.M.C. 1988. Stimulation of adventitious root formation on mung bean cuttings by coleon O. Phytochemistry 27 : 293-294.
- Dewick, P.M. 1995. The biosynthesis of C<sub>5</sub> - C<sub>20</sub> terpenoids compounds. Nat. Prod. Rep. 12 : 510-517.
- Drury, H. 1873. The Useful Plants of India. pp.1-512., London : William H. Allen & Co.
- Dubey, M.P., Srimal, R.C., Nityanand, S. and Dhawan, B.N. 1981. Pharmacological studies on coleonol, a hypotensive diterpene from *Coleus forskohlii*. J. Ethnopharmacol. 3 : 1-13.
- Eugster, C.H., Kung, H.P., Kuhn, H. And Karrer, P. 1963. Solierung und charakterisierung zweier neuer Blattfarbstoffe. Helv. Chim. Acta. 46 : 530-543.
- Gabetta, B., Zini, G. and Daneli, B. 1989. Minor diterpenoids of *Coleus forskohlii*. Phytochemistry 28 : 859-862.
- Gan, F.Y., Zheng, G.Z. and Shen, Y.M. 1993. Callus induction and its active component production from *Coleus forskohlii*. Tianran Chanwu Yanjiu Yu Kaifa 5 : 50-53. Chemical Abstract No. 119 45340 c.
- Garcia, L.L., Cosme, L.L., Peralta, H.R. and Garcia, B.M. 1973. Phytochemical investigation of *Coleus blumei*. I. Preliminary studies of the leaves. Philippine J. Sci. 102 : 1-12.

- Gupta, P.P., Srimal, R.C. and Tandon, J.S. 1993. Antiallergic activity of some traditional Indian medicinal plants. Int. J. Pharmacog. 31 : 15-18.
- Haque, I.U. 1988. Analysis of volatile constituents of Pakistani *Coleus aromaticus* plant oil by capillary gas chromatography/mass spectrometry. J. Chem. Soc. Pak. 10 : 369-371. Chemical Abstract No. 110 72500 a.
- Hedberg, I., Hedberg, O., Madati, P.J., Mshigeni, K.E., Mshiu, E.N. and Samuelsson, G. 1983. Inventory of plants used in traditional medicine in Tanzania. II. Plants of the families Dilleniaceae-Opiliaceae. J. Ethnopharmacol. 9 : 105-127.
- Heywood, V.H. 1978. Flowering Plants of the World, pp.238-239. Oxford : Oxford University Press.
- Higuchi, R., Kawasaki, T., Biswas, M., Pandey, V.B. and Dasgupta, B. 1982. Triterpenoid saponins from the stem bark of *Symplocos spicata*. Phytochemistry 21 : 907-910.
- Holdsworth, D. 1984. Phytomedicine of the Madang Province, Papua New Guinea. Part 1. Karkar Island. Int J. Crude Drug Res. 22 : 111-119.
- Holdsworth, D. 1989. High altitude medicinal plants of Papua New Guinea. Int. J. Crude Drug Res. 27 : 95-100.
- Hooker, J.D. 1953. Labiatae. In The Flora of British India, Vol.4, pp. 624-627. London : Reeve & Co.
- Jauhari, P.K., Katti, S.B., Tandon, J.S. and Dhar, M.M. 1978. Coleosol-a new diterpene from *Coleus forskohlii*. Indian J. Chem. Ser. B 16 : 1055-1057.
- Jin, Q.D., Xie, Z.H. and Mu, Q.Z. 1990. Chemical constituents from *Coleus forskohlii* Briq. Tianran Chanwu Yanjiu Yu Kaifa 2 : 6-9. Chemical Abstract No. 115 25975 c.
- John, D. 1984. One hundred useful raw drugs of the Kani Tribes of Trivandrum Forest Division, Kerala, India. Int. J. Crude Drug Res. 22 : 17-39.
- Johns, T., Kokwaro, J.O. and Kimanani, E.K. 1990. Herbal remedies of the Luo of Siaya District, Kenya : Establishing quantitative criteria for consensus. Econ. Bot. 44 : 369-381.
- Katti, S.B., Jauhari, P.K. and Tandon, J.S. 1979. New diterpenes from *Coleus forskohlii*: Structures of the diterpenes, coleonol-D, coleol & coleonone. Indian J. Chem. Ser. B 17 : 321-323.

- Karp, F., Mihaliak, C.A., Harris, J.L. and Croteau, R. 1990. Monoterpene biosynthesis : specificity of the hydroxylations of (-)-limonene by enzyme preparations from peppermint (*Mentha piperita*), spearmint (*Mentha spicata*), and perilla (*Perilla frutescens*) leaves. Arch. Biochem. Biophys. 276 : 219-226.
- Kelecom, A. 1983a. 6-Beta-hydroxycarnosol, a new minor diterpene from the false boldo *Coleus barbatus* bentham (Labiatae). Quim. Nova. 6 : 117-118. Chemical Abstract No. 100 3468 c.
- Kelecom, A. 1983b. Isolation, structure determination, and absolute configuration of barbatusol, a new bioactive diterpene with a rearranged abietane skeleton from the Labiate *Coleus barbatus*. Tetrahedron 39 : 3603-3608.
- Kelecom, A. 1984. An abietane diterpene from the Labiate *Coleus barbatus*. Phytochemistry 23 : 1677-1679.
- Kelecom, A. and Dos Santos, T.C. 1985. Cariocal, a new seco-abietane diterpene from the Labiate *Coleus barbatus*. Tetrahedron Lett. 26 : 3659-3662.
- Kelecom, A. and Medeiros, W.L.B. 1987. Revision of the stereochemistry at c-6 of 6-alpha-hydroxycarnosol, a diterpene from the false boldo, *Coleus barbatus* Bentham (Labiatae). An. Acad. Brasil Cienc. 53 : 369-374. Chemical Abstract No. 109 110682 a.
- Kelecom, A., Dos Santos, T.C., Medeiros, W.L.B. 1987. Secoabietane diterpenes from *Coleus barbatus*. Phytochemistry 26 : 2337-2340.
- Khandelwal, Y.R., Jotwani, B.R., Inamdar, D.K., de Souza, N.J. and Rupp, R.H. 1989. Isolation, structure elucidation and synthesis of 1-deoxyforskolin. Tetrahedron 45 : 763-766.
- Kloos, H., Thiongo, F.W., Ouma, J.H. and Butterworth, A.E. 1987. Preliminary evaluation of some wild and cultivated plants for snail control in Machakos District, Kenya. J. Trop. Med. Hyg. 90 : 197-204.
- Kunzle, J.M., Ruedi, P., Prewo, R. and Eugster, C.H. 1986. Structure of edulon A. Helv. Chim. Acta. 69 : 1513-1520.
- Lama, S. and Santra, S.C. 1979. Development of Tibetan plant medicine. Sci. Cult. 45 : 262-265.

- Li, C.M., Lin, Z.W., Tao, G.D., Zhang, H.J. and Sun, H.D. 1991b. The Chemical constituents of *Coleus xanthanthus*. Yun-Nan Chih. Wu. Yen. Chiu. 13 : 327-330. Chemical Abstract No. 116 170108 x.
- Li, C.M., Lin, Z.W., Zheng, H.L., Zhang, H.J. and Sun, H.D. 1992. The chemical constituents of *Coleus esquirolii*. Yun-Nan Chih. Wu. Yen. Chiu. 14 : 198-202. Chemical Abstract No. 118 3862 y.
- Li, C.M., Zhang, G.H., Lin, Z.W., Zheng, H.L., and Sun, H.D. 1991a. Structure of esquirolin A. Yun-Nan Chih. Wu. Yen. Chiu. 13 : 216-218. Chemical Abstract No. 115 252107 q.
- Maia, J.G.S., Ramos, L.S., Luz, A.I.R., Da Silva, M.L. and Zoghbi, M.G.B. 1988. Uncommon brazilian essential oils of the Labiatae and Compositae. Dev. Food Sci. 18: 177-188.
- Malik, M.S., Ahmad, R., Khan, S.A. and Bhatti, M.K. 1985. Studies on the essential oil of the *Coleus aromaticus* plant. Pak. J. Sci. Ind. Res. 28 : 10-12. Chemical Abstract No. 103 3760 d.
- Mathela, D.K., Kharkwal, H.B. and Mathela, C.S. 1986. Terpenoids of roots of *Coleus forskohlii*. Fitoterapia 57 : 299-301.
- Matloubi-Moghadam, F., Ruedi, P. and Eugster, C.H. 1984. Novel coleons and royleanones from *Coleus somaliensis* S. Moore. Helv. Chim. Acta. 67 : 201-208.
- Mehrotra, F., Vishwakarma, R.A. and Thakur, R.S. 1989. Abietane diterpenoids from *Coleus zeylanicus*. Phytochemistry 28 : 3135-3137.
- Morton, J.F. 1974. Current folk remedies of northern Venezuela. Quart. J. Crude Drug Res. 13 : 97-121.
- Morton, J.F. 1992. Country borage (*Coleus amboinicus* Lour.): A potent flavoring and medicinal plant. J. Herbs Spices Med. Plants 1 : 77-90.
- Nicholson, D.H. 1991. Flora of Dominica, Part 2. Washington, D.C. : Smithsonian Institution Press.
- Painuly, P. and Tandon, J.S. 1983. Triterpenes and flavones from *Coleus spicatus*. J. Nat. Prod. 46 : 285.
- Painuly, P., Katti, S.B. and Tandon, J.S. 1979. Diterpenes from *Coleus forskohlii* : Structures of coleonol-E & coleonol-F. Indian J. Chem. Ser. B 18 : 214-216.

- Panthong, A., Kanjanapothi, D. and Taylor, W.C. 1986. Ethnobotanical review of medicinal plants from Thai traditional books, part 1: Plants with antiinflammatory, anti-asthmatic and antihypertensive properties. J. Ethnopharmacol. 18 : 213-228.
- Perez, L.M., Pauly, G., Carde, J.P., Belingheri, L. and Gleizes, M. 1990. Biosynthesis of limonene by isolated chromoplasts from *Citrus sinensis* fruits. Plant Physiol. Biochem. 28 : 221-228.
- Quisumbing, E. 1951. Medicinal Plants of the Philippines. Manila : Agriculture and Commercial Department.
- Roxburgh, W. 1874. Flora Indica. A Descriptions of Indian Plants. Calcutta : Thacker, Sprink & Co.
- Roy, R., Mishra, A., Varma, N., Tandon, I.S., Saux, M. and Carpy, A. 1993. Minor diterpenes from *Coleus forskohlii*. Phytochemistry 34 : 1577-1580.
- Roy, R., Vishwakarma, R.A., Varma, N. and Tandon, J.S. 1990. Coleonolic acid, a rearranged ursane triterpenoid from *Coleus forskohlii*. Tetrahedron Lett. 31 : 3467-3470.
- Ruedi, P. 1986. Novel diterpenoids from leaf glands of *Plectranthus barbatus* (Labiatae). The absolute configuration of the 2-hydroxypropyl group in coleon E. Helv. Chim. Acta. 69 : 972-984.
- Ruedi, P. and Eugster, C.H. 1977. Leaf-gland pigments. Coleon I, a new diosphenolic compound from *Coleus somaliensis*. Revision of the structures of coleon H, I, I' and K. Helv. Chim. Acta. 60 : 1233-1238.
- Ruedi, P. and Eugster, C.H. 1973. Structure of Coleon F. Helv. Chim. Acta. 56 : 1129-1132.
- Sheu, S-Y., Hsu, F-L., and Lin, Y-C. 1992. Two gallates from *Quercus glauca*. Phytochemistry 31: 2465-2468.
- Shigenaga, S., Kouno, I. and Kawano, N. 1985. Triterpenoids and glycosides from *Geum japonicum*. Phytochemistry 24 : 115-118.
- Singh, S. and Tandon, J.S. 1982. Coleonol and forskolin from *Coleus forskohlii*. Planta Med. 45 : 62-63.
- Skopp, V.K. and Horster, H. 1976. Sugar bound regular monoterpenes, part I. Thymol- and carvacrolglycosides in *Thymus vulgaris*. Planta Med. 29 : 208-215.

- Smitinand, T. 1980. Thai Plant Names (Botanical Names-Vernacular Names). pp. 90. Bangkok : Funny Publishing.
- Tandon, J.S., Dhar, M.M., Ramakumar, S. and Venkatesan, K. 1977. Structure of Coleonol, a biologically active diterpene from *Coleus forskohlii*. Indian J. Chem. Ser. B 15 : 880-888.
- Tandon, J.S., Jauhari, P.K., Singh, R.S. and Dhar, M.M. 1978. Structures of three new diterpenes coleonol-B, coleonol-C and deoxycoleonol isolated from *Coleus forskohlii*. Indian J. Chem. Ser. B 16 : 341-354.
- Tandon, J.S., Painuly, P., Katti, S.B. and Singh, S. 1984. Chemistry & antihypertensive activity of coleonol derivatives. Indian J. Chem. Ser. B 23 : 67-69.
- Tandon, J.S., Roy, R., Balachandran, S. and Vishwakarma, R.A. 1992. Epi-deoxylcoleonol, a new antihypertensive labdane diterpenoid from *Coleus forskohlii*. Bio. org. Med. Chem. Lett. 2 : 249-254.
- Valdes III, L.J., Mislankar, S.G. and Paul, A.G. 1987. *Coleus barbatus* (*C. Forskohlii*) (Lamiaceae) and the potential new drug forskolin (coleonol). Econ. Bot. 41 : 474-483.
- Van Den Berg, M.A. 1984. The ethnobotany of an Amazonian Market in Advances In the Neotropics G T Prance & J A Kallunki (eds) Economic Botany Ethnobotany, pp. 140-149. New York : New York Botanical Garden.
- Van.Steenis-kruseman, M.J. 1953. Selected Indonesian medicinal plants. Organiz. Sci. Res. Indonesia Bull. 18 : 1-15.
- Varma, N., Srivastava, V., Tandon, J.S., Krishna Prasad, B.N. and Chitravanshi, V.C. 1990. Effect of *Coleus forskohlii* against caecal amoebiasis of rats. Int. J. Crude Drug Res. 28 : 1-3.
- Viswanathan, N. and Gawad, D.H. 1985. Identity of forskolin with coleonol. Indian J. Chem. Ser. B 24 : 583-586.
- Wang, A.H.J., Paul, I.C., Zelnik, R., Mizuta, K. and Lavie, D. 1973. Structure and absolute stereochemistry of the diterpenoid barbatusin. J. Am. Chem. Soc. 95 : 598-600.



- Wubert, J., Oster, U. and Rudiger, W. 1997. Interaction of 5-hydroxymethyl-furfural with hydroxymethylbilane synthase. Phytochemistry 46 : 45-50.
- Yanfg, L.L., Yen, K.Y., Kiso, Y. and Kikino, H. 1987. Antihepatotoxic actions of Formosan plant drugs. J. Ethnopharmacol. 19 : 103-110.
- Yoshizaki, F., Ruedi, P. and Eugster, C.H. 1979. Diterpenoid leaf-gland pigments: 11 coleons and royleanones from *Coleus carnosus* Hassk. Helv. Chim. Acta. 62 : 2754-2762.
- Zelnik, R., Lavie, D., Levy, E.C., Wang, A.H.J. and Paul, I.C. 1977. Barbatusin and cyclobutatusin. Two novel diterpenoids from *Coleus barbatus*. Tetrahedron 33 : 1457-1467.
- Zhu, Z.Y., Nayeshiro, H., Prewo, R., Ruedi, P. and Eugster, C.H. 1988. Fredericone A, B, C and D, novel and highly functionalized abietanoids from leaf-glands of *Coleus fredericii* G. Tayl. Helv. Chim. Acta. 71 : 577-587.

## VITA

Miss Ratiphan Laungsuwon was born on April 17, 1972 in Bangkok, Thailand. She received her Bachelor of Science (Botany) from Kasetsart University, Bangkok, Thailand in 1993.

