

## REFERENCES

- Amiridis, M.D., Zhang, T., and Farrauto, R.J. (1996). Review: Selective catalytic reduction of nitric oxide by hydrocarbons. Applied Catalysis B: Environmental, 10, 203-227.
- Amiridis, M.D., and Solar, J.P. (1996). Selective catalytic reduction of nitric oxide by ammonia over  $V_2O_5/TiO_2$ ,  $V_2O_5/TiO_2/SiO_2$ , and  $V_2O_5-WO_3/TiO_2$ , catalysts: Effect of vanadia content on the activation energy. Industrial and Engineering Chemistry Research, 35, 978-981.
- Bahamonde, A., Knapp, C., Avila, P., and Blanco, J. (1998). Letter: Titania based platinum monolithic catalysts for lean-burn DeNO<sub>x</sub> process. Applied Catalysis B: Environmental, 19, 1-7.
- Bethke, K.A., and Kung, H.H. (1997). Supported Ag catalysts for the lean reduction of NO with C<sub>3</sub>H<sub>6</sub>. Journal of Catalysis, 172, 93-102.
- Blanco, J., Odenbrand, C.U.I., Avila, P., and Knapp, C. (1998). Lean-DeNO<sub>x</sub> titania based monolithic catalysts. Catalysis Today, 45, 103-108.
- Burch, R., Millington, P.J., and Walker, A.P. (1994). Mechanism of the selective reduction of nitrogen monoxide on platinum-based catalysts in the presence of excess oxygen. Applied Catalysis B: Environmental, 4, 65-94.
- Captain, D.K., and Amiridis, M.D. (1999). In situ FTIR studies of the selective catalytic reduction of NO by C<sub>3</sub>H<sub>6</sub> over Pt/Al<sub>2</sub>O<sub>3</sub>. Journal of Catalysis, 184, 377-389.
- Castillo, S., Moran-Pineda, M., Molina, V., Gomez, R., and Lopez, T. (1998). Catalytic reduction of nitric oxide on Pt and Rh catalysts supported on alumina and titania synthesized by sol-gel method. Applied Catalysis B: Environmental, 15, 203-209.

- Cho, I.H., Park, S.B., Cho, S.J., and Ryoo, Ryong. (1998). Investigation of Pt/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts prepared by sol-gel method. Journal of Catalysis, 175, 295-303.
- Denton, P., Giroir-Fendler, A., Praliaud, H., and Primet, M. (2000). Role of the nature of the support porosity, and of the Pt dispersion in the selective reduction of NO by C<sub>3</sub>H<sub>6</sub> under lean-burn conditions. Journal of Catalysis, 189, 410-420.
- Efthimiadis, E.A., Lionta, G.D., Christoforou, S.C., and Vasalos, I.A. (1998). The effect of CH<sub>4</sub>, H<sub>2</sub>O, and SO<sub>2</sub> on the NO reduction with C<sub>3</sub>H<sub>6</sub>. Catalysis Today, 40(1), 15-26.
- Escobar, J., De los Reyes, J.A., and Viveros, T. (2000). Influence of the synthesis addition on the textural and structural characteristics of sol-gel Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>. Industrial and Engineering Chemistry Research, 39, 666-672.
- Hamada, H. (1997). Cooperation of catalytic species for the selective reduction of nitrogen monoxide with hydrocarbons. Catalysis Surveys from Japan, 1, 53-60.
- Haneda, M., Kintaichi, Y., Inaba, M., and Hamada, H. (1998). Infrared study of catalytic reduction of nitrogen monoxide by propene over Ag/TiO<sub>2</sub>-ZrO<sub>2</sub>. Catalysis Today, 42, 127-135.
- Harizanov, O., and Harizanova, A. (2000). Development and investigation of sol-gel solutions for the formation of TiO<sub>2</sub> coating. Solar Energy Material and Solar Cells, 63, 185-195.
- Held, W., Konig, A., Richter, T., and Puppe, L. (1990). SAE Paper 900496.
- Hoost, T.E., Kudla, R.J., Collins, K.M., and Chattha, M.S. (1997). Characterization of Ag/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts and their lean NO<sub>x</sub> properties. Applied Catalysis B: Environmental, 13, 59-67.

- Inaba, M., Kintaichi, Y., and Hamada, H. (1996). Cooperative effect of platinum and alumina for the selective reduction of nitrogen monoxide with propene. Catalysis Letter, 36, 223-227.
- Ingemar Odenbrand, C.U., Blanco, J., Avila, P., and Knapp, C. (1998). Lean NO<sub>x</sub> reduction in real diesel exhaust with copper and platinum titania based monolithic catalysts. Applied Catalysis B: Environmental, 23, 37-44.
- Iwamoto, M., Yahiro, H., Yuu, Y., Shundo, S., and Mizuno, N. (1990). Shokubai, 32, 430.
- Jen, H.W., (1998). Study of nitric oxide reduction over silver/alumina catalysts under lean conditions: Effects of reaction conditions and support. Catalysis Today, 42, 37-44.
- Kameoka, S., Chafik, T., Ukisu, Y., and Miyadera, T. (1998). Role of organic nitro compounds in selective reduction of NO<sub>x</sub> with ethanol over different supported silver catalysts. Catalysis Letter, 51, 11-14.
- Keshavaraja, A., She, X., and Flytzani-Stephanopoulos, M. (2000). Letter: Selective catalytic reduction of NO with methane over Ag-alumina catalysts. Applied Catalysis B: Environmental, 27, L1-L9.
- Lopez, T., Hernandez, J., Gomez, R., Bokhimi, X., Boldu, J.L., Novaro, O., and Garcia-Ruiz, A. (1999). Synthesis and characterization of TiO<sub>2</sub>-MgO mixed oxides prepared by sol-gel method. Langmuir, 15, 5689-5693.
- Lorpongpaiboon, P. (1998). Catalytic NO reduction with propylene in an oxidizing atmosphere. M. S. Thesis in Petrochemical Technology, The Petroleum and Petrochemical College, Chulalongkorn University.
- Matsuda, S., Kato, A., Mori, T., Kumagai, T., Hishinuma, Y., Akimoto, H., and Nakajima, F. (1982). U. S. Patent 4350670.

- Meunier, F.C., Breen, J.P., Zuzaniuk, V., Olsson, M., and Ross, J.R.H. (1999). Mechanistic aspects of the selective reduction of NO by propene over alumina and silver-alumina catalysts. Journal of Catalysis, 187, 493-505.
- Meunier, F.C., Zuzaniuk, V., Breen, J.P., Olsson, M., and Ross, J.R.H. (2000). Mechanistic differences in the selective reduction of NO by propene over cobalt- and silver-alumina catalysts: kinetic and in situ DRIFTS study. Catalysis Today, 59, 287-304.
- Miyadera, T. (1993). Alumina-supported silver catalysts for the selective reduction of nitric oxide with propene and oxygen-containing organic compounds. Applied Catalysis B: Environmental, 2, 199-205.
- Narula, C.K., Rokosz, M., Allard, L.F., Kudla, R.J., and Chattha, M.S. (2000). Sol-gel processed silica-alumina material for diesel engine emission reduction catalysts. Langmuir, 16, 3818-3822.
- Nikolopoulos, A.A., Stergioula, E.S., Efthimiadis, E.A., and Vasalos, I.A. (1999). Selective catalytic reduction of NO by propene in excess oxygen on Pt- and Rh-supported alumina catalysts. Catalysis Today, 54(4), 439-450.
- Robert, K.L., and Armiridis, M. (1997). Kinetic investigation of the selective catalytic reduction of nitric oxide by propene over Pt/Al<sub>2</sub>O<sub>3</sub>. Industrial and Engineering Chemistry Research, 36, 3528-3532.
- Sanchez, E., Lopez, T., Gomez, R., Bokhimi, Morales, A., and Novaro, O. (1996). Journal of Solid State Chemistry, 122, 309-314.
- Schneider, M., Duff, D.G., Mallat, T., Wildberger, M., and Baiker, A. (1994). High surface area platinum-titania aerogels: Preparation, structural properties, and hydrogenation activity. Journal of Catalysis, 147, 500-514.

- Seker, E., and Gulari, E. (1998). Priority communication: Improved N<sub>2</sub> selectivity for platinum on alumina prepared by sol-gel technique in the reduction of NO<sub>x</sub> by propene. Journal of Catalysis, 179, 339-342.
- Seker, E., Cavatio, J., Gulari, E., Lorpongpaiboon, P., and Osuwan, S. (1999). Nitric oxide reduction by propene over silver/alumina and silver-gold/alumina catalysts: effect of preparation methods. Applied Catalysis A: General, 183, 121-134.
- Seker, E., and Gulari, E. (2000). Activity and N<sub>2</sub> selectivity of sol-gel prepared Pt/alumina catalysts for selective NO<sub>x</sub> reduction. Journal of Catalysis, 194, 4-13.
- Takagi, K., Kobayashi, T., Ohkita, H., Mizushima, T., Kakuta, N., Abe, A., and Yoshida., (1998). Selective reduction of NO on Ag/Al<sub>2</sub>O<sub>3</sub> catalysts prepared from boehmite needles. Catalysis Today, 45, 123-127.
- Wang, C., Liu, C., Liu, Y., Zhang, Z. (1999). Surface-enhanced raman scattering effect for Ag/TiO<sub>2</sub> composite particles. Applied Surface Science, 147, 52-57.

**CURRICULUM VITAE**

**Name:** Mr. Jetsadapun Othong

**Date of Birth:** April 30,1978

**Nationality:** Thai

**University Education:**  
1995-1998 B. Eng. in Chemical Engineering, King Mongkut's  
Institute of Technology Ladkrabang, Bangkok,  
Thailand.