

REFERENCES

- Condouris, G.A. and Havelin, D.M. (1987) Acetaldehyde and cardiac arrhythmias. Archives Internationales De Pharmacodynamie Et De Therapie, 285(1), 50-59.
- Enomoto, N., Takase, S., Yasuhara, M., & Takada, A. (1991) Acetaldehyde metabolism in different aldehyde dehydrogenase-2 genotypes. Alcoholism Clinical and Experimental Research, 15, 141–144.
- Jones, A. W., Neiman, J., & Hillbom, M. (1988) Concentration–time profiles of ethanol and acetaldehyde in human volunteers treated with the alcohol-sensitizing drug, calcium carbimide. British Journal of Clinical Pharmacology, 25, 213–221.
- Lands, W. E. M. (1998) A review of alcohol clearance in humans. Alcohol, 15(2), 147-160.
- Levitt, D. G. (2002) PKQuest: measurement of intestinal absorption and first pass metabolism – application to human ethanol pharmacokinetics. BMC Clinical Pharmacology , 2, 4.
- Levitt, M. D., & Levitt, D. G. (1993) The critical role of the rate of ethanol absorption in the interpretation of studies purporting to demonstrate gastric metabolism of ethanol. The Journal of Pharmacology and Experimental Therapeutics, 269, 297–304.
- Lundquist, F.; Wolthers, H. The kinetics of alcohol elimination in man. (1958) Acta. Pharmacologica et Toxicologica, 14, 265-289.
- Norberg, A. (2001) Clinical Pharmacokinetics of Intravenous Ethanol: Relationship Between the Ethanol Space and Total Body Water. Stockholm, Sweden: Karolinska University Press.
- Novoradovsky, A. G., Sandoval, C., Guderian, R. H., Simmerman, P.A., Nutman, T. B., Goldman, D. (1995) Detection of aldehyde dehydrogenase deficiency in Chachi Indians, Ecuador. Alcohol, 12, 159-161.
- Peng, G. S., Wang, M. F., Chen, C. Y., Luu, S. U., Chou, H. C., Li, T. K., & Yin, S. J. (1999) Involvement of acetaldehyde for full protection against alcoholism by homozygosity of the variant allele of mitochondrial aldehyde

- dehydrogenase gene in Asians. Pharmacogenetics, 9, 463–476.
- Riveros-Rosas, H., Julian-Sanchez, A., & Pina, E. (1997) Enzymology of ethanol and acetaldehyde metabolism in mammals. Archives of Medical Research, 28(4), 453-71.
- Sellers, E.M., Naranjo C.A., and Peachey, J.E. (1981) Drugs to decrease alcohol consumption. New England Journal of Medicine, 305(21), 1255-1262.
- Wang, X., Sheikh,S., Saigal, D., Robinson, L., and weiner, H. (1996) Heterotetramers of human liver mitochondrial (class 2) aldehyde dehydrogenase expressed in Escherichia coli: a model to study the hetrotetramers expected to be found in oriental people. The American Society of Biochemistry and Molecular Biology, 271(49),31172-31178.
- Widmark, E. (1932) Die theoretischen Grundlagen und die praktische Verwendbarkeit der gerichtlich-medizinischen Alkoholbestimmung. Berlin: Urban and Schwarzenberg.
- Wilkinson, P. K., Sedman, A. J., Sakmar, E., Kay, D. R., & Wagner, J. G. (1977) Pharmacokinetics of ethanol after oral administration in the fasting state. Journal of Pharmacokinetics and Biopharmaceutics, 5, 207–224.

CURRICULUM VITAE

Name: Mr. Prashant Singh

Date of Birth: July 5, 1980

Nationality: Indian

University Education:

1998-2002 Bachelor Degree of Technology in Chemical Engineering,
Faculty of Engineering and Technology , Aligarh Muslim University, Aligarh, India.

Working Experience:

2002-2003 Position: Faculty
Company name: ICIT Software Center Private
Limited, India.

Publication:

1. Umulis, D.M., Gurmen, N.M., Singh, P., and Fogler, H.S. (2004) A physiologically based model for ethanol and acetaldehyde metabolism in human beings. Alcohol, 35(1), in press.

Presentation:

1. Umulis, D.M., Gurmen, N.M., Singh, P., and Fogler, H.S. (2004, November 11) A physiologically based pharmacokinetic model for alcohol metabolism. Paper presented at American Institute of Chemical Engineers annual meeting 2004, Austin, U.S.A.