

## REFERENCES

- Avgouropoulos G., Manzoli, M., Boccuzzi, F., Tabakova, T., Papavasiliou, J., Ioannides, T. and Idakiev, V. (2008). Catalytic performance and characterization of Au/doped-ceria catalysts for the preferential CO oxidation reaction. Journal of Catalysis, 256, 237-247.
- Brosius, R., Arve, K., Groothaert, M.H. and Martens, J.A. (2005). Adsorption chemistry of NO<sub>x</sub> on Ag/Al<sub>2</sub>O<sub>3</sub> catalyst for selective catalytic reduction of NO<sub>x</sub> using hydrocarbons. Journal of Catalysis, 231(2), 344-353.
- Candusso, D., Harel, F., De Bernardinis, A., François, X., Péra, M.C., Hissel, D., Schott, P., Coquery, G. and Kauffmann, J.M. (2006). Characterisation and modelling of a 5 kW PEMFC for transportation applications. International Journal of Hydrogen Energy, 31, 1019-1030.
- Choi, J., Shin, C.B. and Suh, D.J. (2008). Co-promoted Pt catalysts supported on silica aerogel for preferential oxidation of CO. Catalysis Communications, 9, 880-885.
- Chu, D., Jiang, R., Gardner, K., Jacobs, R., Schmidt, J., Quakenbush, T. and Stephens, J. (2001). Polymer electrolyte membrane fuel cells for communication applications. Journal of Power Sources, 96, 174-178.
- Dai, Y.M., Pan, T.C., Liu, W.J. and Jehng, J.M. (2011). Highly dispersed Ag nanoparticles on modified carbon nanotubes for low-temperature CO oxidation. Applied Catalysis B-Environmental, 103(1-2), 221-225.
- Deng, W., De Jesus, J., Saltsburg, H. and Flytzani-Stephanopoulos, M. (2005). Low-content gold-ceria catalysts for the water-gas shift and preferential CO oxidation reactions. Applied Catalysis A: General, 291, 126-135.
- Dicks, A.L. (2006). The role of carbon in fuel cells. Journal of Power Sources, 156, 128-141.
- Frey, K., Iablokov, V., Malaet, G., Guzzi, L. and Kruse, N. (2008). CO oxidation activity of Ag/TiO<sub>2</sub> catalysts prepared via oxalate co-precipitation. Catalysis Letters, 124(1-2), 74-79.
- Hirschenhofer, J.H., Stauffer, D.B., Engleman, R.R. and Klett, M.G. (1998). Fuel Cell Handbook, Fourth Edition.

- Horvath, A., Beck, A., Stefler, G., Benko, T., Safran, G., Varga, Z., Gubicza, J. and Gucci, L. (2011). Silica-Supported Au Nanoparticles Decorated by CeO<sub>2</sub>: Formation, Morphology, and CO Oxidation Activity. Journal of Physical Chemistry C, 115(42), 20388-20398.
- Imamura, S., Yamada, H. and Utani, K. (2000). Combustion activity of Ag/CeO<sub>2</sub> composite catalyst. Applied Catalysis a-General, 192(2), 221-226.
- Kang, Y., Sun, M. and Li, A.M. (2012). Studies of the Catalytic Oxidation of CO Over Ag/CeO<sub>2</sub> Catalyst. Catalysis Letters, 142(12), 1498-1504.
- Laguna, O.H., Centeno, M.A., Arzamendi, G., Gandia, L.M., Romero-Sarria, F. and Odriozola, J.A. (2010). Iron-modified ceria and Au/ceria catalysts for Total and Preferential Oxidation of CO (TOX and PROX). Catalysis Today, 157, 155-159.
- Liotta, L.F., Di Carlo, G., Pantaleo, G. and Venezia, A.M. (2010). Supported gold catalysts for CO oxidation and preferential oxidation of CO in H<sub>2</sub> stream: Support effect. Catalysis Today, 158, 56-62.
- Litster, S. and McLean, G. (2004). PEM fuel cell electrodes. Journal of Power Sources, 130, 61-76.
- Manzoli, M., Avgouropoulos G., Tabakova, T., Papavasiliou, J., Ioannides, T. and Boccuzzi, F. (2008). Preferential CO oxidation in H<sub>2</sub>-rich gas mixtures over Au/doped ceria catalysts. Catalysis Today, 138, 239-243.
- Miyadera, T. and Yoshida, K. (1993). Alumina-supported catalysts for the selective reduction of nitric-oxide by propene. Chemistry Letters, 9, 1483-1486.
- Moore, J.M., Adcock, P.L., Lakeman, J.B. and Mepsted, G.O. (2000). The effects of battlefield contaminants on PEMFC performance. Journal of Power Sources, 85, 254-260.
- Ockwig, N.W. and Nenoff, T.M. (2007). Membranes for hydrogen separation. Chemical Reviews, 107, 4078-4110.
- Oh, S.H. and Sinkevitch, R.M. (1993). Carbon-monoxide removal from hydrogen-rich fuel-cell feedstreams by selective catalytic-oxidation. Journal of Catalysis, 142(1), 254-262.
- Pagliari, S.N. and Way, J.D. (2002). Innovations in palladium membrane research. Separation and Purification Methods, 31(1), 1-169.

- Parinyaswan, A., Pongstabodee, S. and Luengnaruemitchai, A. (2006). Catalytic performances of Pt-Pd/CeO<sub>2</sub> catalysts for selective CO oxidation. International Journal of Hydrogen Energy, 31, 1942-1949.
- Park, E.D., Lee, D. and Lee, H.C. (2009). Recent progress in selective CO removal in a H<sub>2</sub>-rich stream. Catalysis Today, 139, 280-290.
- Park, P.W. and Boyer, C.L. (2005). Effect of SO<sub>2</sub> on the activity of Ag/gamma-Al<sub>2</sub>O<sub>3</sub> catalysts for NO<sub>x</sub> reduction in lean conditions. Applied Catalysis B-Environmental, 59(1-2), 27-34.
- Pedrero, C., Waku, T. and Iglesia, E. (2005). Oxidation of CO in H<sub>2</sub>-CO mixtures catalyzed by platinum: alkali effects on rates and selectivity. Journal of Catalysis, 233, 242-255.
- Pillai, U.R. and Deevi, S. (2006). Highly active gold-ceria catalyst for the room temperature oxidation of carbon monoxide. Applied Catalysis a-General, 299, 266-273.
- Pinjari, D.V. and Pandit, A.B. (2011). Room temperature synthesis of crystalline CeO<sub>2</sub> nanopowder: Advantage of sonochemical method over conventional method. Ultrasonics Sonochemistry, 18, 1118-1123.
- Pojanavaraphan, C., Luengnaruemitchai, A. and Gulari, E. (2013). Catalytic activity of Au-Cu/CeO<sub>2</sub>-ZrO<sub>2</sub> catalysts in steam reforming of methanol. Applied Catalysis A: General, 456, 135-143.
- Pojanavaraphan, C., Luengnaruemitchai, A. and Gulari, E. (2012). Effect of support composition and metal loading on Au catalyst activity in steam reforming of methanol. International Journal of Hydrogen Energy, 37, 14072-14084.
- Quinet, E., Piccolo, L., Daly, H., Meunier, F.C., Morfin, F., Valcarcel, A., Diehl, F., Avenier, P., Caps, V. and Rousset, J. (2008). H<sub>2</sub>-induced promotion of CO oxidation over unsupported gold. Catalysis Today, 138, 43-49.
- Sakwarathorn, T., Luengnaruemitchai, A. and Pongstabodee, S. (2011). Preferential CO oxidation in H<sub>2</sub>-rich stream over Au/CeO<sub>2</sub> catalysts prepared via modified deposition-precipitation. Journal of Industrial and Engineering Chemistry, 17(4), 747-754.
- Sandoval, A., Louis, C. and Zanella, R. (2013). Improved activity and stability in CO oxidation of bimetallic Au-Cu/TiO<sub>2</sub> catalysts prepared by deposition-

- precipitation with urea. Applied Catalysis B: Environmental, 140-141, 363-377.
- Scire, S., Riccobene, P.M. and Crisafulli, C. (2010). Ceria supported group IB metal catalysts for the combustion of volatile organic compounds and the preferential oxidation of CO. Applied Catalysis B-Environmental, 101(1-2), 109-117.
- Shi, X.Y., Shen, M.W. and Mohwald, H. (2004). Polyelectrolyte multilayer nanoreactors toward the synthesis of diverse nanostructured materials. Progress in Polymer Science, 29(10), 987-1019.
- Shalabi, M.A., Harji, B.H. and Kenney, C.N. (1996). Kinetic Modeling of CO Oxidation on Pt/CeO<sub>2</sub> in a Gradientless Reactor. J. Chem. Tech. Biotechnol., 65, 317-324.
- Sharma, S. and Pollet, B.G. (2012). Support materials for PEMFC and DMFC electrocatalysts-A review. Journal of Power Sources, 208, 96-119.
- Shimizu, K., Kawachi, H. and Satsuma, A. (2010). Study of active sites and mechanism for soot oxidation by silver-loaded ceria catalyst. Applied Catalysis B-Environmental, 96(1-2), 169-175.
- Shimpalee, S., Greenway, S., Spuckler, D. and Van Zee, J.W. (2004). Predicting water and current distributions in a commercial-size PEMFC. Journal of Power Sources, 135, 79-87.
- Song, C. (2002). Fuel processing for low-temperature and high-temperature fuel cells Challenges, and opportunities for sustainable development in the 21st century. Catalysis Today, 77, 17-49.
- Taylor, S.H., Hutchings, G.J. and Mirzaei, A.A. (1999). Copper zinc oxide catalysts for ambient temperature carbon monoxide oxidation. Chemical Communications, (15), 1373-1374.
- Terribile, D., Trovarelli, A., Llorca, J., Leitenburg, C. and Dolcetti, G. (1998). The Synthesis and Characterization of Mesoporous High-Surface Area Ceria Prepared Using a Hybrid Organic/Inorganic Route. Journal of Catalysis, 178, 299-308.
- Trimm, D.L. (2005). Minimisation of carbon monoxide in a hydrogen stream for fuel cell application. Applied Catalysis A: General, 296, 1-11.

- Trovarelli, A., Leitenburg, C., Boaro, M. and Dolcetti, G. (1999). The utilization of ceria in industrial catalysis. Catalysis Today, 50, 353-367.
- Truffault, L., Ta, M.-T., Devers, T., Konstantinov, K., Harel, V., Simmonard, C., Andrezza, C., Nevirkovets, I.P., Pineau, A., Veron, O. and Blondeau, J.P. (2010). Application of nanostructured Ca doped CeO<sub>2</sub> for ultraviolet filtration. Materials Research Bulletin, 45, 527-535.
- Tsuzuki, T. and McCormick, P.G. (2001). Synthesis of Ultrafine Ceria Powders by Mechanochemical Processing. Journal of the American Ceramic Society, 84(7), 1453-1458.
- Vantomme, A., Yuan, Z.-Y., Du, G. and Su, B.-L. (2005). Surfactant-assisted large-scale preparation of crystalline CeO<sub>2</sub> nanorods. Langmuir, 21, 1132-1135.
- Wang, S., Gu, F., Li, C. and Cao, H. (2007). Shape-controlled synthesis of CeOHCO<sub>3</sub> and CeO<sub>2</sub> microstructures. Journal of Crystal Growth, 307, 386-394.
- Xiong, J., Dong, X., Song, Y. and Dong, Y. (2013). A high performance Ru-ZrO<sub>2</sub>/carbon nanotubes Ni foam composite catalyst for selective CO methanation. Journal of Power Sources, 242, 132-136.
- Yao, Z., Zhang, X., Peng, F., Yu, H., Wang, H. and Yang, J. (2011). Novel highly efficient alumina-supported cobalt nitride catalyst for preferential CO oxidation at high temperatures. International Journal of Hydrogen Energy, 36, 1955-1959.
- Yu, L.B., Shi, Y.Y., Zhao, Z., Yin, H.B., Wei, Y.C., Liu, J.A., Kang, W.B., Jiang, T.S. and Wang, A.L. (2011). Ultrasmall silver nanoparticles supported on silica and their catalytic performances for carbon monoxide oxidation. Catalysis Communications, 12(7), 616-620.
- Yu, W.-Y., Lee, W.-S., Yang, C.-P. and Wan, B.-Z. (2007). Low-temperature preferential oxidation of CO in a hydrogen rich stream (PROX) over Au/TiO<sub>2</sub>: Thermodynamic study and effect of gold-colloid pH adjustment time on catalytic activity. Journal of the Chinese Institute of Chemical Engineers, 38, 151-160.

- Yu, X., Li, F., Ye, X. and Xin, X. (2000). Synthesis of Cerium(IV) Oxide Ultrafine Particles by Solid-State Reactions. Journal of the American Ceramic Society, 83(4), 964-966.
- Zhang, H.Y., Zhu, A.M., Wang, X.K., Wang, Y. and Shi, C.A. (2007). Catalytic performance of Ag-Co/CeO<sub>2</sub> catalyst in NO-CO and NO-CO-O<sub>2</sub> system. Catalysis Communications, 8(3), 612-618.
- Zhang, Q.C., Yu, Z.H., Li, G., Ye, Q.M. and Lin, J.H. (2009). Synthesis of quantum-size cerium oxide nanocrystallites by a novel homogeneous precipitation method. Journal of Alloys and Compounds, 477, 81-84.

## APPENDIX

### Structure of PSS-co-MA Capping Agent




Figure A Structure of PSS-co-MA capping agent.

