REFERENCES

- [1] Sarker, S. D., Nahar, L., 2012. *Natural Products Isolation*, Vol. 3, Humana Press, London.
- [2] Dewick, P. M., 2002. Medicinal Natural Products A Biosynthetic Approach, Vol. 2, John Wiley & Sons Ltd, West Sussex.
- [3] Kim, J., Park, E. J., 2002. Cytotoxic anticancer candidates from natural resources, *Curr. Med. Chem. - Anti-Cancer Agents 2*, 485-537.
- [4] Butler, M. S., 2004. The role of natural product chemistry in drug discovery, Journal of natural products 67, 2141-2153.
- [5] Altmann, K.-H., Gertsch, J., 2007. Anticancer drugs from nature-natural products as a unique source of new microtubule-stabilizing agents, *Natural product reports 24*, 327-357.
- [6] Wankhede, S. B., Routh, M. M., Rajput, S. B., Karuppayil, S. M., 2013. Antifungal properties of selected plants of Apocynaceae family against the human fungal pathogen *Candida albicans*, *International Current Pharmaceutical Journal 2*, 122-125.
- [7] Brown, D. G., Lister, T., May-Dracka, T. L., 2014. New natural products as new leads for antibacterial drug discovery, *Bioorganic & Medicinal Chemistry Letters 24*, 413-418.
- [8] El Sayed, K. A. 2000 Natural products as antiviral agents, In *Studies in Natural Products Chemistry* (Atta ur, R., Ed.), pp 473-572, Elsevier.
- [9] Hung, H. Y., Qian, K., Morris-Natschke, S. L., Hsu, C. S., Lee, K. H., 2012. Recent discovery of plant-derived anti-diabetic natural products, *Natural product reports 29*, 580-606.
- [10] Harvey, A., 2000. Strategies for discovering drugs from previously unexplored natural products, *Drug Discovery Today 5*, 294-300.
- [11] Mishra, B. B., Tiwari, V. K., 2011. Natural products: An evolving role in future drug discovery, *European Journal of Medicinal Chemistry 46*, 4769-4807.
- [12] Endress, M. E., Bruyns, P. V., 2000. A revised classification of the Apocynaceae s.l., The Botanical Review 66, 1-56.
- [13] Ping-tao, L., Leeuwenberg, A. J. M., Middleton, D. J., 1995. Apocynaceae, Flora of China 16, 43–188.

- [14] Wiart, C., 2006. Medicinal Plants of Asia and the Pacific, London.
- [15] Omino, E. A., Kokwaro, J. O., 1993. Ethnobotany of Apocynaceae species in Kenya, *Journal of Ethnopharmacology* 40, 167-180.

- [16] Gupta, P., Ganguly, S., Singh, P., 2012. A miracle fruit plant– *Gymnema sylvestre* R. Br. (Retz), *Pharmacie Globale (IJCP)* 3, 1-8.
- [17] Khare, C. P., 2007. Indian Medicinal Plants, Springer-Verlag, Berlin/Heidelberg.
- [18] Suttisri, R., Lee, I.-S., Kinghorn, A. D., 1995. Plant-derived triterpenoid sweetness inhibitors, *Journal of Ethnopharmacology* 47, 9-26.
- [19] Ahmed, A. B., Rao, A. S., Rao, M. V., 2010. In vitro callus and in vivo leaf extract of *Gymnema sylvestre* stimulate beta-cells regeneration and anti-diabetic activity in Wistar rats, *Phytomedicine : international journal of phytotherapy and phytopharmacology 17*, 1033-1039.
- [20] Kang, M.-H., Lee, M. S., Choi, M.-K., Min, K.-S., Shibamoto, T., 2012. Hypoglycemic activity of *Gymnema sylvestre* extracts on oxidative stress and antioxidant status in diabetic rats, *Journal of Agricultural and Food Chemistry 60*, 2517-2524.
- [21] Ramkumar, K. M., Thayumanavan, B., Palvannan, T., Rajaguru, P., 2009. Inhibitory effect of *Gymnema montanum* leaves on α-glucosidase activity and αamylase activity and their relationship with polyphenolic content, *Medicinal Chemistry Research 19*, 948-961.
- [22] Ramkumar, K. M., Manjula, C., Sankar, L., Suriyanarayanan, S., Rajaguru, P., 2009.
 Potential in vitro antioxidant and protective effects of *Gymnema montanum* H. on alloxan-induced oxidative damage in pancreatic beta-cells, HIT-T15,
 Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association 47, 2246-2256.
- [23] Yoshikawa, K., Matsuchika, K., Takahashi, K., Tanaka, M., Arihara, S., Chang, H. C.,
 Wang, J. D., 1999. Pregnane glygosides, Gymnepregosides G-Q from the roots of *Gymnema alternifolium*, *Chem. Pharm. Bull* 47, 798-804.
- [24] Yoshikawa, K., Matsuchika, K., Arihara, S., Chang, H. C., Wang, J. D., 1998. Pregnane glygosides, Gymnepregosides A-F from the roots of *Gymnema alternifolium*, *Chem. Pharm. Bull 46*, 1239-1243.
- [25] Sahu, N. P., Mahato, S. B., Sarkar, S. K., Poddar, G., 1996. Triterpenoid saponins from *Gymnema sylvestre*, *Phytochemistry* 41, 1181-1185.
- [26] Zhu, X. M., Xie, P., Di, Y. T., Peng, S. L., Ding, L. S., Wang, M. K., 2008. Two new triterpenoid saponins from *Gymnema sylvestre*, *Journal of integrative plant biology 50*, 589-592.
- [27] Liu, H. M., Kiuchi, F., Tsuda, Y., 1992. Isolation and structure elucidation of gymnemic acids, antisweet principles of *Gymnema sylvestre*, *Chem. Pharm. Bull.* 40, 1366–1375.

- [28] Ye, W.-C., Zhang, Q.-W., Liu, X., Che, C.-T., Zhao, S.-X., 2000. Oleanane saponins from *Gymnema sylvestre*, *Phytochemistry* 53, 893-899.
- [29] Ye, W., Liu, X., Zhang, Q., Che, C.-T., Zhao, S., 2001. Antisweet Saponins from *Gymnema sylvestre, Journal of natural products 64*, 232-235.
- [30] Tiwari, P., Mishra, B. N., Sangwan, N. S., 2014. Phytochemical and pharmacological properties of *Gymnema sylvestre*: an important medicinal plant, *BioMed research international 2014*, 830285.
- [31] Sugihara, Y., Nojima, H., Matsuda, H., Murakami, T., Yoshikawa, M., Kimura, I., 2000. Antihyperglycemic effects of gymnemic acid IV, a compound derived from *Gymnema sylvestre* leaves in streptozotocin-diabetic mice, *Journal of Asian natural products research 2*, 321-327.
- [32] Kruif, A. P. M. D., 1981. *A revision of Holarrhena R. BR.*, H. Veenman & Zonen B.V, Wageningen.
- [33] Shah, S. M. A., Usmanghani, K., Akhtar, N., H.M.Asi, M.Akram, Ahmed, K., Shaheen, G., shamim, T., Rehman, R., Ahmad, A., Sumreen, L., 2010. Monograph of *Holarrhena ontidysenterica* (linn.) Wall, *International Journal of Phytomedicine 2*, 345-348.
- [34] Ali, K. M., Bera, T. K., Mandal, S., Barik, B. R., Ghosh, D., 2009. Attenuation of diabetic disorders in experimentally induced diabetic rat by methanol extract of seed of *Holarrhena antidysenterica*, *International Journal of PharmTech Research 1*, 1205-1211.
- [35] Kam, T.-S., Sim, K.-M., Koyano, T., Toyoshima, M., Hayashi, M., Komiyama, K., 1998. Cytotoxic and leishmanicidal aminoglycosteroids and aminosteroids from *Holarrhena curtisii*, *Journal of natural products 61*, 1332-1336.
- [36] Siddiqui, B. S., Usmani, S. B., Begum, S., Siddiqui, S., 1993. Steroidal alkaloids and an androstane derivative from the bark of *Holarrhena pubescens*, *Phytochemistry* 33, 925-928.
- [37] Sanjib, B., Saswati, T., Nath, S. C., 2009. Triterpenoids and steroids from Holarrhena pubescens seeds, Pharmacognosy Magazine 5, 407-411
- [38] Ali, K. M., Chatterjee, K., De, D., Jana, K., Bera, T. K., Ghosh, D., 2011. Inhibitory effect of hydro-methanolic extract of seed of *Holarrhena antidysenterica* on alpha-glucosidase activity and postprandial blood glucose level in normoglycemic rat, *Journal of Ethnopharmacology 135*, 194-196.
- [39] Chakraborty, A., Brantner, A. H., 1999. Antibacterial steroid alkaloids from the stem bark of *Holarrhena pubescens*, *Journal of Ethnopharmacology* 68, 339-344.

- [40] Ma, W. G. C., 2013. Contributions to the Flora of Siam Dicotyledones, Forgotten Books (Original work published 1912), London.
- [41] สุดดี, ส., 2552. ป่าเต็งรังแม่น้ำภาชี, สำนักวิจัยการอนุรักษ์ป่าไม้และพันธุ์พืช กรมอุทยานแห่งชาติ สัตว์ป่า และพันธุ์พืช ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย.
- [42] Yoshikawa, K., Amimoto, K., Arihara, S., Matsuura, K., 1989. Structure studies of new antisweet constituents from *Gymnema sylvestre*, *Tetrahedron Letters 30*, 1103-1106.
- [43] Murakami, N., Murakami, T., Kadoya, M., Matsuda, H., Yamahara, J., Yoshikawa, M., 1996. New hypoglycemic constituents in gymnemic acid from *Gymnema* sylvestre, Chem. Pharm. Bull 44, 469-471.
- [44] Shimizu, K., Ozeki, M., Iino, A., Nakajyo, S., Urakawa, N., Atsuchi, M., 2001. Structure-activity relationships of triterpenoid derivatives extracted from *Gymnema inodorum* leaves on glucose absorption, *The Japanese Journal of Pharmacology 86*, 223-229.
- [45] Siddiqui, B. S., Usmani, S. B., Begum, S., Siddiqui, S., 1994. Steroidal Constituents of Holarrhena pubescens, Journal of natural products 57, 27-31.
- [46] Loukaci, A., Kayser, O., Bindseil, K. U., Siems, K., Frevert, J., Abreu, P. M., 2000. New Trichothecenes Isolated from *Holarrhena floribunda*, *Journal of natural products 63*, 52-56.
- [47] Neeraj, K., Singh, B., Bhandari, P., Gupta, A. P., Kaul, V. K., 2007. Steroidal alkaloids from Holarrhena antidysenterica (L.) WALL., Chem. Pharm. Bull 55, 912-914.
- [48] Warashina, T., Noro, T., 2000. Steroidal glycosides from the aerial part of *Asclepias incarnata, Phytochemistry 53*, 485-498.
- [49] Hamed, A. I., Sheded, M. G., Shaheen, A. E.-S. M., Hamada, F. A., Pizza, C., Piacente, S., 2004. Polyhydroxypregnane glycosides from Oxystelma esculentum var. alpini, Phytochemistry 65, 975-980.
- [50] Coxon, B., 1986. Complete assignment of the ¹³C NMR spectra of the ring forms of digitoxose by DEPT spectrum editing and two-dimensional proton chemical shift correlation spectroscopy, *Magnetic Resonance in Chemistry 24*, 1008-1012.
- [51] Ward, D. E., Rhee, C. K., 1991. A simple method for the microscale preparation of mosher's acid chloride, *Tetrahedron Letters 32*, 7165-7166.
- [52] Ibrahim, M., Imran, M., Hussain, A., Aslam, M., Rehmani, F. S., Ali, B., Nawaz, H., Malik, A., 2012. Phytochemical Studies on Amberboa ramosa, Pak. J. Chem. 2, 24-28.

- [53] Ali, N., 2013. Brine shrimp cytotoxicity of crude methanol extract and antispasmodic activity of alpha-amyrin acetate from *Tylophora hirsuta* Wall, *BMC complementary and alternative medicine 13*, 135.
- [54] Mbwambo, Z. H., Lee, S. K., Mshiu, E. N., Pezzuto, J. M., Kinghorn, A. D., 1996.
 Constituents from the Stem Wood of Euphorbia quinquecostata with Phorbol Dibutyrate Receptor-Binding Inhibitory Activity, *Journal of natural products 59*, 1051-1055.
- [55] Fotie, J., Bohle, D. S., Leimanis, M. L., Georges, E., Rukunga, G., Nkengfack, A. E.,
 2005. Lupeol long-chain fatty acid esters with antimalarial activity from
 Holarrhena floribunda, Journal of natural products 69, 62-67.
- [56] Furukawa, S., Takagi, N., Ikeda, T., ONO, M., Nafady, A. M., Nohara, T., Sugimoto,
 H., Doi, S., YAMADA, H., 2002. Two novel long-chain alkanoic acid esters of
 lupeol from Alecrim propolis, Chem. Pharm. Bull 50, 439-440.
- [57] Song, M.-C., Kim, D.-K., Yang, H.-J., Lee, D.-Y., Kim, J.-Y., Chung, D.-K., Ahn, E.-M., Baek, N.-I., 2007. Triterpenoids from *Trapa pseudoincisa*, J. Appl. Biol. Chem. 50, 259-263.
- [58] Thompson, M. J., Dutky, S. R., Lehner, Y., Standifier, L. N., Herbert Jr, E. W., 1978.
 24-methylenepollinastanol and 24-dehydropollinastanol two sterols of pollen, *Phytochemistry 17*, 1053-1056.
- [59] Martinez, A., Rivas, F., Perojil, A., Parra, A., Garcia-Granados, A., Fernandez-Vivas,
 A., 2013. Biotransformation of oleanolic and maslinic acids by *Rhizomucor miehei*, *Phytochemistry* 94, 229-237.
- [60] Ma, C., Huang, T., Qi, H., Li, B., Zhang, G., 2005. Chemical study of *Streptocaulon* griffithii, Chin J Appl Environ Biol 11, 265-270.
- [61] Seto, R., Nakamura, H., Nanjo, F., Hara, Y., 1997. Preparation of epimers of tea catechins by heat treatment, *Biosci. Biotech. Biochem. 61*, 1434-1439.
- [62] Teerasripreecha, D., Phuwapraisirisan, P., Puthong, S., Kimura, K., Okuyama, M., Mori, H., Kimura, A., Chanchao, C., 2012. In vitro antiproliferative/cytotoxic activity on cancer cell lines of a cardanol and a cardol enriched from Thai Apis mellifera propolis, BMC complementary and alternative medicine 12, 27.
- [63] Schäfer, A., Högger, P., 2007. Oligomeric procyanidins of French maritime pine bark extract (Pycnogenol®) effectively inhibit α-glucosidase, *Diabetes Research and Clinical Practice* 77, 41-46.
- [64] Liu, Y., Qu, J., Yu, S., Tang, W., Liu, J., Hu, Y., Ma, S., 2008. Nine novel C-21 steroidal glycosides substituted with orthoacetate from *Dregea sinensis* var. *corrugata*, *Steroids* 73, 184-192.

- [65] Banskota, A. H., Tezuka, Y., Tran, K. Q., Tanaka, K., Saiki, I., Kadota, S., 1999.
 Thirteen novel cycloartane-type triterpenes from *Combretum quadrangulare*, *Journal of natural products 63*, 57-64.
- [66] Seco, J. M., Quiñoá, E., Riguera, R., 2004. The assignment of absolute configuration by NMR†, *Chemical Reviews 104*, 17-117.
- [67] Shamma, M., Glick, R. E., Mumma, R. O., 1962. The nuclear magnetic resonance spectra of pentacyclic triterpenes, *The Journal of Organic Chemistry* 27, 4512-4517.
- [68] Pereira, S. I., Freire, C. S. R., Neto, C. P., Silvestre, A. J. D., Silva, A. M. S., 2005. Chemical composition of the epicuticular wax from the fruits of *Eucalyptus* globulus, Phytochem. Anal. 16, 364–369.
- [69] Seki, H., Ohyama, K., Sawai, S., Mizutani, M., Ohnishi, T., Sudo, H., Akashi, T., Aoki, T., Saito, K., Muranaka, T., 2008. Licorice beta-amyrin 11-oxidase, a cytochrome P450 with a key role in the biosynthesis of the triterpene sweetener glycyrrhizin, *Proceedings of the National Academy of Sciences of the United States of America 105*, 14204-14209.
- [70] Kuo, Y.-H., Chiang, Y.-M., 2000. Six new ursane- and oleanane-type triterpenes from the aerial roots of *Ficus microcarpa*, *Chem. Pharm. Bull.* 48, 593-596.

- [71] Song, Y. L., Zhang, L., Gao, J. M., Du, G. H., Cheng, Y. X., 2008. Speciosaperoxide, a new triterpene acid, and other terpenoids from *Chaenomeles speciosa*, *Journal of Asian natural products research 10*, 214-217.
- [72] Pogliani, L., Ceruti, M., Ricchiardi, G., Viterbo, D., 1994. An NMR and molecular mechanics study of squalene and squalene derivatives, *Chemistry and Physics* of Lipids 70, 21-34.
- [73] Xue, J., Xie, L., Liu, B.-R., Yu, L.-X., 2010. Triterpenoids from the fruits of *Forsythia* suspensa, Chinese Journal of Natural Medicines 8, 414-418.
- [74] Prachayasittikul, S., Saraban, P., Cherdtrakulkiat, R., Ruchirawat, S., Prachayasitti,
 V., 2010. New bioactive triterpenoids and antimalarial activity of *Diospyros Rubra* Lec, *EXCLI Journal* 9, 1-10.
- [75] Shen, T., Yuan, H.-Q., Wan, W.-Z., Wang, X.-L., Wang, X.-N., Ji, M., Lou, H.-X., 2008. Cycloartane-type triterpenoids from the resinous exudates of *Commiphora* opobalsamum, Journal of natural products 71, 81-86.
- [76] Seebacher, W., Simic, N., Weis, R., Saf, R., Kunert, O., 2003. Complete assignments of ¹H and ¹³C NMR resonances of oleanolic acid, 18α-oleanolic acid, ursolic acid and their 11-oxo derivatives, *Magnetic Resonance in Chemistry 41*, 636-638.

- [77] Ramirez-Espinosa, J. J., Garcia-Jiménez, S., Rios, M. Y., Medina-Franco, J. L., López-Vallejo, F., Webster, S. P., Binnie, M., Ibarra-Barajas, M., Ortiz-Andrade, R., Estrada-Soto, S., 2013. Antihyperglycemic and sub-chronic antidiabetic actions of morolic and moronic acids, in vitro and in silico inhibition of 11 β-HSD 1, *Phytomedicine : international journal of phytotherapy and phytopharmacology 20*, 571-576.
- [78] Ramírez-Espinosa, J. J., Rios, M. Y., López-Martínez, S., López-Vallejo, F., Medina-Franco, J. L., Paoli, P., Camici, G., Navarrete-Vázquez, G., Ortiz-Andrade, R., Estrada-Soto, S., 2011. Antidiabetic activity of some pentacyclic acid triterpenoids, role of PTP–1B: In vitro, in silico, and in vivo approaches, *European Journal of Medicinal Chemistry 46*, 2243-2251.
- [79] Ali, M. S., Jahangir, M., Hussan, S. S. u., Choudhary, M. I., 2002. Inhibition of Qglucosidase by oleanolic acid and its synthetic derivatives, *Phytochemistry 60*, 295-299.

. .

APPENDIX





.



Figure A4 ¹H NMR spectrum of compound 61 (Expansion)

ŝ.

ē



Figure A6¹³C NMR spectrum of compound 61 (Expansion)

123

÷



Figure A8 HSQC spectrum of compound 61 (Expansion)



Figure A10 COSY spectrum of compound 61



Figure A12 HMBC spectrum of compound 61 (Expansion)



Figure A13 HMBC spectrum of compound 61 (Expansion)



Figure A14 HMBC spectrum of compound 61 (Expansion)

.

3510021829



τ.



Figure A17 NOESY spectrum of compound 61



5.05 5.00 4.95 4.90 4.85 4.80 4.75 4.70 4.65 4.60 4.55 4.50 4.45 4.40 4.35 4.30 4.25 4.20 4.15 4.10

Figure A18 NOESY spectrum of compound 61 (Expansion)











Figure A22¹H NMR spectrum of compound 62 (Expansion)



Figure A24 ¹³C NMR spectrum of compound 62 (Expansion)



Figure A26 HSQC spectrum of compound 62 (Expansion)

÷



Figure A28 COSY spectrum of compound 62



Figure A30 NOESY spectrum of compound 62









Figure A34 ¹H NMR spectrum of compound 63 (Expasion)



Figure A36¹³C NMR spectrum of compound 63 (Expansion)







Figure A40 COSY spectrum of compound 63



Figure A42 NOESY spectrum of compound 63







Figure A44 HR-ESIMS spectrum of compound 64



Figure A46¹H NMR spectrum of compound 64 (Expansion)

.



Figure A48 ¹³C NMR spectrum of compound 64 (Expansion)

k

3510021829



Figure A50 HSQC spectrum of compound 64 (Expansion)





Figure A52 COSY spectrum of compound 64

4.0

-4.5



Figure A54 NOESY spectrum of compound 64







Figure A56 HR-ESIMS spectrum of compound 65


Figure A58 ¹H NMR spectrum of compound 65 (Expasion)

.

149



Figure A60¹³C NMR spectrum of compound 65 (Expansion)

.



Figure A62 HSQC spectrum of compound 65 (Expansion)



Figure A64 COSY spectrum of compound 65











Figure A68 HR-ESIMS spectrum of compound 66

.

3510021829



Figure A70¹H NMR spectrum of compound 66 (Expansion)

.



Figure A72 ¹³C NMR spectrum of compound 66 (Expansion)

156

,



Figure A74 HSQC spectrum of compound 66 (Expansion)



Figure A75 HSQC spectrum of compound 66 (Expansion)



Figure A76 COSY spectrum of compound 66







Figure A80 HR-ESIMS spectrum of compound 67

÷.



Figure A82¹H NMR spectrum of compound 67 (Expansion)

.

.



Figure A84 ¹³C NMR spectrum of compound 67 (Expansion)



Figure A86 HSQC spectrum of compound 67 (Expasion)



Figure A88 COSY spectrum of compound 67



Figure A90 NOESY spectrum of compound 67

3510021828

165

.







Figure A92 HR-ESIMS spectrum of compound 68

i.

3510021829



Figure A94 ¹H NMR spectrum of compound 68 (Expansion)

. .



Figure A96¹³C NMR spectrum of compound 68 (Expansion)



Figure A98 HSQC spectrum of compound 68 (Expansion)



Figure A100 COSY spectrum of compound 68



170



Figure A102 NOESY spectrum of compound 68

i

•



Figure A103 ATR-FTIR spectrum of compound 61a



Figure A104 HR-ESIMS spectrum of compound 61a

.

.

3510021829



Figure A106¹³C NMR spectrum of compound 61a



Figure A108 HSQC spectrum of compound 61a (Expansion)





Figure A110 COSY spectrum of compound 61a



Figure A112 NOESY spectrum of compound 61a

.

3510021829







۰,



Figure A116¹³C NMR spectrum of compound 67a

078150018F

178

÷



Figure A118 HSQC spectrum of compound 67a (Expansion)



Figure A119 HSQC spectrum of compound 67a (Expansion)







Figure A122 NOESY spectrum of compound 67a

.



Figure A124¹³C NMR spectrum of compound 61a_R

÷



Figure A126 HSQC spectrum of compound 61a_R (Expansion)

.



Figure A127 HSQC spectrum of compound 61a_R (Expansion)



Figure A128 COSY spectrum of compound 61a_R


.

Figure A130 NOESY spectrum of compound 61a_R



Figure A132 ¹³C NMR spectrum of compound 61a_s



Figure A134 HSQC spectrum of compound 61a₅ (Expansion)

.





. .



Figure A138 NOESY spectrum of compound $61a_5$





Figure A142 HSQC NMR spectrum of compound 69



Figure A144 HMBC NMR spectrum of compound 69

.



Figure A146¹³C NMR spectrum of compound 71 (Expansion)



Figure A148 ¹H NMR spectrum of compound 72



Figure A150 ¹³C NMR spectrum of compound 72



2.45 2.40 2.35 2.30 2.25 2.20 2.15 2.10 2.05 2.00 1.95 1.90 1.85 1.80 1.75 1.70 1.65 1.60 1.55 1.50 1.45 1.40 1.35 1.30 1.25 1.20 1/3 (ppm)

Figure A152 ¹H NMR spectrum of compound 73 (Expansion)



......

Figure A154 ¹H NMR spectrum of compound 74



Figure A156 ¹³C NMR spectrum of compound 74

÷





Figure A158 ¹³C NMR spectrum of compound 75



Figure A160¹³C NMR spectrum of compound 76

. .



Figure A162 ¹³C NMR spectrum of compound 77

.



Figure A164¹³C NMR spectrum of compound 78



Figure A166 ¹³C NMR spectrum of compound 79

÷



Figure A168¹³C NMR spectrum of compound 80



Figure A170 HR-ESIMS spectrum of compound 81

3510021828

205

.

.



Figure A171¹H NMR spectrum of compound 81



Figure A172¹³C NMR spectrum of compound 81



Figure A174 HSQC spectrum of compound 81

.





PCRICOLLER



Figure A178 HMBC spectrum of compound 81 (Expansion)





Figure A180 ATR-FTIR spectrum of compound 82

•



Figure A182 ¹H NMR spectrum of compound 82

3510021829

211

.



Figure A184¹³C NMR spectrum of compound 82 (Expansion)



Figure A186 COSY spectrum of compound 82



Figure A188 HMBC spectrum of compound 82 (Expansion)





.



Figure A191¹H NMR spectrum of compound 83



Figure A192¹³C NMR spectrum of compound 83

216

•



Figure A194 COSY spectrum of compound 83



Figure A196 ATR-FTIR spectrum of compound 84



Figure A198 ¹³C NMR spectrum of compound 84



Figure A200 COSY spectrum of compound 84




Figure A202 ATR-FTIR spectrum of compound 85



Figure A204 ¹³C NMR spectrum of compound 85

222







Figure A208 ATR-FTIR spectrum of compound 86

•

3510021829



.

Figure A210¹³C NMR spectrum of compound 86











Figure A216¹³C NMR spectrum of compound 57



Figure A218 COSY spectrum of compound 57





.



Figure A222 ¹³C NMR spectrum of compound 87

•



Figure A224 COSY spectrum of compound 87

,

3510021829



Figure A226 ATR-FTIR spectrum of compound 88





Figure A228¹³C NMR spectrum of compound 88







Figure A232 ATR-FTIR spectrum of compound 89



Figure A234¹³C NMR spectrum of compound 89



Figure A236 COSY spectrum of compound 89



Figure A238 ATR-FTIR spectrum of compound 90



Figure A240¹³C NMR spectrum of compound 90















.



Figure A248 COSY spectrum of compound 91







Figure A252 ¹³C NMR spectrum of compound 92







Figure A256 ATR-FTIR spectrum of compound 93

3510021829

.

....



Figure A258¹³C NMR spectrum of compound 93

.









Mr. Suphongphan Srisurichan was born on January 4, 1986 in Bangkok Thailand. He graduated high school from Bangkok Christian College. He obtained his Bachelor's degree of Science in Chemistry from Chulalongkorn University in 2007. He has been a graduate student studying in Ph.D. program in Organic Chemistry at Department of Chemistry, Faculty of Science, Chulalongkorn University.

His current address is 2,4 Soi Phrayamonthad Yake 35-16, Karnjanaphisek Rd., Bangbone, Bangbone, Bangkok, 10150 Thailand, Tel: 02-895-0161-3.

