

## REFERENCES

### ภาษาไทย

วีระสิงห์ เมืองมัน และกฤษฎา รัตน์ โอพาร. การใช้ครีมใบบัวบกรักษาแผลอักเสบโดยการทาภายนอก. ใน หนังสือรวบรวมผลงานวิจัย โครงการพัฒนาการใช้ยาสมุนไพรและยาไทยทางคลินิก. หน้า 69-74. กรุงเทพมหานคร: โครงการพัฒนาการใช้สมุนไพรและยาไทยทางคลินิก มหาวิทยาลัยมหิดล, 2536.

### ภาษาอังกฤษ

- Babu, T. D., Kuttan, G. and Padikkala, J. Cytotoxic and anti-tumour properties of certain taxa of Umbelliferae with special reference to *Centella asiatica* (L.) Urban. J Ethnopharmacol 48 (1995): 53-57.
- Baie, S. Hj. and Sheikh, K. A. The wound healing properties of *Channa striatus*-cetrimide cream-tensile strength measurement. J Ethnopharmacol 71 (2000): 93-100.
- Bilbao, I., Aguirre, A., Zabala, R., Gonzalez, R., Raton, J. and Diaz Perez, J. L. Allergic contact dermatitis from butoxyethyl nicotinic acid and *Centella asiatic* extract. Contact Dermatitis 33 (1995): 435-436.
- Bonaldi, L.A., and Frank, D.H. Pathophysiology of the burn wound. In B.M. Achauer (ed.), Management of the burned patient. pp. 20-47. United States of America: Prentice-Hall, 1987.
- Bonte, F., Dumas, M., Chaudagne, C. and Meybeck, A. Influence of Asiatic acid, madecassic acid, and asiaticoside on human collagen I synthesis. Planta Med 60 (1993): 133-135.
- Boykin, J.V., and Molnar, J.A. Burn scar and skin equivalents. In I.K. Cohen, R.F. Diegelmann, and W.J. Lindblad (eds.), Wound healing: Biochemical & clinical aspects. pp. 523-540. United States of America: W.B.Saunders, 1992.
- Bradwejn, J., Zhou, Y., Koszycki, D. and Shlik, J. A double-blind, placebo-controlled study on the effects of Gotu Kola (*Centella asiatica*) on acoustic startle response in healthy subjects. J Clin Psychopharmacol 20(6) (December 2000): 680-684.

- Brinkhaus, B., Lindner, M., Schuppan, D., Hahn, E.G. Chemical, pharmacological and clinical profile of the East Asian medical plant *Centella asiatica*. Phytother 7 (5) (2000): 427-448.
- Bunpo, P., Kataoka, K., Arimochi, H., Nakayama, H., Kuwahara, T., Bando, Y., Izumi, K., Vinitketkumnuen, U. and Ohnishi, Y. Inhibitory effects of *Centella asiatica* on azoxymethane-induced aberrant crypt focus formation and carcinogenesis in the intestines of F344 rats. Food Chem Toxicol 42 (2004): 1987-1997.
- Casteel, S. Care of burns [online]. 2002. Available from: [http://www.pagewise.com/home/health&fitness/health\\_advice/care\\_for\\_burns.html](http://www.pagewise.com/home/health&fitness/health_advice/care_for_burns.html) [cited 12-october-2004].
- Chaiyaphruk, S. Topical antimicrobial agents. Thailand: Medical Time (1-15 June 2003): 2-10.
- Chen, Y. J., Dai, Y. S., Chen, B. F., Chang, A., Chen, H. C., Lin, Y. C., Chang, K. H., Lai, Y. L., Chung, C. H. and Lai, Y. J. The effect of Tetrandrine and extracts of *Centella asiatica* on acute radiation dermatitis in rats. Biol Pharm Bull 22 (7) (1999): 703-706.
- Cheng, C. L. and Koo, M. W. L. Effects of *Centella asiatica* on ethanol induced gastric mucosal lesions in rats. Life Sciences 67 (2000): 2647-2653.
- Cheng, C. L., Guo, J. S., Luk, J. and Koo, M. W. L. The healing effects of *Centella* extract and asiaticoside on acetic acid induced gastric ulcers in rats. Life Sciences 74 (2004): 2237-2249.
- Choi, S., Kim, K.W., Choi, J.S., Han, S.T., Park, Y.I., Lee, S.K., Kim, J.S. and Chung, M.H. Angiogenic activity of  $\beta$ -sitosterol in the ischaemia/reperfusion-damaged brain of Mongolian Gerbil. Planta Med 68 (2002): 330-335.
- Cotran, R.S., Kumar, V., and Robbins, S.L. Inflammatory and repair. Robbins: Pathologic basis of disease. 5<sup>th</sup> ed., pp. 85-91. United States of America: W.B. Saunders, 1994.
- Crouch, J.E. and McClintic, J.R. Integumentary system. Human anatomy and physiology (1971): 126-137.
- Danese, P., Carnevali, C. and Bertazzoni, M. G. Allergic contact dermatitis due to *Centella asiatica* extract. Contact Dermatitis 31 (1994): 201.
- Dhorranintra, B. and Sangsirinavin, C. Cardiovascular effects of *Centella asiatica* glycoside. R.T.A.F. Med Gaz 28(2) (1982): 107-115.
- Dhorranintra, B., Jongsermsiriskun, P., Leelasetakul, S. and Sriumpai, S. Effects of *Centella asiatica* glycoside cream on guinea pig skin. Siriraj Hosp Gaz 36 (1984): 721-724.

- Eun, H. C. and Lee, A. Y. Contact dermatitis due to madecassol. Contact Dermatitis 13 (1985): 310-313.
- Falkel, J.E. Anatomy and physiology of the skin. In R.L. Richard, and M. J. Staley (eds.), Burn care and rehabilitation: Principles and practice. pp. 10-28. Philadelphia: Davis company, 1994.
- Farnsworth, N.R., Bunyaphratharsa, N. *Centella asiatica* (Linn) Urban. Thai medicinal plants recommended for primary health care system (1992): 111-114.
- Gnanapragasam, A., Ebenezar, K. K., Sathish, V., Govindaraju, P. and Devaki, T. Protective effect of *Centella asiatica* on antioxidant tissue defense system against adriamycin induced cardiomyopathy in rats. Life Sciences 76 (2004): 585-597.
- Greenhalgh, D.G., and Staley, M.J. Burn wound healing. In R.L. Richard, and M. J. Staley (eds.), Burn care and rehabilitation: Principles and practice. pp. 70-102. Philadelphia: Davis company, 1994.
- Gupta, Y. K., Veerendra, M. H. and Srivastava, A. K. Effect of *Centella asiatica* on pentylenetetrazole-induced kindling, cognition and oxidative stress in rats. Pharmacology, Biochemistry and Behavior 74 (2003): 579-585.
- Hart, J.A. Gotu Kola [online]. 2004. Available from: [http://www.alternative\\_medicine/herbs/yoga\\_and\\_nutritional\\_supplements/health\\_and\\_age.html](http://www.alternative_medicine/herbs/yoga_and_nutritional_supplements/health_and_age.html) [cited 12-october-2004].
- Hausen, B. M. *Centella asiatic* (Indian pennywort), an effective therapeutic but a weak sensitizer. Contact Dermatitis 29 (1993): 175-179.
- Iocono, J.A., Ehrlich, H.P., Gottrup, F., and Leaper, D.J. The biology of healing. In D.J. Leaper, and K.G. Harding (eds.), Wounds: Biology and management. pp. 10-22. Hong Kong: Oxford University Press, 1998.
- Izu, R., Aguirre, A., Gil, N. and Diaz-Perez, J. L. Allergic contact dermatitis from a cream containing *Centella asiatica* extract. Contact Dermatitis 26 (1992): 192.
- Jayashree, G., Muraleedhara, G. K., Sudarslal, S. and Jacob, V. B. Anti-oxidant activity of *Centella asiatica* on lymphoma-bearing mice. Fitoterapia 74 (2003): 431-434.
- Johnson, C. Pathologic manifestations of burn injury. In R.L. Richard, and M. J. Staley (eds.), Burn care and rehabilitation: Principles and practice. pp. 29-48. Philadelphia: Davis company, 1994.
- Kerstein, M.D. Introduction: Moist wound healing. Am J Surg 167 (1A suppl) (January 1994): 1s-20s.

- Kosalwatna, S., Shaipanich, C., Bhanganada K. The effect of one percent *Centella asiatica* cream on chronic ulcers. Siriraj Hosp Gaz 40 (6) (1988): 455-460.
- Kumar, M. H. V. and Gupta, Y. K. Effect of different extracts of *Centella asiatica* on cognition and markers of oxidative stress in rats. J Ethnopharmacol 79 (2002): 253-260.
- Kumar, V., Cotran, R.S., and Robbins, S.L. Tissue repair: Cell regeneration and fibrosis. Robbins basic pathology. 7<sup>th</sup> ed., pp.69-78. China: W.B. Saunders, 2003.
- Ladin, D.A. Understanding dressing. Clinics in plastic surgery 25 (3) (1998): 433-441.
- Lawrence, J.C. The effect of asiaticoside on guinea pig skin. J Invest Dermatol 49 (1) (1967): 95-96.
- Lawrence, J.C. The morphological and pharmacological effects of asiaticoside upon skin in vitro and in vivo. E J Pharmacol 1 (1967): 414-424.
- Leaper, D.J., and Gottrup, F. Surgical wounds. In D.J. Leaper, and K.G. Harding (eds.), Wounds: Biology and management. pp. 23-40. Hong Kong: Oxford University Press, 1998.
- Lu, L., Ying, K., Wei, S., Liu, Y., Lin, H. and Mao, Y. Dermal fibroblast-associated gene induction by asiaticoside shown *in vitro* by DNA microarray analysis. Br J Dermatol 151 (2004): 571-578.
- Lu, L., Ying, K., Wei, S., Fang, Y., Liu, Y., Lin, H., Ma, L. and Mao, Y. Asiaticoside induction for cell-cycle progression, proliferation and collagen synthesis in human dermal fibroblasts. Int J Dermatol 43 (2004): 801-807.
- Madibally, S. V., Solomon, V., Mitchell, R. N., Water, L. V. D., Yarmush, M. L. and Toner, M. Influence of insulin therapy on burn wound healing in rats. J Surg Res 109 (2003): 92-100.
- Mamtha, B., Kavitha, K., Srinivasan, K. K. and Shivananda, P. G. An in vitro study of the effect of *Centella asiatica* (Indian pennywort) on enteric pathogens. Indian J Pharmacol 36(1) (February 2004): 41-44.
- Maquart, F. X., Chastang, F., Simeon, A., Birembaut, Ph., Gillery, Ph. and Wegrowski, Y. Triterpenes from *Centella asiatica* stimulate extracellular matrix accumulation in rat experimental wounds. Eur J Dermatol 9 (4) (1999): 289-296.
- Marieb, E.N. The integumentary system and body membranes. Human anatomy and physiology laboratory manual. pp. 47-51. California: The Benjamin/Cummings, 1981.

- Mast, B.A. The skin. In I.K. Cohen, R.F. Diegelmann, and W.J. Lindblad (eds.), Wound healing: Biochemical & clinical aspects. pp. 344-355. United States of America: W.B.Saunders, 1992.
- Miller, S.F., Richard, R.L., and Staley, M.J. Triage and resuscitation of the burn patient. In R.L. Richard, and M. J. Staley (eds.), Burn care and rehabilitation: Principles and practice. pp. 105-118. Philadelphia: Davis Company, 1994.
- Moon, E.J., Lee, Y.M., Lee, O.H., Lee, M.J., Lee, S.K., Chung, M.H., Park, Y.I., Sung, C.K., Choi, J.S. and Kim, K.W. A novel angiogenic factor derived from Aloe vera gel:  $\beta$ -sitosterol, a plant sterol. Angiogenesis 3 (1999): 117-123.
- Mulder, G.D., Brazinsky, B.A., Harding, K.G., and Agren, M.S. Factors influencing wound healing. In D.J. Leaper, and K.G. Harding (eds.), Wounds: Biology and management. pp. 52-70. Hong Kong: Oxford University Press, 1998.
- Pakdechote, P., Kukongviriyapan, U. and Kukongviriyapan, V. Screening for free radical scavenging activities of extracts from *Coccinia grandis* and *Centella asiatica*. Srinagarind Med J 18 (2) (2003): 78-84.
- Park, B. C., Bosire, K. O., Lee, E. S., Lee, Y. S. and Kim, J. A. Asiatic acid induces apoptosis in SK-MEL-2 human melanoma cells. Cancer Letters 218 (2005): 81-90.
- Pharmacy & Health: Health Guide. Burns [online]. 2002. Available from: <http://www.food4less.burns.html> [cited 12-october-2004].
- Punturee, K., Wild, C. P. and Vinitketkumneun, U. Thai medicinal plants modulate nitric oxide and tumor necrosis factor- $\alpha$  in J774.2 mouse macrophages. J Ethnopharmacol 95 (2004): 183-189.
- Rababah, T. M., Hettiarachchy, N. S. and Horax, R. Total phenolics and antioxidant activities of fenugreek, green tea, black tea, grape seed, ginger, rosemary, gotu kola and ginkgo extracts, vitamin E and tert-butylhydroquinone. J Agric Food Chem 52 (2004): 5183-5186.
- Reddy, J. S., Rao, P. R. and Reddy, M. S. Wound healing effects of *Heliotropium indicum*, *Plumbago zeylanicum* and *Acalypha indica* in rats. J Ethnopharmacol 79 (2002): 249-251.
- Regan, M.C. and Barbul, A. The cellular biology of wound healing [online]. 2000. Available from: [http://www.tissue sealing.com/uk/surgical/overview/vol1\\_3\\_17.cfm](http://www.tissue sealing.com/uk/surgical/overview/vol1_3_17.cfm). [cited 12-october-2004].

- Sampson, J.H., Raman, A., Karlsen, G., Navsaria, H. and Leigh, I.M. *In vitro* keratinocyte antiproliferant effect of *Centella asiatica* extract and triterpenoid saponins. Phytomed 8 (3) (2001): 230-235.
- Saringat, H.B. and Wasim, S. Tensile strength of chitosan membranes at different relative humidity, prepared in different solvents. Acta Science 5 (2) (1995): 179-186.
- Sarma, D.N.K., Khosa, R.L., Chansauria, J.P.N. and Sahai, M. Antiulcer activity of *Tinospora cordifolia* Miers and *Centella asiatica* Linn extracts. Short communication (1994): 499-590.
- Shobi, V. and Goel, H. C. Protection against radiation-induced conditioned taste aversion by *Centella asiatica*. Physiology & Behavior 73 (2001): 19-23.
- Shukla, A., Rasik, A.M. and Dhawan B.N. Asiaticoside induced elevation of antioxidant levels in healing wounds. Phytother Res 13 (1) (1999): 50-54.
- Shukla, A., Rasik, A. M., Jain, G. K., Shankar, R., Kulshrestha, D. K. and Dhawan B. N. *In vitro* and *in vivo* wound healing activity of asiaticoside isolated from *Centella asiatica*. J Ethnopharmacol 65 (1999): 1-11.
- Somboonwong, J., Thanamitramanee, S., Jariyapongskul, A. and Patumraj, S. Therapeutic effects of *Aloe vera* on cutaneous microcirculation and wound healing in second degree burn model in rats. J Med Assoc Thai 83 (2000): 417-425.
- Somchit, M. N., Sulaiman, M. R., Zuraini, A., Samsuddin, L., Somchit, N., Israf D. A. and Moin, S. Antinociceptive and antiinflammatory effects of *Centella asiatica*. Indian J Pharmacol 36 (6)(December 2004): 377-380.
- Subrahmanyam, M., Sahapure, A. G., Nagane, N. S., Bhagwat, V. R. and Ganu, J. V. Effects of topical application of honey on burn wound healing. Ann Burns and Fire Disasters XIV (3)(September 2001): 1-3.
- Suguna, L., Sivakumar, P. and Chandrakasan, G. Effects of *Centella asiatica* extract on dermal wound healing in rats. Indian J Exp Biol 34 (December 1996): 1208-1211.
- Sunikumar, Parameshwaraiah, S. and Shivakumar, H. G. Evaluation of topical formulations of aqueous extract of *Centella asiatica* on open wounds in rats. Indian J Exp Biol 36 (June 1998): 569-572.
- Veerendra, M.H. and Gupta, Y.K. Effect of different extracts of *Centella asiatica* on cognition and markers of oxidative stress in rats. J Ethnopharmacol 79 (2002): 253-260.

- Wang, C. C., Pu, Z. B., Liu, H. B., Zhou, L. G., Chao, C. R., Sang, Z. X., Dong, F. and Ge, J. I. Experimental study on maintaining physiological moist effect of Moist Exposed Burn Therapy/Moist Exposed Burn Ointment on treating burn wound. The Chinese J Burns Wounds & Surface Ulcers 10(4) (November 1998): 18-20.
- Wynsberghe, D.V., Noback, C.R., and Carala, R. The integumentary system. Human anatomy and physiology. 3 rd ed., pp. 133-144. New York: McGraw-Hill, 1995.
- Yen, G. C., Chen, H. Y. and Peng, H. H. Evaluation of the cytotoxicity, mutagenicity and antimutagenicity of emerging edible plants. Food Chem Toxicol 39 (2001): 1045-1053.
- Yoshida, M., Fuchigami, M., Nagao, T., Okabe, H., Matsunaga, K., Takata, J., Karube, Y., Tsuchihashi, R., Kinjo, J., Mihashi, K. and Fujioka, T. Antiproliferative constituents from Umbelliferae plants VII. Active triterpenes and rosmarinic acid from *Centella asiatica*. Biol Pharm Bull 28(1)(2005): 173-175.
- Zawacki, B. E. Reversal of capillary stasis and prevention of necrosis in burns. Ann Surg 180 (1974): 98-102.



## BIOGRAPHY

Miss Mattana Kankaisre was born on August 19, 1977 in Chachoengsao, Thailand. She graduated Bachelor's degree of Nursing Science in 1998 from Mahidol University. She is working as a nurse at Siriraj Hospital until now.

